

## 6. LITERATURE CITED

- Albrecht, A. B. 1964. Some observations on factors associated with survival of striped bass eggs and larvae. Calif. Fish and Game 50 (2): 100-113.
- Atkinson, S. F., K. L. Dickson, J. L. Franks, D. C. Garrett, B. A. Hunter, W. T. Waller, and S. L. Burks. 1996. An evaluation of U.S. Army Corps of Engineers Provided Historical Water Quality Data from Lake Texoma: Implications for Water Quality Monitoring Program. University of North Texas, Denton, TX.
- Atkinson, S. F., K. L. Dickson, W. T. Waller, L. Ammann, J. Franks, T. Clyde, J. Gibbs, D. Rolbiecki. 1999. A Chemical, Physical and Biological Water Quality Survey of Lake Texoma: August 1996-September 1997 Final Report, Institute of Applied Science, University of North Texas, Denton, TX.
- Aure, J. and F. Rey. 1991. Oceanographic conditions in the Sandsfjord system, western Norway, after a bloom of the toxic prymnesiophyte *Prymnesium parvum* Carter in August 1990. Sarsia 76:247-254
- Baxter, R. M. 1977. Environmental effects of dams and impoundments. Annual Review of Ecology and Systematics, 8:255-283.
- Biesaat, L. A., Roberson, W. R., and Spotts, L. C. 1985. Prehistoric Archeological Sites in Texas: A Statistical Overview. Special Report 28, Office of the State Archeologist. Texas Historical Commission, Austin, TX.
- Bold, H. D. and M. J. Wynne. 1983. Introduction the Algae, 2<sup>nd</sup> edition, Prentice-Hall, Inc. Englewood Cliffs, NJ.
- Bowie, G. L., Sanders, J. G., Riedel, G. F., Gilmour, C. C., Breitburg, D. L., Cutter, G. A., and D. B. Porcella. 1996. Assessing selenium cycling and accumulation in aquatic ecosystems. Water, Air, Soil Pollut. 90:93-104.
- Brooks, R. L., and Hofman, J. L. 1989. Introduction. In From Clovis to Comanchero: Archeological Overview of the Southern Great Plains, by J. L. Hofman, R. L. Brooks, J. S. Hays, D.W. Owsley, R. L. Jantz, M. K. Marks, and M. H. Manheim, pp. 71-90. Research Series No. 35. Arkansas Archeological Survey, Fayetteville, AR.
- Bullard, R. D. 1993. "Waste and Racism: A Stacked Deck?" Forum for Applied Research and Public Policy. Spring.
- Bureau of Land Management (BLM) 1994. Oklahoma Resource Management Plan. BLM District Office, Tulsa, OK.
- Burks, S. L. 1996. Development of a water quality monitoring plan for Lake Kemp, TX. Water Quality and Ecotoxicology Assessments, Inc. Stillwater, OK.
- Carson, R. T., and R. C. Mitchell. 1998. The value of clean water: the public's willingness to pay for boatable, fishable, and swimmable water quality. Water Resources Research 29:2445-2454.

- Chizinski, C., K. L. Pope, D. B. Willis, and G. Wilde. 2000. A Preliminary Assessment of Summer Data Collected for an Economic Analysis of Water-Based Recreation at Lake Kemp, Texas. Department of Range, Wildlife, and Fisheries Management and Department of Agricultural and Applied Economics, Texas Tech University. Lubbock, TX.
- Chizinski, C., K. L. Pope, D. B. Willis, and G. Wilde. 2001. Economic Valuation of Water Clarity on Water-Based Recreation at Lake Kemp, Texas. Department of Range, Wildlife, and Fisheries Management and Department of Agricultural and Applied Economics, Texas Tech University. Lubbock, TX.
- Clyde, Jr., G. A. 1996. A limnological and fisheries survey of Lake Wichita, Wichita and Archer Counties, Texas. Masters Thesis. Midwestern State University, Wichita Falls, TX.
- Cook, T. D., and Bruland, K. W. 1987. Aquatic chemistry of selenium: evidence of biomethylation. Environ. Sci. Technol. 21:1214-1219.
- Crist, L. W. 1980. Seasonal and Spatial Variability of the Macrocrustacean Community in Lake Texoma, Texas and Oklahoma, Masters of Science Thesis, University of North Texas, Denton, TX.
- Cross, F. B. and J. T. Collins. 1975. Fishes in Kansas. The University of Kansas Museum of Natural History and State Biological Survey, Lawrence, KS.
- Cross, F. B., R. E. Moss, and J. T. Collins. 1985. Assessment of dewatering impacts on stream fisheries in the Arkansas and Cimarron Rivers. Nongame Wildlife Contract No. 46, Kansas Department of Wildlife and Parks, Lawrence, KS.
- Dalquest, W. W. 1958. Mississippi silversides (*Menidia audens*) instead of brook silversides (*Labidesthes sicculus*): A correction. The Southwestern Naturalist. 3:227.
- Dalquest, W. W. and L. J. Peters. 1966. A life history study of four problematic fish in Lake Diversion, Archer and Baylor Counties, Texas. IF Report Series, No. 6. Texas Parks and Wildlife Department, Austin, TX.
- Echelle, A. A., A. F. Echelle, and L. G. Hill. 1972. Interspecific interactions and limiting factors of abundance and distribution in the Red River pupfish, *Cyprinodon rubrofluviatilis*. American Midland Naturalist, 88:109-130.
- Echelle, A. A., W. L. Fisher, and A. F. Echelle. 1995. Assessment of fish communities in relation to chloride control in the Wichita River and the distribution of pupfish in the Red River drainage. Department of Zoology and Oklahoma Cooperative Fish and Wildlife Research Unit, Oklahoma State University, Stillwater, OK.
- Etchieson, G. M., R.D. Speer, and J.T. Hughes. 1979. Archeological Investigations in the Crowell Reservoir Area, Cottle, Foard, King, and Knox Counties, Texas. Archeological Research Laboratory, Killgore Research Center, West Texas State University, Canyon, TX.
- Finnish Environmental Administration. 2001. Signs of sustainability – eutrophication. Finnish Environmental Administration Webpage  
<http://www.vyh.fi/eng/environ/sustdev/indicat/rehevoit.htm>

- Franks, J. 2000, Spatial and Temporal Influences of Water Quality on Zooplankton in Lake Texoma. Doctoral Dissertation, Biology, University of North Texas, Denton, TX.
- Gade, D., S. L. Burks, and A. V. Zale. 1992. An Evaluation of the Effect of Decreased Chloride Concentrations in the Red River Basin on Primary Production and Sportfish Abundance in Lake Texoma. Contract No. 1-5-17881 for U.S. Army Corps of Engineers, Tulsa District, Oklahoma State University, Stillwater, OK.
- Gelwick, F. P., N. J. Dictson, and M. D. Zinn. 2000. Analysis of fish distribution in the Wichita River System and Red Tributaries. Texas Agricultural Experimental Station, Texas A&M University, College Station, TX.
- Gilbert, C. R. 1980. *Notropis bairdi* (Hubbs and Ortenburger) Arkansas River shiner. In D.S. Lee, et al. eds., Atlas of North American Fishes. North Carolina Biological Survey.
- Gilliland, G. and R. Horton. 1989. Evaluation of reservoir strain smallmouth bass: March 1, 1988 through February 28, 1989. Federal Aid Project F-39-R-11, Job No.13, OK.
- Ground, T. A. and A. W. Groeger. 1994. Chemical classification and trophic characteristics of Texas reservoirs. Lake and Reservoir Management, 10:189-201.
- Hansen, L. D., K. J. Maier, and A. W. Knight. 1993. The effect of sulfate on the bioconcentration of selenate by *Chironomus decorus* and *Daphnia magna*. Arch. Environ. Contam. Toxicol. 25:72-78.
- Harper, J. L. and H. E. Namminga. 1986. Fish population trends in Lake Texoma Reservoir following establishment of striped bass. Pages 156-165 in G. E. Hall and M. J. Van Den Avyle, eds. Reservoir fisheries management: strategies for the 80's. Reservoir Come. South. Div., Am. Fish. Society. Bethesda, MD.
- Holdway, P. A, R. A Watson, and B. Moss. 1978. Aspects of the Ecology of *Prymnesium parvu* (haptophyta) and water chemistry in the Norfolk Broads, England, Freshwater Biology.
- Hubbs, C., J. D. Bryan, J. C. Cox, E. M. Grigsby, T. R. Lawrence, D. L. McNeely, D. A. Nieman, J. Smith, G. L. Steele, M. VanBuskirk, S. Wilson, and D. Altman. 1976. The Effects of a Halocline on Fish Distribution in the Red River Arm of Lake Texoma. Proceedings of the Oklahoma Academy of Science, 56:32-37.
- Hughes, J. T. 1972. History and Prehistory. In Ark-Red Chloride Control Part I: Areas VII, VIII, and X, Texas (Contract No. DACW 56-73-C-0022), edited by D. L. Brooks, F. W. Daugherty, M. A. Guidry, L. C. Higgins, J. T. Hughes, S. R. Keeley, K. M. Laycock, R. R. McKown, C. E. Nelson, G. E. Schultz, R. M. Winn, and R. A. Wright, pp. 2-46-86. Killgore Research Center, West Texas State University, Canyon, TX.
- Hysmith, B. T. 1988. Existing Reservoir and Stream management Recommendation Texoma Lake. 1987. Performance Report Federal Aid Project F-30-R-13, Texas Parks and Wildlife Department. Austin, TX.
- James, T. and A. De La Crus. 1989. *Prymnesium parvum* Carter (Chrysophyceae) as a suspect of mass mortalities of fish and shellfish communities in western Texas. Texas Journal of Science. 41 (4):429-430.

- Jenkins, R. M. 1968. The influence of some environmental factors on standing crop and harvest of fishes in U.S. reservoirs. Reservoir Fisher Resources Symposium, April 5-7, 1967, Athens, GA.
- Jenkins, R. M. 1970. The influence of engineering design and operation and other environmental factors on reservoir fishery resources. Water Resources Bulletin, 6(1):110-119.
- Johansson, N. 2000. Ecological Implications of the production of toxic substances by fish killing phytoplankton species grown under variable N:P-rations. Dissertation, University of Lund, Sweden.
- Johansson, N. and E. Graneli. 1999. Influence of different nutrient conditions on cell density, chemical composition and toxicity of *Prymnesium parvum* (Haptophyta) in semi-continuous cultures. J. Experimental Marine Biology and Ecology 239 (2):243-258.
- Johansson, N. and E. Graneli. 2000. Increase in the production of allelopathic substances by *Prymnesium parvum* cells grown under N or P deficient conditions. Harmful Algal Blooms, ninth conference, Tasmania, 2000.
- Largent, F. B. Jr., B. C. Maynard and S. M. Hunt. 1995. Red River Basin Chloride Control Project Cultural Resources Inventory within Areas VII, IX, and X in Cottle, Foard, King, and Knox Counties, Texas. Prepared for the U.S. Army Corps of Engineers, Tulsa District by Geo-Marine, Inc., Plano, TX.
- Larson, A. and S. Bryan. 1988. Growth rate the toxicity of *Prymnesium parvum* and *prymnesium patilliferum* (Haptophyta) in resonance to changes in salinity, light and temperature. Sarsia 83 (5):409-418.
- Leifeste, D. K., J. F. Blakey, and L. S. Hughes. 1971. Reconnaissance of the chemical quality of surface waters of the Red River Basin, Texas. Report N. 126, Texas Water Development Board, Austin, TX.
- Lemly, A. D., and Smith, G. J. 1987. Aquatic cycling of selenium: implications for fish and wildlife. United States Dept. of the Interior, Fish and Wildlife Service, Fish and Wildlife Leaflet 12, Washington, D.C.
- Lemly, A. D. 1993. Guidelines for Evaluating Selenium Data from Aquatic Monitoring and Assessment Studies, Environmental Monitoring & Assessment 28:83-100
- Lemly, A. D. 1995. A Protocol for Aquatic Hazard Assessment of Selenium. Ecotox. Environ. Safety. 32:280-288.
- Lemly, A. D. 1996. Selenium in Aquatic Organisms. In Beyer, W.N., Heinz, G.H., Redmon-Norwood, A.W. (eds), Environmental Contaminants in Wildlife, Interpreting Tissue Concentrations. CRC Press, Inc. pp. 427-445.
- Lemly, A. D. 1998. A position paper on selenium in ecotoxicology: a procedure for deriving site-specific water quality criteria. Ecotox. Environ. Safety. 39:1-9.

- Lewis, L. D. and W. W. Dalquest. 1955. Inventory of species present in Lake Wichita, Texas. Job Completion Report F-7-R-2, Job B-7. Texas Game and Fish Commission, Austin, TX.
- Lewis, L. D. and W. W. Dalquest. 1956. Laboratory and statistical analyses of materials and data collected in the field. Segment Completion Report F-7-R-3, Job B-4. Texas Fish and Game Commission, Austin, TX.
- Lewis, L. D. and W. W. Dalquest. 1957. A fisheries survey of the Wichita River system and its impoundments. Technical Report. Texas Game and Fish Commission, Austin, TX.
- Lynott, M. J. 1981. A Model of Prehistoric Adaptation in Northern Texas. *Plains Anthropologists* 26(92):97-110.
- Maier, K. J., C. Foe, R. S. Ogle, M. J. Williams, A.W. Knight, P. L. Kiffney and L. A. Melton. 1987. The dynamics of selenium in aquatic ecosystems. In: Hemphill, D.D. (ed.) *Trace Substances I Environmental Health*. University of Missouri, Columbia, MO.
- Matthews, W. J. and L. G. Hill. 1988. Physical and chemical profiles in Lake Texoma (Oklahoma-Texas) in the summer of 1982 and 1983. *Proceedings of the Oklahoma Academy of Sciences* 68:33-38.
- Matthews, W. J. 1991. Distribution and abundance of sport and forage fishes of the Upper Red River Drainage (Above Lake Texoma) in Oklahoma. Federal Aid Project F-48-R. Oklahoma Department of Conservation, Oklahoma City, OK.
- Mauck, P. E. 1991. Fish management surveys and recommendations for Texoma reservoir. Job Performance Report, Okla. Fish. Manage. Program, Federal Aid Project No. F-44-D-5. Oklahoma City, OK.
- McCarl, B. A., R. D. Lacewell, J. R. Ellis, and M. D. Zinn. 2000. Economic Analysis. Final Completion Report on Potential Effects of the Wichita River Chloride Control Project.. Report to U.S. Army Corps of Engineers. Tulsa District. Texas Agricultural Experiment Station, Texas A&M University, College Station, TX.
- McCarl, B. A., R. D. Lacewell, and M. D. Zinn. 2001. Updated Economic Analysis of the Wichita Portion of the Red River Chloride Control Project, Texas Agricultural Experiment Station, Texas A&M University, College Station, TX.
- Minckley, W. L. 1979. *Cyprinodon rubrofluviatilis* (Fowler) Red River pupfish. In *Atlas of North American Fishes* (Lee, D. S. *et al.*, eds.). North Carolina Biological Survey.
- National Academy of Sciences. 1971. Selenium in Nutrition. National Academy of Sciences, Subcommittee on Selenium, Washington, D.C.
- Oklahoma Water Resources Board. 1980. Oklahoma Comprehensive Water Plan. Appendix A. pg. 226, Publication 94. 248 pp. Oklahoma Water Resources Board, Oklahoma City, OK.
- Oklahoma Parks and Recreation Department. 1987. State Comprehensive Outdoor Recreation Plan, (SCORP) 1987. Oklahoma City, OK.

- Paerl, H. W. 1993. Emerging Role of Atmospheric Nitrogen Deposition in Coastal Eutrophication: Biogeochemical and Trophic Perspectives. *Can J. Fish. Aquat. Sci.* 50:2254-2269.
- Perry, W., J. A. Stanford, and C. Rafferty. 1979. Water quality study, Lake Texoma, Texas and Oklahoma: December 1977 - November 1978. Institute of Applied Sciences. North Texas State University, Denton, TX.
- Pettitt, J. M. 1976. Intensive surface water monitoring survey for segment 0203. Lake Texoma. Report No. IMS 35, Texas Water Quality Board. Austin, TX.
- Red River Authority (RRA). 2000. Assessment of brush management/water yield feasibility for the Wichita River watershed above Lake Kemp: Hydrologic evaluation and feasibility study. Texas A&M University, College Station, TX
- RRA. 2001. Red River Authority of Texas, webpage: <http://www.rra.dst.tx.us/publications/>
- Sabour, B., L. M. Loudiki, B. Oudra, S. Oubraim, B. Fawzi, S. Fadlaoui, M. Chlaida and V. Vasconcelos. 2000. Blooms of *Prymnesium parvum* associated with fish mortalities in a hypereutrophic brackish lake in Morocco. *Harmful Algae News* No. 21: An IOC Newsletter on Toxic Algae and Algal Blooms. The Intergovernmental Oceanographic Commission of UNESCO, November 2000.
- Schreiner, D. 1995. Regional Economic Impact of Lake Texoma Striped Bass and Non-Striped Bass Fishing Activities, 1995 Update; U.S. Army Corps of Engineers, Tulsa District. Tulsa, OK.
- Schreyer, J., R. Proctor, H. Chester, and K. Kahl. 2001. Cultural Resources Inventory within 1732 Acres along the Area VII-Truscott Lake Pipeline Corridor and around Truscott Lake, Wichita River basin, Cottle, Foard, and Knox Counties, Texas. Prepared for the U.S. Army Corps of Engineers, Tulsa District by Wendy Lopez and Associates, Inc., Dallas, TX.
- Schroeder, P. R., S. A. Pranger, and E. C. Fleming. 2000. Evaluation of the Potential Effect of Chloride Reduction on Turbidity in Lake Kemp for the Red River Chloride Control Project, Tulsa District. Environmental Laboratory, U.S. Army Engineer Research and Development Center. Vicksburg, MS.
- Schroeder, P. E. and E. Toro. 1996. Evaluation of the Potential Effect of Chloride Reduction of Turbidity in Lake Texoma for the Red River Chloride Control Project, Tulsa District, Oklahoma. Environmental Laboratory, USACE Waterways Experiment Station, Vicksburg, MS.
- Schorr, M. S., L. G. Hill, A. M. Miller, M. R. Meador, S. W. Golladay, C. L. Hax, and W. J. Matthews. 1993. Ecological assessment of inter-basin water diversions from Lake Texoma (Oklahoma-Texas) to Sister Grove Creek (Texas) and Lake Levon (Texas), Volume II: Appendix Report-Lake Texoma. Final report prepared for North Texas Municipal Water District. 957 pp.
- Setzler, E.M., W.R. Boynton, K.V. Wood, H.H. Zion, L. Lubbers, N.K. Mountford, P. Frere, L.L. Tucker, and J.A. Mihursky, eds. 1980. Synopsis of biological data on striped bass, *Morone saxatilis* (Walbaum). FAO Synop. 121, NOAA, NMFS, Washington D.C.
- Shamberger, R. J. 1981. Selenium in the Environment. *Scientific Total Environment* 12:59-74.

- Shelton, W. L. 1996. Synopsis of reproductive biology for striped bass with reference to the Red River Chloride Control Project. Contract Rept. for the U.S. Fish and Wildlife Service, Oklahoma Field Office. University of Oklahoma, Norman, OK.
- Shilo, M. 1972. Toxigenic algae, In: OJD Hockenjull II 9ed). Progress in industrial Microbiology. Vo.. 2 Churchill Livingstone Press, Edingurgh.
- Skorupa, J. P., and H. M. Ohlendorf. 1991. Contaminants in Drainage Water and Avian Risk Thresholds. pp 345-368 in A. Dinar and D. Zilbermand (eds). The Economy and Management of Water and Drainage in Agriculture. Kluwer Academic Publishers, Norwell, PA.
- Skorupa, J. P. 1992. Written testimony of Dr. Joseph P. Skorupa for FDA hearing on the environmental impact of selenium in animal feed. 25 August 1992. Docket No. 86F-0060.
- Skorupa, J. P., S. P. Morman, and J. S. Sefchick-Edwards. 1996. Guidelines for Interpreting Selenium exposures of Biota Associated with Non-marine Aquatic Habitats. Prepared for the National Irrigation Water Quality Program by the U.S. Fish & Wildlife Service Sacramento Field Office. Sacramento, CA.
- Spatial Climate Analysis Service. 2000. Average Annual Precipitation, Texas. Climate Source. Oregon State University. website: [www.climatesource.com](http://www.climatesource.com).
- Srinivasan, R., R. Sivanpillai, G. Riley, J. Friddell, and M. Zinn. 2000. Analysis of Land Cover/Use Changes for 1977-1997 Along the Wichita River, Texas Using Landsat Mss & Tm Imagery. Texas Agricultural Experiment Station, Texas A&M University, College Station, TX.
- Stanford, J. A., L. C. Fitzpatrick, and S. Zimmerman. 1977. Water quality study, Lake Texoma, Texas and Oklahoma: December 1975 - November 1976. Institute of Applied Sciences, North Texas State University, Denton, TX.
- Stanford, J. A. and S. Zimmerman. 1978. Water quality study, Lake Texoma, Texas-Oklahoma: December 1976 - November 1977. Institute of Applied Sciences, North Texas State University, Denton, TX
- State of Texas. 1997. Senate Bill 1, Legislative Session 75(Regular Session), Water Planning: Drought, Conservation, Development, and Management. Authored by L. Brown, Texas State Senate, Austin, Texas.
- Suhm, D. A., A. D. Krieger, and E. B. Jelks. 1954. An Introductory Handbook of Texas Archeology. Bulletin of the Texas Archeological Society, Volume 25. Austin, TX.
- Taylor, C. M. and R. J. Miller. 1990. Reproductive ecology and population structure of the plains minnow, *Hybognathus placitus* (Pisces: Cyprinidae), in central Oklahoma. American Midland Naturalist, 123:32-39.
- Taylor, C. M., M. R. Winston, and W. J. Matthews. 1996. Temporal variation in tributary and mainstream fish assemblages in a great plains stream system. Copeia. 2: 280-289.
- Terry, N., and A. Zayed. 1998. Phytoremediation of Selenium, In: Frankenberger, W.T., and Engberg, P.A. (eds) Environmental Chemistry of Selenium, Marcel Dekker, Inc., NY.

- Texas A&M University. 2000. Analysis of the Wichita Portion of the Red River Chloride Control Project, Economic Analysis. Texas Agricultural Experiment Station. College Station, TX.
- Texas A&M University. 2001. Description of the Study Area and Salinity Implications, Texas Agricultural Experiment Station, College Station, TX.
- Texas Parks and Wildlife Department (TPWD). 1990. 1990 TORP-Assessment and Policy Plan. Consumer Planning Section, Comprehensive Planning Branch, Parks Division, Texas Parks and Wildlife Department, Austin, TX.
- TPWD. 1993. Survey Report for Lake Kemp, District 2-F, Wichita Falls, Texas, 1992. Statewide Freshwater Fisheries Monitoring and Management Program. Texas Parks and Wildlife Department, Austin, TX.
- TPWD. 1995. 1995 TORP-Assessment and Policy Plan. Consumer Research, Texas Parks and Wildlife Department, Austin, TX.
- TPWD. 1996. Survey Report for Lake Kemp, District 2-F, Wichita Falls, Texas, 1995. Statewide Freshwater Fisheries Monitoring and Management Program. Texas Parks and Wildlife Department, Austin, TX.
- TPWD. 1998. Survey Report for Lake Diversion, District 2-E, Wichita Falls, Texas, 1997. Statewide Freshwater Fisheries Monitoring and Management Program. Texas Parks and Wildlife Department, Austin, TX.
- TPWD. 1999. Survey Report for Lake Kemp, District 2-E, Wichita Falls, Texas, 1998. Statewide Freshwater Fisheries Monitoring and Management Program. Texas Parks and Wildlife Department, Austin, TX.
- TPWD. 2001a. Survey Report for Lake Diversion, District 2-E, Wichita Falls, Texas, 2000. Statewide Freshwater Fisheries Monitoring and Management Program. Texas Parks and Wildlife Department, Austin, TX.
- TPWD. 2001b. Dundee State Fish Hatchery. Website:  
[http://www.tpwd.state.tx.us/fish/infish/hatchery/dundee/hatch\\_id.htm](http://www.tpwd.state.tx.us/fish/infish/hatchery/dundee/hatch_id.htm). Texas Parks and Wildlife Department, Austin, TX.
- TPWD. 2001c. Newsstand “State Taking Steps to Combat Golden Algae”. Website:  
<http://www.tpwd.state.tx.us/news/news/010910c.htm> . Texas Parks and Wildlife Department, Austin, TX.
- Texas State Soil and Water Conservation Board. 2000. Assessment of Brush Management/Water Yield Feasibility for the Wichita River Watershed Above Lake Kemp, Hydrologic Evaluation and Feasibility Study, Final Report. Texas State Soil and Water Conservation Board by the Red River Authority of Texas, in cooperation with USDA-Natural Resource Conservation Service, Texas Agriculture Experiment Station, Blackland Research & Experiment Station, Texas A&M University, Department of Agricultural Economics, Texas A&M University, Department of Rangeland Ecology and Management. College Station, TX.
- Texas Water Development Board (TWDB). 1996. Red River Basin chloride control project – summary report – 1995. Texas Water Development Board. Austin, TX.

- Thompson-Eagle, E. T., and Frankenberger, Jr., W. T. 1990. Volatilization of selenium from agricultural evaporation pond water. *J. Environ. Qual.* 19:125-131.
- U.S. Army Corps of Engineers (USACE). 1976. Final Environmental Statement for Arkansas-Red River Basin Chloride Control, Red River Basin. Department of the Army. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 1977a. Statement of Findings, Areas VII and X. Red River Chloride Control Project. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 1977b. Statement of Findings, Area X. Red River Chloride Control Project. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 1980. "Supplemental Data to Arkansas-Red River Basin Chloride Control, Red River Basin, Design Memorandum No. 25, General Design, Phase I – Plan Formulation", Volumes I and II, Department of the Army. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 1989. Upper Red River Basin Drought Contingency Plan. Appendix P to Reservoir Regulations Master Manual Red River Basin. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 1993a. Red River Chloride Control, Oklahoma and Texas: Evaluation of the Potential for Selenium – Related Impacts on Wildlife. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 1993b. Limited Reevaluation Report. Red River Chloride Control Project. Revised June 1993. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 1993c. Lake Texoma. Project Sediment Data. Tulsa District Corps of Engineers, 1993.
- USACE. 1996a. Pertinent Data, Lake Texoma, Oklahoma and Texas. Website: <http://www.swt.usace.army.mil/projects/pertdata/laketexoma/laketexoma.htm>. U.S. Army Corps of Engineers, Tulsa District, Tulsa, OK.
- USACE. 1998. Department of Defense, Department of the Army, Corps of Engineers, Intent to Prepare an Environmental Impact Statement (EIS) for the Wichita River Basin Portion of the Red River Chloride Control Project (RRCCP), Texas and Oklahoma. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 2000a. Alternatives for Chloride Control – Wichita River Basin and Truscott Brine Lake, Texas: Summarized Evaluation of the Potential for Selenium-Related Impacts on Wildlife. Tulsa District Corps of Engineers, Tulsa, Oklahoma.
- USACE. 2000b. 2000 Annual Report, Reservoir Control Center, Southwestern Division, U.S. Army Corps of Engineers.
- USACE. 2001a. Concentration Duration and Low Flow Analysis. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 2001b. "USFWS/TPWD Chloride Control Concept Alternatives Reconnaissance Level Formulation and Evaluation Summary". Tulsa District Corps of Engineers, Tulsa, OK.

- USACE. 2001c. Selenium monitoring results: Truscott Brine Lake, TX and associated brine collection areas, 1997 - 1998. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 2001d. Tulsa District Environmental Analysis and Support Branch, Biological Assessment. Tulsa District Corps of Engineers, Tulsa, OK.
- USACE. 2002. Lake Texoma, Oklahoma and Texas. Website:  
[http://www.swt.usace.army.mil/recreat/OPSField.CFM?tblOPSField\\_LakeName=Lake+Texoma](http://www.swt.usace.army.mil/recreat/OPSField.CFM?tblOPSField_LakeName=Lake+Texoma)  
U.S. Army Corps of Engineers, Tulsa District, Tulsa, OK.
- USACE. 2003a. Updated Loading Estimates and Man-Made Chloride Loads for the Red River Basin, U.S. Army Corps of Engineers, Tulsa District, Tulsa, OK.
- USACE. 2003b. Analysis of Lake Texoma Turbidity Excluding Chloride Control at Area V (Estelline Springs) as "Natural". U.S. Army Corps of Engineers, Tulsa District, Tulsa, OK.
- U.S. Fish and Wildlife Service (USFWS). 1976. Final Coordination Act Report of Red River Chloride Control Project, Oklahoma and Texas. U.S. Fish and Wildlife Service, Tulsa, OK.
- USFWS. 1981. Multiple regression formulas for use in estimating fish standing crop, sport fish harvest and angler effort in U.S. reservoirs (Revised 15 January 1981). U.S. Fish and Wildlife Service, National Reservoir Research Program, Fayetteville, AR.
- USFWS. 1989. Draft Fish and Wildlife Coordination Act Report on Lake Texoma Restudy Project, Oklahoma and Texas.
- USFWS. 1990. Effects of Irrigation Drainwater Contaminants on Wildlife. U.S. Fish and Wildlife Service, Patuxent Wildlife Research Center, Laurel, MD.
- USFWS. 1992. An Overview of Irrigation Drainwater Techniques, Impacts on Fish and Wildlife Resources, and Management Options. U.S. Fish and Wildlife Service Division of Environmental Contaminants. Prepared for: U.S. Environmental Protection Agency, Office of Policy, Planning, and Evaluation.
- USFWS. 1994a. Draft Supplement Fish and Wildlife Coordination Act Report of Red River Chloride Control Project, Oklahoma and Texas.
- USFWS. 1994b. Biological Opinion for the Red River Chloride Control Project, Oklahoma and Texas.
- USFWS. 1995a. Compensation habitat Protocol for Drainwater Evaporation Basins.
- USFWS. 1995b. Alternative Habitat Protocol for Drainwater Evaporation Basins.
- USFWS. 1998. Draft Fish and Wildlife Coordination Act Report on Lake Texoma Restudy Project, Oklahoma and Texas.
- USFWS. 2002. Final Coordination Act Report. Wichita River Basin Project Reevaluation. By K. C. Stubbs, Oklahoma Ecological Services Field Office, U.S. Fish and Wildlife Service, Tulsa, OK.

- Ultizer, S. and M. Shilo. 1964. A sensitive assay system for determination of the ichthyotoxicity of *Prymnesium parvum*. *Journal of General Microbiology* 36 (92): 161-169.
- Ultizer, S. and M. Shilo. 1966. Mode of action of *Prymnesium parvum* ichthyotoxin. *Journal of Protozoology* 13 (2): 332-336.
- University of Oklahoma. 1975. Assessment of the Downstream Environmental and Social Effects of the Red River Chloride Control Project. Report submitted to Tulsa District, Corps of Engineers. University of Oklahoma, Norman, OK.
- University of Tulsa. 1971. Biological inventory and environmental and social effects of the Red River Chloride Control Project. Report submitted to the U.S. Army Corps of Engineers, Tulsa District. Tulsa, OK.
- Van Derveer, W. D., and S. P. Canton. 1997. Selenium sediment toxicity thresholds and derivation of water quality criteria for freshwater biota of western streams. *Environ. Toxicol. Chem.* 16:1260-1268.
- Walker, C. H. 2001. Hasty Estimates of Changes in Average Annual Values for Nitrogen and Phosphorous in the Wichita River Below Wichita Falls Due to Proposed Expansion of Irrigated Alfalfa Related to Wichita Red River Chloride Control Project. Memorandum to James C. Randolph, U.S. Army Corps of Engineers, Tulsa District, Tulsa, OK.
- Walker, C. H. and M. D. Zinn. 2000. Description of the Study Area and Salinity Implications, Texas Agricultural Experiment Station, Texas A&M University, College Station, TX.
- Wallace, C. R. and D. P. Driscoll. 1994. Oklahoma commercial fishery statistics. Annual Report No. F-44-D-9. Oklahoma City, OK.
- Walsh, R. 1986. Recreation Economic Decisions: comparing benefits and costs. (p. 176); Venture Press, State College, PA.
- West Texas State University. 1972. Ark-Red Chloride Control, Part I, Areas VII, VIII, and X, Texas. Reported submitted to U.S. Army Corps of Engineers, Tulsa District. Tulsa, OK.
- West Texas State University. 1973. Ark-Red Chloride Control, Part I, Areas VII, VIII, and X, Texas, Update. Report submitted to U.S. Army Corps of Engineers, Tulsa District. Tulsa, OK.
- Wilde, G. R., R. R. Weller, C. D. Smith, and R. Jimenez, Jr. 1996. Review and synthesis of existing fish collection records for the upper Red River Basin above Lake Texoma. Department of Range, Wildlife, and Fisheries Management, Texas Tech University, Lubbock, TX.
- Wilde, G. R. 1999. Limnological survey of Lake Kemp, Texas: 1997. Final Report Submitted to the U.S. Army Corps of Engineers, Tulsa District. Texas Tech University, Lubbock, TX.
- Wilde, G. R. 2000. Limnological Survey of Lake Kemp, Texas: 1999. Final Report Submitted to the U.S. Army Corps of Engineers, Tulsa District. Texas Tech University, Lubbock, TX.
- Williams, M. J., R. S. Ogle, A. W. Knight, and R. G. Bureau. 1994. Effects of Sulphate on Selenate Uptake and Toxicity in the Green Algae *Selenasrum capricornutum*.

- Winston, M. R., C. M. Tayler, and J. Pigg. 1991. Upstream extirpation of four minnow species due to damming of a prairie stream. *Transactions of the American Fisheries Society*, 120:98-105.
- Wyckoff, D. G., and Brooks, R. L. 1983. Oklahoma Archeology: A 1981 Perspective of the State's Archeological Resources, Their Significance, Their Problems and Some Proposed Solutions. Archeological Resource Survey Report, Number 16. University of Oklahoma, Norman, OK.
- Wynne, D. and G. Y. Rhee. 1988. Changes in alkaline phosphatase activity and phosphate uptake in P-limited phytoplankton, induced by light intensity and spectral quality. *Hydrobiologia* 160 (2): 173-178.
- YSI Incorporated. 2001. 6-Series Environmental Monitoring System. YSI Incorporated, Yellow Springs, OH.