

RECORD BOUNDARY PLAT


LAKE FORT GIBSON, OKLAHOMA

SEC 34 T 18 N R 19 E

COUNTY WAGONER

N 89°50'40"E
2646.46'

N 89° 52' 50" E
2648.46'



Course No.	Distance	Bearing	Course No.	Distance	Bearing
1	660.64	S 89°59'00"E			
2	660.40	N 00°24'00"W			
3	660.89	N 89°59'18"E	NOTE: MONUMENTS IN FIELD ARE DESCRIBED BY SECTIONAL SUBDIVISION NOT COURSES AS DEPICTED BY THIS PLAT. ALL BEARINGS ARE UNIQUE & ASSUMED FOR THIS PLAT.		
4	330.37	S 00°22'40"E			
5	660.77	S 89°58'50"E			
6	330.54	N 00°21'25"W			
7	661.64	N 89°57'35"E			
8	1984.24	N 00°20'10"W			

SEPT. , 1984

Field Book No. 5-1383

Date FEB 1951


SURVEY PERFORMED BY THE
CORPS OF ENGINEERS, TULSA DISTRICT
PLATS PREPARED BY
ENTZ ENGINEERING & ASSOCIATES INC. AND
HUFFMAN SURVEYING CO. INC.

LEGEND

MONUMENT

◆ 4월 1일부터 4월 30일까지

④ 14-0-0 15-0-0 16-0-0




PARTIAL BOUNDARY SURVEYS FT. GIBSON LAKE OKLA. SEC. 33 T-18 -N R-19 -E & 34

PARCEL 95

COUNTY WAGONER

D.O. NO. 0002

Performed Under Contract No. DACA 56-88-D-0047



BASIS OF BEARINGS AS PER
C OF E BNDRY. PLATS & BOOKS!

PARCEL #95 DESCRIPTION

Parcel #95 containing 8.04 Acres, more or less, located in Sections 33 and 34, Township 18 North, Range 19 East, Indian Meridian, Wagoner County, Oklahoma, described as: beginning at the section corner of Sections 3, 4, 33 and 34, being a 5/8" iron pin with aluminum cap stamped 33, 34 P-95 and being in a gravel road; thence N00°20'25"W, 661.98 feet along the West line of said Section 34 to a C of E boundary corner (mon-1); thence N89°55'00"W, 330.91 feet (CS-1) to a C of E boundary corner (mon 1/2); thence N00°11'40"W, 412.76 feet (CS-2) to a C of E boundary corner (mon 2/3); thence S89°54'40"E, 330.85 feet to a 5/8" iron pin with aluminum cap (CS-3-D-1) being on the east line of said Section 33; thence S00°12'10"E, 312.73 feet (CS-D-1) along the east line of Section 33 to 5/8" iron pin with aluminum cap (D-1/2); thence S36°32'03"E, 948.31 feet (CS-D-2) to a 5/8" iron pin with aluminum cap (D-2/3) being in a gravel road; thence West, 560.00 feet along a gravel road being the south line of Section 34 to the point of beginning.

Field Book No. 5-2033 Date 12-88

CERTIFICATE OF SURVEY

I Hereby Certify That The Above Plat is a True and Correct Representation of the Survey

SCOTT & ASSOCIATES, INC.
LAND SURVEYORS

— LEGEND —

- △ C of E BRASS CAP
- ORIGINAL CORNER
- IRON PIN W/ CAP

U.S. ARMY CORPS OF ENGINEERS
TULSA DISTRICT

BASIL E. SCOTT JR. L.S. 545

REFERENCES





PARTIAL BOUNDARY SURVEYS FT. GIBSON LAKE OKLA. SEC. 34 T-18-N R-19-E

COUNTY WAGONER

D.O. NO. 0002

Performed Under Contract No. DACA 56-88-D-0047

PARCEL 95



Field Book No. 5-2033 Date 12-88

CERTIFICATE OF SURVEY

I Hereby Certify That The Above Plat
is a True and Correct Representation
of the Survey.

SCOTT & ASSOCIATES INC.
LAND SURVEYORS

— LEGEND —

BASIL E. SCOTT JR. L.S. 545

U.S. ARMY CORPS OF ENGINEERS
TULSA DISTRICT

- △ C of E BRASS CAP
- ORIGINAL CORNER
- IRON PIN W/CAP