

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1	1	IARCOKN0212	Alkalinity	00410	ERDC-ECB	EPA310.1
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Ammonia	EPA350.1	0.00606	0.00606	mg/l	0.005	0.0100	1	2	IARCOKN0215	Ammonia	00610	ERDC-ECB	EPA350.1
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1	3	IARCOKN0216	Arsenic	01002	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1			Barium	01007	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1			Cadmium	01027	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2			Calcium	00916	ERDC-ECB	EPA6010
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1			CHL A, FL, COR	32209	SWTPEE	EPA445.0
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1			Chloride	00940	ERDC-ECB	EPA300.0
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Phosphorus, Total	EPA6010B	0.004	0.004	mg/l	0.004	0.020	1			Chromium	01034	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Silica, Diss.	EPA6010B	0.0731	0.0731	mg/l	0.005	0.0500	1			Copper	01042	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Silica, Tot.	EPA6010B	0.0696	0.0696	mg/l	0.005	0.0500	1			Dissolved Solids	70300	ERDC-ECB	EPA160.1
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1			Hardness	00900	ERDC-ECB	SM2340B
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1			Iron	01045	ERDC-ECB	EPA6010
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1			Lead	01051	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Arsenic	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1			Magnesium	00927	ERDC-ECB	EPA6010
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Manganese	01055	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1			Mercury	71900	ERDC-ECB	SW846/7474
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1			Nickel	01067	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1			Nitrate+Nitrite	00630	ERDC-ECB	EPA300.0
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Manganese	SW846/6020	0.0338	0.0338	mg/l	0.0002	0.0010	1			Ortho-Phosphorus, Dissolved	00671	ERDC-ECB	EPA300.0
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Nickel	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1			Phosphorus, Total	00665	ERDC-ECB	EPA6010B
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Zinc	SW846/6020	0.0045	0.0045	mg/l	0.0002	0.0010	1			PHPTN-A, FLR MTHD	32213	SWTPEE	EPA445.0
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1			Potassium	00937	ERDC-ECB	SW846/6010
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1			Selenium	01147	ERDC-ECB	EPA7740
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1			Silica, Diss.	00955	ERDC-ECB	EPA6010B
Arcadia Lake	1	IARCOKN0212	4/17/2018	6:35:00 AM	0635	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1			Silica, Tot.	00956	ERDC-ECB	EPA6010B
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Alkalinity	EPA310.1	132	132	mg/l	5	10.0	1			Silver	01077	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Ammonia	EPA350.1	0.135	0.135	mg/l	0.005	0.0100	1			Sodium	00929	ERDC-ECB	SW846/6010
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Chloride	EPA300.0	36.1	36.1	mg/l	0.1	0.300	1			Sulfate	00945	ERDC-ECB	EPA300.0
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Hardness	SM2340B	161	161	mgeqCaCO3/l	0.0265	0.132	1			Total Kjeldahl Nitrogen	00625	USGS-NWQL	I-4515-91
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.6	0.6	mg/l	0.07	0.14	1			Total Organic Carbon	00680	USGS-NWQL	EPA9060
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2			Total Solids	00500	ERDC-ECB	EPA160.3
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Nitrite+Nitrate	EPA300.0	0.456	0.456	mg/l	0.006	0.0200	1			Total Suspended Solids	00530	ERDC-ECB	EPA160.2
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0121	0.0121	mg/l	0.01	0.0300	1			Zinc	01092	ERDC-ECB	SW846/6020
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Phosphorus, Total	EPA6010B	0.052	0.052	mg/l	0.004	0.020	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Silica, Diss.	EPA6010B	0.124	0.124	mg/l	0.005	0.0500	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Silica, Tot.	EPA6010B	0.585	0.585	mg/l	0.005	0.0500	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Sulfate	EPA300.0	33.6	33.6	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Calcium	EPA6010	37.0	37.0	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Iron	EPA6010	0.151	0.151	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Magnesium	EPA6010	16.6	16.6	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Arsenic	SW846/6020	0.0020	0.0020	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Manganese	SW846/6020	0.0337	0.0337	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Zinc	SW846/6020	0.0047	0.0047	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Total Organic Carbon	EPA9060	5.80	5.80	mg/l	0.5	1.00	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Dissolved Solids	EPA160.1	262	262	mg/l	5	15.0	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Total Solids	EPA160.3	278	278	mg/l	4	10.0	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1051	0.5	Total Suspended Solids	EPA160.2	15.5	15.5	mg/l	1	5.00	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Alkalinity	EPA310.1	132	132	mg/l	5	10.0	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Ammonia	EPA350.1	0.148	0.148	mg/l	0.005	0.0100	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Chloride	EPA300.0	36.1	36.1	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Hardness	SM2340B	156	156	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.64	0.64	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Mercury	SW846/74												

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Total Organic Carbon	EPA9060	7.99	7.99	mg/l	0.5	1.00	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Dissolved Solids	EPA160.1	270	270	mg/l	4.8	14.0	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Total Solids	EPA160.3	284	284	mg/l	4	10.0	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	0.5	Total Suspended Solids	EPA160.2	14.0	14.0	mg/l	0.8	4.00	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Alkalinity	EPA310.1	133	133	mg/l	5	10.0	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Ammonia	EPA350.1	0.149	0.149	mg/l	0.005	0.0100	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Chloride	EPA300.0	36.1	36.1	mg/l	0.1	0.300	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Hardness	SM2340B	154	154	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Total Kjeldahl Nitrogen	I-4515-91	0.67	0.67	mg/l	0.07	0.14	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Nitrite+Nitrate	EPA300.0	0.470	0.470	mg/l	0.006	0.0200	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Ortho-Phosphorus, Dissolved	EPA300.0	0.0207	0.0207	mg/l	0.01	0.0300	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Phosphorus, Total	EPA6010B	0.057	0.057	mg/l	0.004	0.020	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Silica, Diss.	EPA6010B	0.126	0.126	mg/l	0.005	0.0500	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Silica, Tot.	EPA6010B	0.627	0.627	mg/l	0.005	0.0500	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Sulfate	EPA300.0	33.7	33.7	mg/l	0.1	0.300	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Calcium	EPA6010	35.7	35.7	mg/l	0.004	0.0200	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Iron	EPA6010	0.154	0.154	mg/l	0.004	0.0200	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Magnesium	EPA6010	15.7	15.7	mg/l	0.004	0.0200	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Arsenic	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Manganese	SW846/6020	0.0327	0.0327	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Nickel	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Zinc	SW846/6020	0.0053	0.0053	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Total Organic Carbon	EPA9060	8.99	8.99	mg/l	0.5	1.00	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Dissolved Solids	EPA160.1	274	274	mg/l	5	15.0	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Total Solids	EPA160.3	288	288	mg/l	4	10.0	1							
Arcadia Lake	1	IARCOKN0212	4/17/2018	10:50:00 AM	1050	9.0	Total Suspended Solids	EPA160.2	14.0	14.0	mg/l	1	5.00	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Alkalinity	EPA310.1	133	133	mg/l	5	10.0	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Ammonia	EPA350.1	0.109	0.109	mg/l	0.005	0.0100	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Chloride	EPA300.0	36.5	36.5	mg/l	0.1	0.300	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Hardness	SM2340B	155	155	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.64	0.64	mg/l	0.07	0.14	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Nitrite+Nitrate	EPA300.0	0.460	0.460	mg/l	0.006	0.0200	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0114	0.0114	mg/l	0.01	0.0300	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Phosphorus, Total	EPA6010B	0.056	0.056	mg/l	0.004	0.020	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Silica, Diss.	EPA6010B	0.0731	0.0731	mg/l	0.005	0.0500	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Silica, Tot.	EPA6010B	0.500	0.500	mg/l	0.005	0.0500	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Sulfate	EPA300.0	34.1	34.1	mg/l	0.1	0.300	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Calcium	EPA6010	35.6	35.6	mg/l	0.004	0.0200	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Iron	EPA6010	0.157	0.157	mg/l	0.004	0.0200	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Magnesium	EPA6010	16.1	16.1	mg/l	0.004	0.0200	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Arsenic	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Copper	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Manganese	SW846/6020	0.0414	0.0414	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Nickel	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Zinc	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Total Organic Carbon	EPA9060	5.91	5.91	mg/l	0.5	1.00	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Dissolved Solids	EPA160.1	302	302	mg/l	5	15.0	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Total Solids	EPA160.3	320	320	mg/l	4	10.0	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	0.5	Total Suspended Solids	EPA160.2	18.0	18.0	mg/l	1	5.00	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Alkalinity	EPA310.1	130	130	mg/l	5	10.0	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Ammonia	EPA350.1	0.146	0.146	mg/l	0.005	0.0100	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Chloride	EPA300.0	36.5	36.5	mg/l	0.1	0.300	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Hardness	SM2340B	156	156	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Total Kjeldahl Nitrogen	I-4515-91	0.67	0.67	mg/l	0.07	0.14	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Nitrite+Nitrate	EPA300.0	0.471	0.471	mg/l	0.006	0.0200	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Ortho-Phosphorus, Dissolved	EPA300.0	0.0127	0.0127	mg/l	0.01	0.0300	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Phosphorus, Total	EPA6010B	0.092	0.092	mg/l	0.004	0.020	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Silica, Diss.	EPA6010B	0.0827	0.0827	mg/l	0.005	0.0500	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Silica, Tot.	EPA6010B	0.633	0.633	mg/l	0.005	0.0500	1							
Arcadia Lake																					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Manganese	SW846/6020	0.0446	0.0446	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Nickel	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Zinc	SW846/6020	0.0069	0.0069	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Total Organic Carbon	EPA9060	6.08	6.08	mg/l	0.5	1.00	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Dissolved Solids	EPA160.1	278	278	mg/l	5	15.0	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Total Solids	EPA160.3	296	296	mg/l	4	10.0	1							
Arcadia Lake	2	IARCOKN0215	4/17/2018	10:25:00 AM	1025	6.0	Total Suspended Solids	EPA160.2	17.5	17.5	mg/l	1	5.00	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Alkalinity	EPA310.1	135	135	mg/l	5	10.0	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Ammonia	EPA350.1	0.161	0.161	mg/l	0.005	0.0100	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Chloride	EPA300.0	38.7	38.7	mg/l	0.1	0.300	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Hardness	SM2340B	167	167	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.69	0.69	mg/l	0.07	0.14	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Nitrite+Nitrate	EPA300.0	0.392	0.392	mg/l	0.006	0.0200	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Phosphorus, Total	EPA6010B	0.062	0.062	mg/l	0.004	0.020	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Silica, Diss.	EPA6010B	0.0301	0.0301	mg/l	0.005	0.0500	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Silica, Tot.	EPA6010B	0.420	0.420	mg/l	0.005	0.0500	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Sulfate	EPA300.0	36.4	36.4	mg/l	0.1	0.300	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Calcium	EPA6010	37.8	37.8	mg/l	0.004	0.0200	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Iron	EPA6010	0.211	0.211	mg/l	0.004	0.0200	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Magnesium	EPA6010	17.6	17.6	mg/l	0.004	0.0200	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Arsenic	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Copper	SW846/6020	0.0030	0.0030	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Lead	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Manganese	SW846/6020	0.0664	0.0664	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Nickel	SW846/6020	0.0028	0.0028	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Zinc	SW846/6020	0.0096	0.0096	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Total Organic Carbon	EPA9060	9.99	9.99	mg/l	0.5	1.00	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Dissolved Solids	EPA160.1	295	295	mg/l	6	20.0	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Total Solids	EPA160.3	324	324	mg/l	4	10.0	1							
Arcadia Lake	3	IARCOKN0216	4/17/2018	10:00:00 AM	1000	0.5	Total Suspended Solids	EPA160.2	29.0	29.0	mg/l	2	10.0	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Ammonia	EPA350.1	0.0629	0.0629	mg/l	0.005	0.0100	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Silica, Diss.	EPA6010B	0.0558	0.0558	mg/l	0.005	0.0200	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Silica, Tot.	EPA6010B	0.0384	0.0384	mg/l	0.005	0.0200	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Calcium	EPA6010	0.0057	0.0057	mg/l	0.004	0.0200	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Zinc	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	6:40:00 AM	0640	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Alkalinity	EPA310.1	122	122	mg/l	5	10.0	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Ammonia	EPA350.1	0.0712	0.0712	mg/l	0.005	0.0100	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Chloride	EPA300.0	35.9	35.9	mg/l	0.1	0.300	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Hardness	SM2340B	123	123	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.7	0.7	mg/l	0.07	0.14	1							
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0								

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Iron	EPA6010	0.0569	0.0569	mg/l	0.004	0.0200	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Magnesium	EPA6010	13.3	13.3	mg/l	0.004	0.0200	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Arsenic	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Chromium	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Manganese	SW846/6020	0.0200	0.0200	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Zinc	SW846/6020	0.0049	0.0049	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Total Organic Carbon	EPA9060	9.03	9.03	mg/l	0.5	1.00	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Dissolved Solids	EPA160.1	251	251	mg/l	6	20.0	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Total Solids	EPA160.3	256	256	mg/l	4	10.0	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0926	0.5	Total Suspended Solids	EPA160.2	5.00	5.00	mg/l	2	10.0	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Alkalinity	EPA310.1	120	120	mg/l	5	10.0	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Ammonia	EPA350.1	0.0516	0.0516	mg/l	0.005	0.0100	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Chloride	EPA300.0	36.2	36.2	mg/l	0.1	0.300	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Hardness	SM2340B	128	128	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.9	0.9	mg/l	0.07	0.14	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Nitrite+Nitrate	EPA300.0	0.00639	0.00639	mg/l	0.006	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Phosphorus, Total	EPA6010B	0.034	0.034	mg/l	0.004	0.020	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Silica, Diss.	EPA6010B	0.520	0.520	mg/l	0.005	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Silica, Tot.	EPA6010B	0.461	0.461	mg/l	0.005	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Sulfate	EPA300.0	31.4	31.4	mg/l	0.1	0.300	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Calcium	EPA6010	28.1	28.1	mg/l	0.004	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Iron	EPA6010	0.0339	0.0339	mg/l	0.004	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Magnesium	EPA6010	14.1	14.1	mg/l	0.004	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Arsenic	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Chromium	SW846/6020	0.0020	0.0020	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Manganese	SW846/6020	0.0093	0.0093	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Zinc	SW846/6020	0.0037	0.0037	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Total Organic Carbon	EPA9060	9.56	9.56	mg/l	0.5	1.00	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Dissolved Solids	EPA160.1	240	240	mg/l	6	20.0	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Total Solids	EPA160.3	246	246	mg/l	4	10.0	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	0.5	Total Suspended Solids	EPA160.2	6.00	6.00	mg/l	2	10.0	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Alkalinity	EPA310.1	133	133	mg/l	5	10.0	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Ammonia	EPA350.1	0.112	0.112	mg/l	0.005	0.0100	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Chloride	EPA300.0	36.5	36.5	mg/l	0.1	0.300	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Hardness	SM2340B	145	145	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Total Kjeldahl Nitrogen	I-4515-91	0.71	0.71	mg/l	0.07	0.14	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Nitrite+Nitrate	EPA300.0	0.587	0.587	mg/l	0.006	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Ortho-Phosphorus, Dissolved	EPA300.0	0.0698	0.0698	mg/l	0.01	0.0300	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Phosphorus, Total	EPA6010B	0.120	0.120	mg/l	0.004	0.020	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Silica, Diss.	EPA6010B	1.66	1.66	mg/l	0.005	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Silica, Tot.	EPA6010B	1.68	1.68	mg/l	0.005	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Sulfate	EPA300.0	31.5	31.5	mg/l	0.1	0.300	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Calcium	EPA6010	34.2	34.2	mg/l	0.004	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Iron	EPA6010	0.405	0.405	mg/l	0.004	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Magnesium	EPA6010	14.6	14.6	mg/l	0.004	0.0200	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Arsenic	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Chromium	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Copper	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Lead	SW846/6020	0.0028	0.0028	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Manganese	SW846/6020	0.326	0.326	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Zinc	SW846/6020	0.0081	0.0081	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Total Organic Carbon	EPA9060	9.30	9.30	mg/l	0.5	1.00	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Dissolved Solids	EPA160.1	277	277	mg/l	6	20.0	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Total Solids	EPA160.3	344	344	mg/l	4	10.0	1						
Arcadia Lake	1	1ARCOKN0212	5/30/2018	10:20:00 AM	1020	9	Total Suspended Solids	EPA160.2	67.0	67.0	mg/l	2	10.0	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Alkalinity	EPA310.1	119	119	mg/l	5	10.0	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Ammonia	EPA350.1	0.0316	0.0316	mg/l	0.005	0.0100	1						
Arcadia Lake	2	1ARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Chloride	EPA300.0	35.9	35.9	mg/l</									

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Phosphorus, Total	EPA6010B	0.025	0.025	mg/l	0.004	0.020	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Silica, Diss.	EPA6010B	0.551	0.551	mg/l	0.005	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Silica, Tot.	EPA6010B	0.575	0.575	mg/l	0.005	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Sulfate	EPA300.0	31.2	31.2	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Calcium	EPA6010	28.0	28.0	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Iron	EPA6010	0.0540	0.0540	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Magnesium	EPA6010	13.5	13.5	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Arsenic	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Chromium	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Manganese	SW846/6020	0.0208	0.0208	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Zinc	SW846/6020	0.0043	0.0043	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Total Organic Carbon	EPA9060	7.63	7.63	mg/l	0.5	1.00	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Dissolved Solids	EPA160.1	249	249	mg/l	6	20.0	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Total Solids	EPA160.3	254	254	mg/l	4	10.0	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	0.5	Total Suspended Solids	EPA160.2	5.00	5.00	mg/l	2	10.0	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Alkalinity	EPA310.1	127	127	mg/l	5	10.0	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Ammonia	EPA350.1	0.383	0.383	mg/l	0.005	0.0100	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Chloride	EPA300.0	33.2	33.2	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Hardness	SM2340B	127	127	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Total Kjeldahl Nitrogen	I-4515-91	0.98	0.98	mg/l	0.07	0.14	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Nitrite+Nitrate	EPA300.0	0.181	0.181	mg/l	0.006	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Ortho-Phosphorus, Dissolved	EPA300.0	0.0331	0.0331	mg/l	0.01	0.0300	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Phosphorus, Total	EPA6010B	0.111	0.111	mg/l	0.004	0.020	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Silica, Diss.	EPA6010B	1.72	1.72	mg/l	0.005	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Silica, Tot.	EPA6010B	1.81	1.81	mg/l	0.005	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Sulfate	EPA300.0	28.6	28.6	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Calcium	EPA6010	29.3	29.3	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Iron	EPA6010	0.385	0.385	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Magnesium	EPA6010	13.1	13.1	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Arsenic	SW846/6020	0.0043	0.0043	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Chromium	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Copper	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Lead	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Manganese	SW846/6020	0.665	0.665	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Zinc	SW846/6020	0.0066	0.0066	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Total Organic Carbon	EPA9060	8.56	8.56	mg/l	0.5	1.00	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Dissolved Solids	EPA160.1	258	258	mg/l	6	20.0	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Total Solids	EPA160.3	320	320	mg/l	4	10.0	1						
Arcadia Lake	2	IARCOKN0215	5/30/2018	9:25:00 AM	0925	7	Total Suspended Solids	EPA160.2	62.0	62.0	mg/l	2	10.0	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Alkalinity	EPA310.1	120	120	mg/l	5	10.0	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Ammonia	EPA350.1	0.0732	0.0732	mg/l	0.005	0.0100	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Chloride	EPA300.0	35.5	35.5	mg/l	0.1	0.300	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Hardness	SM2340B	123	123	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.63	0.63	mg/l	0.07	0.14	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Nitrite+Nitrate	EPA300.0	0.00693	0.00693	mg/l	0.006	0.0200	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Phosphorus, Total	EPA6010B	0.036	0.036	mg/l	0.004	0.020	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Silica, Diss.	EPA6010B	0.590	0.590	mg/l	0.005	0.0200	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Silica, Tot.	EPA6010B	0.815	0.815	mg/l	0.005	0.0200	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Sulfate	EPA300.0	30.8	30.8	mg/l	0.1	0.300	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Calcium	EPA6010	27.5	27.5	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Iron	EPA6010	0.104	0.104	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Magnesium	EPA6010	13.2	13.2	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Arsenic	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Chromium	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Lead	SW846/6020	0.00044	0.00044	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Manganese	SW846/6020	0.0429	0.0429	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Zinc	SW846/6020	0.0033	0.0033	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Total Organic Carbon	EPA9060	8.42	8.42	mg/l	0.5	1.00	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:45:00 AM	0945	0.5	Dissolved Solids	EPA160.1	255	255	mg/l	6	20.0	1						
Arcadia Lake	3	IARCOKN0216	5/30/2018	9:																

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Mercury	SW846/7474	0.000005	0.000005	mg/l	0.000005	0.00001	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Silica, Diss.	EPA6010B	0.0374	0.0374	mg/l	0.005	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Silica, Tot.	EPA6010B	0.0333	0.0333	mg/l	0.005	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Calcium	EPA6010	0.0083	0.0083	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Iron	EPA6010	0.0070	0.0070	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Magnesium	EPA6010	0.0067	0.0067	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Zinc	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	6:30:00 AM	0630	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Alkalinity	EPA310.1	111	111	mg/l	5	10.0	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Ammonia	EPA350.1	0.0513	0.0513	mg/l	0.005	0.0100	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Chloride	EPA300.0	35.8	35.8	mg/l	0.1	0.300	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Hardness	SM2340B	118	118	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.67	0.67	mg/l	0.07	0.14	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Mercury	SW846/7474	0.000006	0.000006	mg/l	0.000005	0.00001	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Nitrite+Nitrate	EPA300.0	0.0487	0.0487	mg/l	0.006	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0330	0.0330	mg/l	0.01	0.0300	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Phosphorus, Total	EPA6010B	0.061	0.061	mg/l	0.004	0.020	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Silica, Diss.	EPA6010B	1.23	1.23	mg/l	0.005	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Silica, Tot.	EPA6010B	2.00	2.00	mg/l	0.005	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Sulfate	EPA300.0	31.9	31.9	mg/l	0.1	0.300	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Calcium	EPA6010	26.2	26.2	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Iron	EPA6010	0.261	0.261	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Magnesium	EPA6010	12.8	12.8	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Arsenic	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Lead	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Manganese	SW846/6020	0.0857	0.0857	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Zinc	SW846/6020	0.0035	0.0035	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Total Organic Carbon	EPA9060	10.7	10.7	mg/l	0.5	1.00	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Dissolved Solids	EPA160.1	245	245	mg/l	5.33	16.7	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Total Solids	EPA160.3	266	266	mg/l	4	10.0	1						
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1001	0.5	Total Suspended Solids	EPA160.2	20.7	20.7	mg/l	1.33	6.67	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Alkalinity	EPA310.1	115	115	mg/l	5	10.0	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Ammonia	EPA350.1	0.0327	0.0327	mg/l	0.005	0.0100	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Chloride	EPA300.0	38.1	38.1	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Hardness	SM2340B	129	129	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.67	0.67	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Phosphorus, Total	EPA6010B	0.051	0.051	mg/l	0.004	0.020	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Silica, Diss.	EPA6010B	0.871	0.871	mg/l	0.005	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Silica, Tot.	EPA6010B	1.28	1.28	mg/l	0.005	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Sulfate	EPA300.0	34.0	34.0	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Calcium	EPA6010	28.4	28.4	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Iron	EPA6010	0.102	0.102	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Magnesium	EPA6010	14.0	14.0	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Arsenic	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1						

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Total Solids	EPA160.3	264	264	mg/l	4	10.0	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	0.5	Total Suspended Solids	EPA160.2	7.20	7.20	mg/l	0.8	4.00	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Alkalinity	EPA310.1	142	142	mg/l	5	10.0	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Ammonia	EPA350.1	0.504	0.504	mg/l	0.005	0.0100	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Chloride	EPA300.0	40.1	40.1	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Hardness	SM2340B	157	157	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Total Kjeldahl Nitrogen	I-4515-91	0.89	0.89	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Nitrite+Nitrate	EPA300.0	0.162	0.162	mg/l	0.006	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Ortho-Phosphorus, Dissolved	EPA300.0	0.332	0.332	mg/l	0.01	0.0300	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Phosphorus, Total	EPA6010B	0.288	0.288	mg/l	0.004	0.020	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Silica, Diss.	EPA6010B	2.34	2.34	mg/l	0.005	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Silica, Tot.	EPA6010B	2.67	2.67	mg/l	0.005	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Sulfate	EPA300.0	33.5	33.5	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Calcium	EPA6010	36.9	36.9	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Iron	EPA6010	0.184	0.184	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Magnesium	EPA6010	15.7	15.7	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Arsenic	SW846/6020	0.0106	0.0106	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Manganese	SW846/6020	1.11	1.11	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Nickel	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Zinc	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Total Organic Carbon	EPA9060	8.81	8.81	mg/l	0.5	1.00	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Dissolved Solids	EPA160.1	288	288	mg/l	4.8	14.0	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Total Solids	EPA160.3	298	298	mg/l	4	10.0	1						
Arcadia Lake	1	IARCOKN0212	6/12/2018	11:20:00 AM	1120	11	Total Suspended Solids	EPA160.2	9.60	9.60	mg/l	0.8	4.00	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Alkalinity	EPA310.1	113	113	mg/l	5	10.0	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Ammonia	EPA350.1	0.0693	0.0693	mg/l	0.005	0.0100	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Chloride	EPA300.0	36.8	36.8	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Hardness	SM2340B	128	128	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Nitrite+Nitrate	EPA300.0	0.0294	0.0294	mg/l	0.006	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0270	0.0270	mg/l	0.01	0.0300	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Phosphorus, Total	EPA6010B	0.053	0.053	mg/l	0.004	0.020	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Silica, Diss.	EPA6010B	1.10	1.10	mg/l	0.005	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Silica, Tot.	EPA6010B	1.70	1.70	mg/l	0.005	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Sulfate	EPA300.0	32.7	32.7	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Calcium	EPA6010	28.2	28.2	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Iron	EPA6010	0.215	0.215	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Magnesium	EPA6010	14.0	14.0	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Arsenic	SW846/6020	0.0038	0.0038	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Lead	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Manganese	SW846/6020	0.0891	0.0891	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Nickel	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Zinc	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Total Organic Carbon	EPA9060	8.67	8.67	mg/l	0.5	1.00	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Dissolved Solids	EPA160.1	252	252	mg/l	5.33	16.7	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Total Solids	EPA160.3	274	274	mg/l	4	10.0	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	0.5	Total Suspended Solids	EPA160.2	22.0	22.0	mg/l	1.33	6.67	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Alkalinity	EPA310.1	133	133	mg/l	5	10.0	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Ammonia	EPA350.1	0.132	0.132	mg/l	0.005	0.0100	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Chloride	EPA300.0	36.4	36.4	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Hardness	SM2340B	128	128	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Total Kjeldahl Nitrogen	I-4515-91	0.65	0.65	mg/l	0.07	0.14	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Nitrite+Nitrate	EPA300.0	0.0398	0.0398	mg/l	0.006	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Ortho-Phosphorus, Dissolved	EPA300.0	0.0358	0.0358	mg/l	0.01	0.0300	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Phosphorus, Total	EPA6010B	0.075	0.075	mg/l	0.004	0.020	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Silica, Diss.	EPA6010B	1.19	1.19	mg/l	0.005	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Silica, Tot.	EPA6010B	2.01	2.01	mg/l	0.005	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Sulfate	EPA300.0	32.2	32.2	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Calcium	EPA6010	28.2	28.2	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Iron	EPA6010	0.298	0.298	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Magnesium	EPA6010	13.9	13.9	mg/l	0.004	0.0200	1						
Arc																				

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Manganese	SW846/6020	0.141	0.141	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Zinc	SW846/6020	0.0037	0.0037	mg/l	0.0002	0.0010	1							
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Total Organic Carbon	EPA9060	8.26	8.26	mg/l	0.5	1.00	1							
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Dissolved Solids	EPA160.1	256	256	mg/l	6	20.0	1							
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Total Solids	EPA160.3	290	290	mg/l	4	10.0	1							
Arcadia Lake	2	IARCOKN0215	6/12/2018	10:50:00 AM	1050	7	Total Suspended Solids	EPA160.2	34.0	34.0	mg/l	2	10.0	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Alkalinity	EPA310.1	111	111	mg/l	5	10.0	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Ammonia	EPA350.1	0.0564	0.0564	mg/l	0.005	0.0100	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Chloride	EPA300.0	35.8	35.8	mg/l	0.1	0.300	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Hardness	SM2340B	126	126	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.5	0.5	mg/l	0.07	0.14	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Nitrite+Nitrate	EPA300.0	0.0472	0.0472	mg/l	0.006	0.0200	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0336	0.0336	mg/l	0.01	0.0300	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Phosphorus, Total	EPA6010B	0.059	0.059	mg/l	0.004	0.020	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Silica, Diss.	EPA6010B	1.16	1.16	mg/l	0.005	0.0200	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Silica, Tot.	EPA6010B	1.72	1.72	mg/l	0.005	0.0200	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Sulfate	EPA300.0	32.0	32.0	mg/l	0.1	0.300	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Calcium	EPA6010	28.0	28.0	mg/l	0.004	0.0200	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Iron	EPA6010	0.196	0.196	mg/l	0.004	0.0200	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Magnesium	EPA6010	13.6	13.6	mg/l	0.004	0.0200	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Arsenic	SW846/6020	0.0039	0.0039	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Lead	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Manganese	SW846/6020	0.0854	0.0854	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Nickel	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Zinc	SW846/6020	0.0030	0.0030	mg/l	0.0002	0.0010	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Total Organic Carbon	EPA9060	10.4	10.4	mg/l	0.5	1.00	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Dissolved Solids	EPA160.1	252	252	mg/l	5.33	16.7	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Total Solids	EPA160.3	268	268	mg/l	4	10.0	1							
Arcadia Lake	3	IARCOKN0216	6/12/2018	10:00:00 AM	1000	0.5	Total Suspended Solids	EPA160.2	16.0	16.0	mg/l	1.33	6.67	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Ammonia	EPA350.1	0.0282	0.0282	mg/l	0.005	0.0100	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Silica, Diss.	EPA6010B	0.0327	0.0327	mg/l	0.005	0.0500	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Silica, Tot.	EPA6010B	0.0299	0.0299	mg/l	0.005	0.0500	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Calcium	EPA6010	0.0188	0.0188	mg/l	0.004	0.0200	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Zinc	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Dissolved Solids	EPA160.1	ND	<4.8	mg/l	4.8	14.0	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	9:00:00 AM	0700	0	Total Suspended Solids	EPA160.2	ND	<0.8	mg/l	0.8	4.00	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Alkalinity	EPA310.1	104	104	mg/l	5	10.0	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Ammonia	EPA350.1	0.0489	0.0489	mg/l	0.005	0.0100	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Chloride	EPA300.0	31.9	31.9	mg/l	0.1	0.300	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Hardness	SM2340B	120	120	mgeqCaCO3/l	0.0265	0.132	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.52	0.52	mg/l	0.07	0.14	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Phosphorus, Total	EPA6010B	0.067	0.067	mg/l	0.004									

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Arsenic	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Manganese	SW846/6020	0.0100	0.0100	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Nickel	SW846/6020	0.00039	0.00039	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Zinc	SW846/6020	0.0067	0.0067	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Total Organic Carbon	EPA9060	7.03	7.03	mg/l	0.5	1.00	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Dissolved Solids	EPA160.1	219	219	mg/l	4.8	14.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Total Solids	EPA160.3	224	224	mg/l	4	10.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1106	0.5	Total Suspended Solids	EPA160.2	4.80	4.80	mg/l	0.8	4.00	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Alkalinity	EPA310.1	104	104	mg/l	5	10.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Ammonia	EPA350.1	0.0606	0.0606	mg/l	0.005	0.0100	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Chloride	EPA300.0	31.9	31.9	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Hardness	SM2340B	128	128	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.53	0.53	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Phosphorus, Total	EPA6010B	0.062	0.062	mg/l	0.004	0.020	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Silica, Diss.	EPA6010B	1.34	1.34	mg/l	0.005	0.0500	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Silica, Tot.	EPA6010B	1.53	1.53	mg/l	0.005	0.0500	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Sulfate	EPA300.0	28.9	28.9	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Calcium	EPA6010	27.8	27.8	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Iron	EPA6010	0.0269	0.0269	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Magnesium	EPA6010	14.1	14.1	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Arsenic	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Chromium	SW846/6020	0.00062	0.00062	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Copper	SW846/6020	0.00077	0.00077	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Manganese	SW846/6020	0.0097	0.0097	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Nickel	SW846/6020	0.00037	0.00037	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Zinc	SW846/6020	0.0064	0.0064	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Total Organic Carbon	EPA9060	6.14	6.14	mg/l	0.5	1.00	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Dissolved Solids	EPA160.1	212	212	mg/l	6	20.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Total Solids	EPA160.3	224	224	mg/l	4	10.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	0.5	Total Suspended Solids	EPA160.2	12.0	12.0	mg/l	2	10.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Alkalinity	EPA310.1	122	122	mg/l	5	10.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Ammonia	EPA350.1	0.690	0.690	mg/l	0.005	0.0100	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Chloride	EPA300.0	30.9	30.9	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Hardness	SM2340B	141	141	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Total Kjeldahl Nitrogen	I-4515-91	1.08	1.08	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Nitrite+Nitrate	EPA300.0	0.134	0.134	mg/l	0.006	0.0200	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Ortho-Phosphorus, Dissolved	EPA300.0	0.151	0.151	mg/l	0.01	0.0300	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Phosphorus, Total	EPA6010B	0.305	0.305	mg/l	0.004	0.020	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Silica, Diss.	EPA6010B	2.66	2.66	mg/l	0.005	0.0500	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Silica, Tot.	EPA6010B	3.10	3.10	mg/l	0.005	0.0500	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Sulfate	EPA300.0	24.9	24.9	mg/l	0.1	0.300	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Calcium	EPA6010	32.5	32.5	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Iron	EPA6010	0.345	0.345	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Magnesium	EPA6010	14.6	14.6	mg/l	0.004	0.0200	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Arsenic	SW846/6020	0.0065	0.0065	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Chromium	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Lead	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Manganese	SW846/6020	0.941	0.941	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Nickel	SW846/6020	0.00079	0.00079	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Zinc	SW846/6020	0.0103	0.0103	mg/l	0.0002	0.0010	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Total Organic Carbon	EPA9060	5.94	5.94	mg/l	0.5	1.00	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Dissolved Solids	EPA160.1	232	232	mg/l	6	20.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Total Solids	EPA160.3	266	266	mg/l	4	10.0	1						
Arcadia Lake	1	IARCOKN0212	7/10/2018	11:05:00 AM	1105	9.0	Total Suspended Solids	EPA160.2	34.0	34.0	mg/l	2	10.0	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Alkalinity	EPA310.1	107	107	mg/l	5	10.0	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Ammonia	EPA350.1	0.0455	0.0455	mg/l	0.005	0.0100	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Chloride	EPA300.0	31.0	31.0	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Hardness	SM2340B	132	132	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.54	0.54										

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Silica, Tot.	EPA6010B	1.92	1.92	mg/l	0.005	0.0500	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Sulfate	EPA300.0	28.4	28.4	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Calcium	EPA6010	29.1	29.1	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Iron	EPA6010	0.0543	0.0543	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Magnesium	EPA6010	14.5	14.5	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Arsenic	SW846/6020	0.0038	0.0038	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Lead	SW846/6020	0.00022	0.00022	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Manganese	SW846/6020	0.0303	0.0303	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Zinc	SW846/6020	0.0067	0.0067	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Total Organic Carbon	EPA9060	6.29	6.29	mg/l	0.5	1.00	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Dissolved Solids	EPA160.1	230	230	mg/l	6	20.0	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Total Solids	EPA160.3	238	238	mg/l	4	10.0	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	0.5	Total Suspended Solids	EPA160.2	8.00	8.00	mg/l	2	10.0	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Alkalinity	EPA310.1	122	122	mg/l	5	10.0	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Ammonia	EPA350.1	0.676	0.676	mg/l	0.005	0.0100	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Chloride	EPA300.0	30.4	30.4	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Hardness	SM2340B	140	140	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Total Kjeldahl Nitrogen	I-4515-91	1.08	1.08	mg/l	0.07	0.14	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Ortho-Phosphorus, Dissolved	EPA300.0	0.161	0.161	mg/l	0.01	0.0300	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Phosphorus, Total	EPA6010B	0.478	0.478	mg/l	0.004	0.020	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Silica, Diss.	EPA6010B	2.84	2.84	mg/l	0.005	0.0500	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Silica, Tot.	EPA6010B	3.94	3.94	mg/l	0.005	0.0500	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Sulfate	EPA300.0	24.2	24.2	mg/l	0.1	0.300	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Calcium	EPA6010	32.1	32.1	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Iron	EPA6010	1.20	1.20	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Magnesium	EPA6010	14.5	14.5	mg/l	0.004	0.0200	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Arsenic	SW846/6020	0.0097	0.0097	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Chromium	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Copper	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Lead	SW846/6020	0.0029	0.0029	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Manganese	SW846/6020	1.29	1.29	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Nickel	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Zinc	SW846/6020	0.0167	0.0167	mg/l	0.0002	0.0010	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Total Organic Carbon	EPA9060	7.68	7.68	mg/l	0.5	1.00	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Dissolved Solids	EPA160.1	236	236	mg/l	8	30.0	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Total Solids	EPA160.3	318	318	mg/l	4	10.0	1						
Arcadia Lake	2	IARCOKN0215	7/10/2018	10:20:00 AM	1020	7.0	Total Suspended Solids	EPA160.2	82.0	82.0	mg/l	4	20.0	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Alkalinity	EPA310.1	109	109	mg/l	5	10.0	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Ammonia	EPA350.1	0.0562	0.0562	mg/l	0.005	0.0100	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Chloride	EPA300.0	30.8	30.8	mg/l	0.1	0.300	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Hardness	SM2340B	124	124	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Phosphorus, Total	EPA6010B	0.071	0.071	mg/l	0.004	0.020	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Silica, Diss.	EPA6010B	1.81	1.81	mg/l	0.005	0.0500	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Silica, Tot.	EPA6010B	2.19	2.19	mg/l	0.005	0.0500	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Sulfate	EPA300.0	28.1	28.1	mg/l	0.1	0.300	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Calcium	EPA6010	28.1	28.1	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Iron	EPA6010	0.0990	0.0990	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Magnesium	EPA6010	13.0	13.0	mg/l	0.004	0.0200	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Arsenic	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Manganese	SW846/6020	0.0546	0.0546	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Zinc	SW846/6020	0.0079	0.0079	mg/l	0.0002	0.0010	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Total Organic Carbon	EPA9060	6.98	6.98	mg/l	0.5	1.00	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Dissolved Solids	EPA160.1	222	222	mg/l	6	20.0	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Total Solids	EPA160.3	232	232	mg/l	4	10.0	1						
Arcadia Lake	3	IARCOKN0216	7/10/2018	9:40:00 AM	0940	0.5	Total Suspended Solids	EPA160.2	10.0	10.0	mg/l	2	10.0	1			</			

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Mercury	SW846/7474	ND	<0.0001	mg/l	0.0001	0.0002		2					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.03		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Phosphorus, Total	EPA6010B	0.007	0.007	mg/l	0.004	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Silica, Diss.	EPA6010B	0.846	0.846	mg/l	0.005	0.05		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Silica, Tot.	EPA6010B	1.33	1.33	mg/l	0.005	0.05		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.3		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Calcium	EPA6010	0.0186	0.0186	mg/l	0.004	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Magnesium	EPA6010	0.0059	0.0059	mg/l	0.004	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Zinc	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Dissolved Solids	EPA160.1	ND	<4.8	mg/l	4.8	14		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	7:30:00 AM	0730	0	Total Suspended Solids	EPA160.2	ND	<0.8	mg/l	0.8	4		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Alkalinity	EPA310.1	102	102	mg/l	5	10		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Ammonia	EPA350.1	0.161	0.161	mg/l	0.005	0.01		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Chloride	EPA300.0	28.2	28.2	mg/l	0.1	0.3		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Hardness	SM2340B	115	115	mgeqCaCO3/l	0.0265	0.132		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.66	0.66	mg/l	0.07	0.14		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002		2					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Nitrite+Nitrate	EPA300.0	0.0261	0.0261	mg/l	0.006	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.03		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Phosphorus, Total	EPA6010B	0.075	0.075	mg/l	0.004	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Silica, Diss.	EPA6010B	2.05	2.05	mg/l	0.005	0.05		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Silica, Tot.	EPA6010B	2.07	2.07	mg/l	0.005	0.05		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Sulfate	EPA300.0	24.5	24.5	mg/l	0.1	0.3		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Calcium	EPA6010	24.9	24.9	mg/l	0.004	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Iron	EPA6010	0.0627	0.0627	mg/l	0.004	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Magnesium	EPA6010	12.9	12.9	mg/l	0.004	0.02		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Arsenic	SW846/6020	0.0042	0.0042	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Manganese	SW846/6020	0.0711	0.0711	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Zinc	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.001		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Total Organic Carbon	EPA9060	4.98	4.98	mg/l	0.5	1		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Dissolved Solids	EPA160.1	211	211	mg/l	5.11	15.6		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Total Solids	EPA160.3	218	218	mg/l	4	10		1					
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1101	0.5	Total Suspended Solids	EPA160.2	7.22	7.22	mg/l	1.11	5.56		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Alkalinity	EPA310.1	103	103	mg/l	5	10		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Ammonia	EPA350.1	0.103	0.103	mg/l	0.005	0.01		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Chloride	EPA300.0	29.5	29.5	mg/l	0.1	0.3		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Hardness	SM2340B	113	113	mgeqCaCO3/l	0.0265	0.132		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.76	0.76	mg/l	0.07	0.14		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002		2					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.03		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Phosphorus, Total	EPA6010B	0.075	0.075	mg/l	0.004	0.02		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Silica, Diss.	EPA6010B	1.73	1.73	mg/l	0.005	0.05		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Silica, Tot.	EPA6010B	1.6	1.6	mg/l	0.005	0.05		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Sulfate	EPA300.0	25.2	25.2	mg/l	0.1	0.3		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Calcium	EPA6010	24.2	24.2	mg/l	0.004	0.02		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Iron	EPA6010	0.0339	0.0339	mg/l	0.004	0.02		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Magnesium	EPA6010	12.8	12.8	mg/l	0.004	0.02		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Arsenic	SW846/6020	0.004	0.004	mg/l	0.0002	0.001		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Manganese	SW846/6020	0.0365	0.0365	mg/l	0.0002	0.001		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001		1					
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	0.5	Zinc	SW846/6020	0.004											

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Alkalinity	EPA310.1	89.7	89.7	mg/l	5	10	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Ammonia	EPA350.1	0.659	0.659	mg/l	0.005	0.01	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Chloride	EPA300.0	25	25	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Hardness	SM2340B	104	104	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Total Kjeldahl Nitrogen	I-4515-91	0.89	0.89	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Ortho-Phosphorus, Dissolved	EPA300.0	0.0768	0.0768	mg/l	0.01	0.03	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Phosphorus, Total	EPA6010B	0.167	0.167	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Silica, Diss.	EPA6010B	2.01	2.01	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Silica, Tot.	EPA6010B	1.92	1.92	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Sulfate	EPA300.0	21	21	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Calcium	EPA6010	23.3	23.3	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Iron	EPA6010	0.0822	0.0822	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Magnesium	EPA6010	11.2	11.2	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Arsenic	SW846/6020	0.0047	0.0047	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Copper	SW846/6020	0.001	0.001	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Manganese	SW846/6020	0.568	0.568	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Zinc	SW846/6020	0.0069	0.0069	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Total Organic Carbon	EPA9060	5.23	5.23	mg/l	0.5	1	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Dissolved Solids	EPA160.1	186	186	mg/l	6	20	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Total Solids	EPA160.3	206	206	mg/l	4	10	1						
Arcadia Lake	1	IARCOKN0212	8/15/2018	12:00:00 PM	1200	9	Total Suspended Solids	EPA160.2	20	20	mg/l	2	10	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Alkalinity	EPA310.1	100	100	mg/l	5	10	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Ammonia	EPA350.1	0.188	0.188	mg/l	0.005	0.01	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Chloride	EPA300.0	28.3	28.3	mg/l	0.1	0.3	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Hardness	SM2340B	110	110	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.65	0.65	mg/l	0.07	0.14	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Nitrite+Nitrate	EPA300.0	0.0245	0.0245	mg/l	0.006	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Phosphorus, Total	EPA6010B	0.081	0.081	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Silica, Diss.	EPA6010B	1.89	1.89	mg/l	0.005	0.05	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Silica, Tot.	EPA6010B	1.76	1.76	mg/l	0.005	0.05	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Sulfate	EPA300.0	24.5	24.5	mg/l	0.1	0.3	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Calcium	EPA6010	23.8	23.8	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Iron	EPA6010	0.0631	0.0631	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Magnesium	EPA6010	12.2	12.2	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Arsenic	SW846/6020	0.0042	0.0042	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Manganese	SW846/6020	0.0703	0.0703	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Zinc	SW846/6020	0.0029	0.0029	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Total Organic Carbon	EPA9060	5.01	5.01	mg/l	0.5	1	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Dissolved Solids	EPA160.1	210	210	mg/l	5.11	15.6	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Total Solids	EPA160.3	216	216	mg/l	4	10	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	11:00:00 AM	1100	0.5	Total Suspended Solids	EPA160.2	6.11	6.11	mg/l	1.11	5.56	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Alkalinity	EPA310.1	103	103	mg/l	5	10	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Ammonia	EPA350.1	0.58	0.58	mg/l	0.005	0.01	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Chloride	EPA300.0	26.8	26.8	mg/l	0.1	0.3	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Hardness	SM2340B	111	111	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Total Kjeldahl Nitrogen	I-4515-91	1.05	1.05	mg/l	0.07	0.14	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Nitrite+Nitrate	EPA300.0	0.00705	0.00705	mg/l	0.006	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Ortho-Phosphorus, Dissolved	EPA300.0	0.0563	0.0563	mg/l	0.01	0.03	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Phosphorus, Total	EPA6010B	0.229	0.229	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Silica, Diss.	EPA6010B	2.21	2.21	mg/l	0.005	0.05	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Silica, Tot.	EPA6010B	2.1	2.1	mg/l	0.005	0.05	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Sulfate	EPA300.0	21.9	21.9	mg/l	0.1	0.3	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Calcium	EPA6010	24.5	24.5	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Iron	EPA6010	0.293	0.293	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Magnesium	EPA6010	12.1	12.1	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Arsenic	SW846/6020	0.0073	0.0073	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Zinc	SW846/6020	0.0044	0.0044	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Total Organic Carbon	EPA9060	5.96	5.96	mg/l	0.5	1	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Dissolved Solids	EPA160.1	202	202	mg/l	8	30	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Total Solids	EPA160.3	234	234	mg/l	4	10	1						
Arcadia Lake	2	IARCOKN0215	8/15/2018	10:00:00 AM	1100	7	Total Suspended Solids	EPA160.2	32	32	mg/l	4	20	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Alkalinity	EPA310.1	99	99	mg/l	5	10	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Ammonia	EPA350.1	0.214	0.214	mg/l	0.005	0.01	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Chloride	EPA300.0	27.3	27.3	mg/l	0.1	0.3	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Hardness	SM2340B	110	110	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.67	0.67	mg/l	0.07	0.14	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Nitrite+Nitrate	EPA300.0	0.0264	0.0264	mg/l	0.006	0.02	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0147	0.0147	mg/l	0.01	0.03	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Phosphorus, Total	EPA6010B	0.081	0.081	mg/l	0.004	0.02	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Silica, Diss.	EPA6010B	2	2	mg/l	0.005	0.05	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Silica, Tot.	EPA6010B	1.8	1.8	mg/l	0.005	0.05	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Sulfate	EPA300.0	24.1	24.1	mg/l	0.1	0.3	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Calcium	EPA6010	24.2	24.2	mg/l	0.004	0.02	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Iron	EPA6010	0.0991	0.0991	mg/l	0.004	0.02	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Magnesium	EPA6010	12.2	12.2	mg/l	0.004	0.02	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Arsenic	SW846/6020	0.0044	0.0044	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Manganese	SW846/6020	0.0956	0.0956	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Zinc	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Total Organic Carbon	EPA9060	4.38	4.38	mg/l	0.5	1	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Dissolved Solids	EPA160.1	212	212	mg/l	5.11	15.6	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Total Solids	EPA160.3	224	224	mg/l	4	10	1						
Arcadia Lake	3	IARCOKN0216	8/15/2018	9:55:00 AM	0955	0.5	Total Suspended Solids	EPA160.2	12.2	12.2	mg/l	1.11	5.56	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Ammonia	EPA350.1	0.00587	0.00587	mg/l	0.005	0.01	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Silica, Diss.	EPA6010B	ND	<0.005	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Silica, Tot.	EPA6010B	ND	<0.005	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Calcium	EPA6010	ND	<0.004	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Zinc	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	7:00:00 AM	0700	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Alkalinity	EPA310.1	103	103	mg/l	5	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Ammonia	EPA350.1	0.0544	0.0544	mg/l	0.005	0.01	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Chloride	EPA300.0	25.6	25.6	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Hardness	SM2340B	107	107	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Nitrite+Nitrate	EPA300.0	0.264	0.264	mg/l	0.006	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0333	0.0333	mg/l	0.01	0.03	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Phosphorus, Total	EPA6010B	0.112	0.112	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Silica, Diss.	EPA6010B	2.24	2.24	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Silica, Tot.	EPA6010B	2.6	2.6	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Sulfate	EPA300.0	22.8	22.8	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Calcium	EPA6010	24.3	24.3	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121															

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Manganese	SW846/6020	0.0568	0.0568	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Nickel	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Zinc	SW846/6020	0.0066	0.0066	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Total Organic Carbon	EPA9060	4.49	4.49	mg/l	0.5	1	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Dissolved Solids	EPA160.1	211	211	mg/l	4.67	13.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Total Solids	EPA160.3	218	218	mg/l	4	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1121	0.5	Total Suspended Solids	EPA160.2	6.67	6.67	mg/l	0.667	3.33	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Alkalinity	EPA310.1	102	102	mg/l	5	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Ammonia	EPA350.1	0.053	0.053	mg/l	0.005	0.01	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Chloride	EPA300.0	25.7	25.7	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Hardness	SM2340B	107	107	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Nitrite+Nitrate	EPA300.0	0.269	0.269	mg/l	0.006	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0327	0.0327	mg/l	0.01	0.03	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Phosphorus, Total	EPA6010B	0.115	0.115	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Silica, Diss.	EPA6010B	2.23	2.23	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Silica, Tot.	EPA6010B	2.74	2.74	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Sulfate	EPA300.0	22.8	22.8	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Calcium	EPA6010	24.2	24.2	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Iron	EPA6010	0.171	0.171	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Magnesium	EPA6010	11.4	11.4	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Arsenic	SW846/6020	0.0037	0.0037	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Manganese	SW846/6020	0.0578	0.0578	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Zinc	SW846/6020	0.0073	0.0073	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Total Organic Carbon	EPA9060	4.55	4.55	mg/l	0.5	1	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Dissolved Solids	EPA160.1	215	215	mg/l	4.67	13.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Total Solids	EPA160.3	222	222	mg/l	4	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	0.5	Total Suspended Solids	EPA160.2	6.67	6.67	mg/l	0.667	3.33	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Alkalinity	EPA310.1	103	103	mg/l	5	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Ammonia	EPA350.1	0.0782	0.0782	mg/l	0.005	0.01	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Chloride	EPA300.0	25.5	25.5	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Hardness	SM2340B	103	103	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Total Kjeldahl Nitrogen	I-4515-91	0.52	0.52	mg/l	0.07	0.14	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Nitrite+Nitrate	EPA300.0	0.249	0.249	mg/l	0.006	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Ortho-Phosphorus, Dissolved	EPA300.0	0.0349	0.0349	mg/l	0.01	0.03	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Phosphorus, Total	EPA6010B	0.117	0.117	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Silica, Diss.	EPA6010B	2.28	2.28	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Silica, Tot.	EPA6010B	6.62	6.62	mg/l	0.005	0.05	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Sulfate	EPA300.0	22.8	22.8	mg/l	0.1	0.3	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Calcium	EPA6010	23.1	23.1	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Iron	EPA6010	0.156	0.156	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Magnesium	EPA6010	11	11	mg/l	0.004	0.02	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Arsenic	SW846/6020	0.0037	0.0037	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Copper	SW846/6020	0.00083	0.00083	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Manganese	SW846/6020	0.0874	0.0874	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Zinc	SW846/6020	0.0065	0.0065	mg/l	0.0002	0.001	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Total Organic Carbon	EPA9060	4.75	4.75	mg/l	0.5	1	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Dissolved Solids	EPA160.1	210	210	mg/l	5	15	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Total Solids	EPA160.3	222	222	mg/l	4	10	1						
Arcadia Lake	1	IARCOKN0212	9/11/2018	11:20:00 AM	1120	10.0	Total Suspended Solids	EPA160.2	11.5	11.5	mg/l	1	5	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Alkalinity	EPA310.1	101	101	mg/l	5	10	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Ammonia	EPA350.1	0.044	0.044	mg/l	0.005	0.01	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Chloride	EPA300.0	25.5	25.5	mg/l	0.1	0.3	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Hardness	SM2340B	107	107	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.49	0.49	mg/l	0.07	0.14	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Nitrite+Nitrate	EPA300.0	0.245	0.245	mg/l	0.006	0.02	1						

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Calcium	EPA6010	24.3	24.3	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Iron	EPA6010	0.0975	0.0975	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Magnesium	EPA6010	11.3	11.3	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Arsenic	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Manganese	SW846/6020	0.0496	0.0496	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Zinc	SW846/6020	0.013	0.013	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Total Organic Carbon	EPA9060	4.88	4.88	mg/l	0.5	1	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Dissolved Solids	EPA160.1	201	201	mg/l	4.8	14	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Total Solids	EPA160.3	210	210	mg/l	4	10	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	0.5	Total Suspended Solids	EPA160.2	8.8	8.8	mg/l	0.8	4	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Alkalinity	EPA310.1	95.5	95.5	mg/l	5	10	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Ammonia	EPA350.1	0.2	0.2	mg/l	0.005	0.01	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Chloride	EPA300.0	21.6	21.6	mg/l	0.1	0.3	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Hardness	SM2340B	98.8	98.8	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Total Kjeldahl Nitrogen	I-4515-91	0.73	0.73	mg/l	0.07	0.14	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Nitrite+Nitrate	EPA300.0	0.162	0.162	mg/l	0.006	0.02	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Ortho-Phosphorus, Dissolved	EPA300.0	0.0545	0.0545	mg/l	0.01	0.03	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Phosphorus, Total	EPA6010B	0.158	0.158	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Silica, Diss.	EPA6010B	2.59	2.59	mg/l	0.005	0.05	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Silica, Tot.	EPA6010B	3.18	3.18	mg/l	0.005	0.05	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Sulfate	EPA300.0	19.7	19.7	mg/l	0.1	0.3	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Calcium	EPA6010	23.7	23.7	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Iron	EPA6010	0.301	0.301	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Magnesium	EPA6010	9.64	9.64	mg/l	0.004	0.02	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Arsenic	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Lead	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Manganese	SW846/6020	0.135	0.135	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Nickel	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Zinc	SW846/6020	0.0117	0.0117	mg/l	0.0002	0.001	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Total Organic Carbon	EPA9060	5.98	5.98	mg/l	0.5	1	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Dissolved Solids	EPA160.1	203	203	mg/l	6	20	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Total Solids	EPA160.3	240	240	mg/l	4	10	1						
Arcadia Lake	2	IARCOKN0215	9/11/2018	10:15:00 AM	1015	7.0	Total Suspended Solids	EPA160.2	37	37	mg/l	2	10	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Alkalinity	EPA310.1	100	100	mg/l	5	10	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Ammonia	EPA350.1	0.0521	0.0521	mg/l	0.005	0.01	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Chloride	EPA300.0	24.9	24.9	mg/l	0.1	0.3	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Hardness	SM2340B	97.7	97.7	mgeqCaCO3/l	0.0265	0.132	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.62	0.62	mg/l	0.07	0.14	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Nitrite+Nitrate	EPA300.0	0.218	0.218	mg/l	0.006	0.02	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0352	0.0352	mg/l	0.01	0.03	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Phosphorus, Total	EPA6010B	0.116	0.116	mg/l	0.004	0.02	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Silica, Diss.	EPA6010B	2.21	2.21	mg/l	0.005	0.05	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Silica, Tot.	EPA6010B	2.41	2.41	mg/l	0.005	0.05	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Sulfate	EPA300.0	22.2	22.2	mg/l	0.1	0.3	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Calcium	EPA6010	22.2	22.2	mg/l	0.004	0.02	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Iron	EPA6010	0.101	0.101	mg/l	0.004	0.02	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Magnesium	EPA6010	10.2	10.2	mg/l	0.004	0.02	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Arsenic	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Manganese	SW846/6020	0.0494	0.0494	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Zinc	SW846/6020	0.0084	0.0084	mg/l	0.0002	0.001	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Total Organic Carbon	EPA9060	5.35	5.35	mg/l	0.5	1	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Dissolved Solids	EPA160.1	212	212	mg/l	4.8	14	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Total Solids	EPA160.3	222	222	mg/l	4	10	1						
Arcadia Lake	3	IARCOKN0216	9/11/2018	11:00:00 AM	1100	0.5	Total Suspended Solids	EPA160.2	9.6	9.6	mg/l	0.8	4	1						
Arcadia Lake	1	IARCOKN0212	4/17/2018		0635	0.0	CHL A, FL, COR	EPA445.0		1.1	ug/l			1						
Arcadia Lake	1	IARCOKN0212	4/17/2018		1050	0.5	CHL A, FL, COR	EPA445.0		19.8	ug/l			1						
Arcadia Lake	1	IARCOKN0212	4/17/2018		1051	0.5	CHL A, FL, COR	EPA445.0		19.3	ug									

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Arcadia Lake	1	IARCOKN0212	4/17/2018		1051	0.5	PHPHTN-A, FLR MTHD	EPA445.0		12.8	ug/l			1						
Arcadia Lake	2	IARCOKN0215	4/17/2018		1025	0.5	PHPHTN-A, FLR MTHD	EPA445.0		22.6	ug/l			1						
Arcadia Lake	3	IARCOKN0216	4/17/2018		1000	0.5	PHPHTN-A, FLR MTHD	EPA445.0		12.9	ug/l			1						
Arcadia Lake	2	IARCOKN0215	5/30/2018		0640	0.0	CHL A, FL, COR	EPA445.0		-0.8	ug/l			1						
Arcadia Lake	1	IARCOKN0212	5/30/2018		1020	0.5	CHL A, FL, COR	EPA445.0		29.3	ug/l			1						
Arcadia Lake	2	IARCOKN0215	5/30/2018		0925	0.5	CHL A, FL, COR	EPA445.0		21.7	ug/l			1						
Arcadia Lake	2	IARCOKN0215	5/30/2018		0926	0.5	CHL A, FL, COR	EPA445.0		22.6	ug/l			1						
Arcadia Lake	3	IARCOKN0216	5/30/2018		0945	0.5	CHL A, FL, COR	EPA445.0		26.7	ug/l			1						
Arcadia Lake	2	IARCOKN0215	5/30/2018		0640	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-0.2	ug/l			1						
Arcadia Lake	1	IARCOKN0212	5/30/2018		1020	0.5	PHPHTN-A, FLR MTHD	EPA445.0		7.7	ug/l			1						
Arcadia Lake	2	IARCOKN0215	5/30/2018		0925	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.6	ug/l			1						
Arcadia Lake	2	IARCOKN0215	5/30/2018		0926	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.9	ug/l			1						
Arcadia Lake	3	IARCOKN0216	5/30/2018		0945	0.5	PHPHTN-A, FLR MTHD	EPA445.0		2.1	ug/l			1						
Arcadia Lake	3	IARCOKN0216	6/12/2018		0630	0.0	CHL A, FL, COR	EPA445.0		1	ug/l			1						
Arcadia Lake	1	IARCOKN0212	6/12/2018		1120	0.5	CHL A, FL, COR	EPA445.0		23.5	ug/l			1						
Arcadia Lake	2	IARCOKN0215	6/12/2018		1050	0.5	CHL A, FL, COR	EPA445.0		22.4	ug/l			1						
Arcadia Lake	3	IARCOKN0216	6/12/2018		1000	0.5	CHL A, FL, COR	EPA445.0		23.4	ug/l			1						
Arcadia Lake	3	IARCOKN0216	6/12/2018		1001	0.5	CHL A, FL, COR	EPA445.0		22.6	ug/l			1						
Arcadia Lake	3	IARCOKN0216	6/12/2018		0630	0.0	PHPHTN-A, FLR MTHD	EPA445.0		0.2	ug/l			1						
Arcadia Lake	1	IARCOKN0212	6/12/2018		1120	0.5	PHPHTN-A, FLR MTHD	EPA445.0		12.7	ug/l			1						
Arcadia Lake	2	IARCOKN0215	6/12/2018		1050	0.5	PHPHTN-A, FLR MTHD	EPA445.0		11.4	ug/l			1						
Arcadia Lake	3	IARCOKN0216	6/12/2018		1000	0.5	PHPHTN-A, FLR MTHD	EPA445.0		15.1	ug/l			1						
Arcadia Lake	3	IARCOKN0216	6/12/2018		1001	0.5	PHPHTN-A, FLR MTHD	EPA445.0		13.7	ug/l			1						
Arcadia Lake	1	IARCOKN0212	7/10/2018		0700	0.0	CHL A, FL, COR	EPA445.0		0.5	ug/l			1						
Arcadia Lake	1	IARCOKN0212	7/10/2018		1105	0.5	CHL A, FL, COR	EPA445.0		14.6	ug/l			1						
Arcadia Lake	1	IARCOKN0212	7/10/2018		1106	0.5	CHL A, FL, COR	EPA445.0		15.3	ug/l			1						
Arcadia Lake	2	IARCOKN0215	7/10/2018		1020	0.5	CHL A, FL, COR	EPA445.0		16.1	ug/l			1						
Arcadia Lake	3	IARCOKN0216	7/10/2018		0940	0.5	CHL A, FL, COR	EPA445.0		23.8	ug/l			1						
Arcadia Lake	1	IARCOKN0212	7/10/2018		0700	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-0.6	ug/l			1						
Arcadia Lake	1	IARCOKN0212	7/10/2018		1105	0.5	PHPHTN-A, FLR MTHD	EPA445.0		2.6	ug/l			1						
Arcadia Lake	1	IARCOKN0212	7/10/2018		1106	0.5	PHPHTN-A, FLR MTHD	EPA445.0		3.1	ug/l			1						
Arcadia Lake	2	IARCOKN0215	7/10/2018		1020	0.5	PHPHTN-A, FLR MTHD	EPA445.0		3.7	ug/l			1						
Arcadia Lake	3	IARCOKN0216	7/10/2018		0940	0.5	PHPHTN-A, FLR MTHD	EPA445.0		8.6	ug/l			1						
Arcadia Lake	2	IARCOKN0215	8/15/2018		0730	0.0	CHL A, FL, COR	EPA445.0		1.7	ug/l			1						
Arcadia Lake	1	IARCOKN0212	8/15/2018		1200	0.5	CHL A, FL, COR	EPA445.0		27.8	ug/l			1						
Arcadia Lake	2	IARCOKN0215	8/15/2018		1100	0.5	CHL A, FL, COR	EPA445.0		23.4	ug/l			1						
Arcadia Lake	2	IARCOKN0215	8/15/2018		1101	0.5	CHL A, FL, COR	EPA445.0		25	ug/l			1						
Arcadia Lake	3	IARCOKN0216	8/15/2018		0955	0.5	CHL A, FL, COR	EPA445.0		18.5	ug/l			1						
Arcadia Lake	2	IARCOKN0215	8/15/2018		0730	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-5.2	ug/l			1						
Arcadia Lake	1	IARCOKN0212	8/15/2018		1200	0.5	PHPHTN-A, FLR MTHD	EPA445.0		13.1	ug/l			1						
Arcadia Lake	2	IARCOKN0215	8/15/2018		1100	0.5	PHPHTN-A, FLR MTHD	EPA445.0		20.1	ug/l			1						
Arcadia Lake	2	IARCOKN0215	8/15/2018		1101	0.5	PHPHTN-A, FLR MTHD	EPA445.0		14.4	ug/l			1						
Arcadia Lake	3	IARCOKN0216	8/15/2018		0955	0.5	PHPHTN-A, FLR MTHD	EPA445.0		16.2	ug/l			1						
Arcadia Lake	1	IARCOKN0212	9/11/2018		0700	0.0	CHL A, FL, COR	EPA445.0		1.5	ug/l			1						
Arcadia Lake	1	IARCOKN0212	9/11/2018		1120	0.5	CHL A, FL, COR	EPA445.0		6.1	ug/l			1						
Arcadia Lake	1	IARCOKN0212	9/11/2018		1121	0.5	CHL A, FL, COR	EPA445.0		5.9	ug/l			1						
Arcadia Lake	2	IARCOKN0215	9/11/2018		1015	0.5	CHL A, FL, COR	EPA445.0		13.7	ug/l			1						
Arcadia Lake	3	IARCOKN0216	9/11/2018		1100	0.5	CHL A, FL, COR	EPA445.0		14.2	ug/l			1						
Arcadia Lake	1	IARCOKN0212	9/11/2018		0700	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-2.2	ug/l			1						
Arcadia Lake	1	IARCOKN0212	9/11/2018		1120	0.5	PHPHTN-A, FLR MTHD	EPA445.0		8.6	ug/l			1						
Arcadia Lake	1	IARCOKN0212	9/11/2018		1121	0.5	PHPHTN-A, FLR MTHD	EPA445.0		9	ug/l			1						
Arcadia Lake	2	IARCOKN0215	9/11/2018		1015	0.5	PHPHTN-A, FLR MTHD	EPA445.0		8.4	ug/l			1						
Arcadia Lake	3	IARCOKN0216	9/11/2018		1100	0.5	PHPHTN-A, FLR MTHD	EPA445.0		18.1	ug/l			1						