

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1	1	1BBROKS0140	Alkalinity	00410	ERDC-ECB	EPA310.1
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Ammonia	EPA350.1	0.0486	0.0486	mg/l	0.005	0.0100	1	2	1BBROKS0141	Ammonia	00610	ERDC-ECB	EPA350.1
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1	3	1BBROKS0139	Arsenic	01002	ERDC-ECB	EPA7060
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Hardness	SM2340B	0.0479	0.0479	mgeqCaCO3/l	0.0265	0.132	1	4	1BBROKS0142	Barium	01007	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1	5	1BBROKS0138	Cadmium	01027	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1	6	1BBROKS0144	Calcium	00916	ERDC-ECB	EPA6010
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1			CHL A, FL, COR	32209	SWTPEE	EPA445.0
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1			Chloride	00940	ERDC-ECB	EPA300.0
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1			Chromium	01034	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Silica, Diss.	EPA6010B	0.0286	0.0286	mg/l	0.005	0.0500	1			Copper	01042	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Silica, Tot.	EPA6010B	0.0220	0.0220	mg/l	0.005	0.0500	1			Dissolved Solids	70300	ERDC-ECB	EPA160.1
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1			Hardness	00900	ERDC-ECB	SM2340B
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Calcium	EPA6010	0.0119	0.0119	mg/l	0.004	0.0200	1			Iron	01045	ERDC-ECB	EPA6010
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1			Lead	01051	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Magnesium	EPA6010	0.0044	0.0044	mg/l	0.004	0.0200	1			Magnesium	00927	ERDC-ECB	EPA6010
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Arsenic	EPA7060	ND	<0.0002	mg/l	0.0002	0.0010	1			Manganese	01055	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Mercury	71900	ERDC-ECB	SW846/7474
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Nickel	01067	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Nitrate+Nitrite	00630	ERDC-ECB	EPA300.0
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Ortho-Phosphorus, Dissolved	00671	ERDC-ECB	EPA300.0
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Phosphorus, Total	00665	ERDC-ECB	EPA6010B
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			PHPHTN-A, FLR MTHD	32213	SWTPEE	EPA445.0
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Zinc	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.0010	1			Potassium	00937	ERDC-ECB	SW846/6010
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Total Organic Carbon	EPA9060	0.738	0.738	mg/l	0.5	1.00	1			Selenium	01147	ERDC-ECB	EPA7740
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Dissolved Solids	EPA160.1	ND	<5.00	mg/l	5.00	15.0	1			Silica, Diss.	00955	ERDC-ECB	EPA6010B
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1			Silica, Tot.	00956	ERDC-ECB	EPA6010B
Broken Bow Lake	1	1BBROKS0140	5/22/2017	12:10:00 PM	1210	0	Total Suspended Solids	EPA160.2	ND	<1.00	mg/l	1.00	5.00	1			Silver	01077	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Alkalinity	EPA310.1	9.90	9.90	mg/l	5.00	10.0	1			Sodium	00929	ERDC-ECB	SW846/6010
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Ammonia	EPA350.1	0.0621	0.0621	mg/l	0.005	0.0100	1			Sulfate	00945	ERDC-ECB	EPA300.0
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Chloride	EPA300.0	1.58	1.58	mg/l	0.1	0.300	1			Total Kjeldahl Nitrogen	00625	USGS-NWQL	I-4515-91
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Hardness	SM2340B	8.38	8.38	mgeqCaCO3/l	0.0265	0.132	1			Total Organic Carbon	00680	USGS-NWQL	EPA9060
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.13	0.13	mg/l	0.07	0.14	1			Total Solids	00500	ERDC-ECB	EPA160.3
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1			Total Suspended Solids	00530	ERDC-ECB	EPA160.2
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Nitrate+Nitrite	EPA300.0	0.0435	0.0435	mg/l	0.006	0.0200	1			Zinc	01092	ERDC-ECB	SW846/6020
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Phosphorus, Total	EPA6010B	0.007	0.007	mg/l	0.004	0.020	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Silica, Diss.	EPA6010B	2.41	2.41	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Silica, Tot.	EPA6010B	2.26	2.26	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Sulfate	EPA300.0	2.78	2.78	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Calcium	EPA6010	1.92	1.92	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Iron	EPA6010	0.0202	0.0202	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Magnesium	EPA6010	0.872	0.872	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Arsenic	EPA7060	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Manganese	SW846/6020	0.0044	0.0044	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Zinc	SW846/6020	0.0076	0.0076	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Total Organic Carbon	EPA9060	3.45	3.45	mg/l	0.5	1.00	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Dissolved Solids	EPA160.1	31.0	31.0	mg/l	5.00	15.0	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Total Solids	EPA160.3	32.0	32.0	mg/l	4.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1151	0.5	Total Suspended Solids	EPA160.2	1.00	1.00	mg/l	1.00	5.00	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Alkalinity	EPA310.1	10.5	10.5	mg/l	5.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Ammonia	EPA350.1	0.0554	0.0554	mg/l	0.005	0.0100	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Chloride	EPA300.0	1.58	1.58	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Hardness	SM2340B	8.59	8.59	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.14	0.14	mg/l	0.07	0.14	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Nitrate+Nitrite	EPA300.0	0.0439	0.0439	mg/l	0.006	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Phosphorus, Total	EPA6010B	0.008	0.008	mg/l	0.004	0.020	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Silica, Diss.	EPA6010B	2.29	2.29	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	0.5	Silica, Tot.	EPA6010B	2.45	2.45	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM</																

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Sulfate	EPA300.0	2.55	2.55	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Calcium	EPA6010	2.19	2.19	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Iron	EPA6010	0.185	0.185	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Magnesium	EPA6010	0.915	0.915	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Arsenic	EPA7060	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Manganese	SW846/6020	0.0698	0.0698	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Zinc	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Total Organic Carbon	EPA9060	3.62	3.62	mg/l	0.5	1.00	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Dissolved Solids	EPA160.1	28.0	28.0	mg/l	5.18	15.9	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Total Solids	EPA160.3	28.0	28.0	mg/l	4.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	5/23/2017	11:50:00 AM	1150	35	Total Suspended Solids	EPA160.2	ND	<1.18	mg/l	1.18	5.88	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Alkalinity	EPA310.1	10.2	10.2	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Ammonia	EPA350.1	0.0774	0.0774	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Chloride	EPA300.0	1.59	1.59	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Hardness	SM2340B	8.66	8.66	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.21	0.21	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Nitrate+Nitrite	EPA300.0	0.0419	0.0419	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Phosphorus, Total	EPA6010B	0.007	0.007	mg/l	0.004	0.020	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Silica, Diss.	EPA6010B	2.39	2.39	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Silica, Tot.	EPA6010B	2.42	2.42	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Sulfate	EPA300.0	2.80	2.80	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Calcium	EPA6010	1.98	1.98	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Iron	EPA6010	0.0215	0.0215	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Magnesium	EPA6010	0.904	0.904	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Arsenic	EPA7060	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Manganese	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Zinc	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Total Organic Carbon	EPA9060	3.97	3.97	mg/l	0.5	1.00	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Dissolved Solids	EPA160.1	30.0	30.0	mg/l	5.00	15.0	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Total Solids	EPA160.3	30.0	30.0	mg/l	4.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	0.5	Total Suspended Solids	EPA160.2	ND	<1.00	mg/l	1.00	5.00	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Alkalinity	EPA310.1	11.6	11.6	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Ammonia	EPA350.1	0.0911	0.0911	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Chloride	EPA300.0	1.50	1.50	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Hardness	SM2340B	9.81	9.81	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Total Kjeldahl Nitrogen	I-4515-91	0.17	0.17	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Nitrate+Nitrite	EPA300.0	0.247	0.247	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Phosphorus, Total	EPA6010B	0.021	0.021	mg/l	0.004	0.020	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Silica, Diss.	EPA6010B	3.14	3.14	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Silica, Tot.	EPA6010B	3.12	3.12	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Sulfate	EPA300.0	2.54	2.54	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Calcium	EPA6010	2.38	2.38	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Iron	EPA6010	0.480	0.480	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Magnesium	EPA6010	0.936	0.936	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Arsenic	EPA7060	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Manganese	SW846/6020	0.439	0.439	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Zinc	SW846/6020	0.0086	0.0086	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Total Organic Carbon	EPA9060	3.43	3.43	mg/l	0.5	1.00	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Dissolved Solids	EPA160.1	31.0	31.0	mg/l	5.00	15.0	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Total Solids	EPA160.3	32.0	32.0	mg/l	4.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	5/23/2017	8:15:00 AM	0815	26	Total Suspended Solids	EPA160.2	1.00	1.00	mg/l	1.00	5.00	1						
Broken Bow Lake	3	1BBROKS0139	5/23/2017	11:00:00 AM	1100	0.5	Alkalinity	EPA310.1	9.93	9.93	mg/l									

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	3	1BBROKS0139	5/23/2017	11:00:00 AM	1100	0.5	Zinc	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	5/23/2017	11:00:00 AM	1100	0.5	Total Organic Carbon	EPA9060	4.06	4.06	mg/l	0.5	1.00	1						
Broken Bow Lake	3	1BBROKS0139	5/23/2017	11:00:00 AM	1100	0.5	Dissolved Solids	EPA160.1	32.5	32.5	mg/l	5.00	15.0	1						
Broken Bow Lake	3	1BBROKS0139	5/23/2017	11:00:00 AM	1100	0.5	Total Solids	EPA160.3	34.0	34.0	mg/l	4.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	5/23/2017	11:00:00 AM	1100	0.5	Total Suspended Solids	EPA160.2	1.50	1.50	mg/l	1.00	5.00	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Alkalinity	EPA310.1	9.51	9.51	mg/l	5.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Ammonia	EPA350.1	0.0591	0.0591	mg/l	0.005	0.0100	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Chloride	EPA300.0	1.78	1.78	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Hardness	SM2340B	8.62	8.62	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.31	0.31	mg/l	0.07	0.14	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Nitrate+Nitrite	EPA300.0	0.00745	0.00745	mg/l	0.006	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Phosphorus, Total	EPA6010B	0.013	0.013	mg/l	0.004	0.020	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Silica, Diss.	EPA6010B	2.94	2.94	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Silica, Tot.	EPA6010B	3.01	3.01	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Sulfate	EPA300.0	2.68	2.68	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Calcium	EPA6010	1.90	1.90	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Iron	EPA6010	0.0730	0.0730	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Magnesium	EPA6010	0.943	0.943	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Arsenic	EPA7060	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Manganese	SW846/6020	0.0112	0.0112	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Zinc	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Total Organic Carbon	EPA9060	4.65	4.65	mg/l	0.5	1.00	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Dissolved Solids	EPA160.1	26.5	26.5	mg/l	5.00	15.0	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Total Solids	EPA160.3	30.0	30.0	mg/l	4.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	5/23/2017	10:30:00 AM	1030	0.5	Total Suspended Solids	EPA160.2	3.50	3.50	mg/l	1.00	5.00	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Alkalinity	EPA310.1	9.06	9.06	mg/l	5.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Ammonia	EPA350.1	0.0782	0.0782	mg/l	0.005	0.0100	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Chloride	EPA300.0	1.88	1.88	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Hardness	SM2340B	8.81	8.81	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.34	0.34	mg/l	0.07	0.14	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Nitrate+Nitrite	EPA300.0	0.00772	0.00772	mg/l	0.006	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Phosphorus, Total	EPA6010B	0.022	0.022	mg/l	0.004	0.020	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Silica, Diss.	EPA6010B	2.90	2.90	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Silica, Tot.	EPA6010B	3.14	3.14	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Sulfate	EPA300.0	2.54	2.54	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Calcium	EPA6010	1.89	1.89	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Iron	EPA6010	0.199	0.199	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Magnesium	EPA6010	0.993	0.993	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Arsenic	EPA7060	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Manganese	SW846/6020	0.0212	0.0212	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Zinc	SW846/6020	0.0042	0.0042	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Total Organic Carbon	EPA9060	4.60	4.60	mg/l	0.5	1.00	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Dissolved Solids	EPA160.1	26.0	26.0	mg/l	5.00	15.0	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Total Solids	EPA160.3	30.0	30.0	mg/l	4.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	0.5	Total Suspended Solids	EPA160.2	4.00	4.00	mg/l	1.00	5.00	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Alkalinity	EPA310.1	13.5	13.5	mg/l	5.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Ammonia	EPA350.1	0.392	0.392	mg/l	0.005	0.0100	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Chloride	EPA300.0	1.74	1.74	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Hardness	SM2340B	10.7	10.7	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Total Kjeldahl Nitrogen	I-4515-91	0.75	0.75	mg/l	0.07	0.14	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Nitrate+Nitrite	EPA300.0	0.0805	0.0805	mg/l	0.006	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Phosphorus, Total	EPA6010B	0.036	0.036	mg/l	0.004	0.020	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Silica, Diss.	EPA6010B	4.44	4.44	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955	11	Silica, Tot.	EPA6010B	4.70	4.70	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	5/23/2017	9:55:00 AM	0955</															

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0109	0.0109	mg/l	0.01	0.0300	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Phosphorus, Total	EPA6010B	0.028	0.028	mg/l	0.004	0.020	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Silica, Diss.	EPA6010B	3.33	3.33	mg/l	0.005	0.0500	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Silica, Tot.	EPA6010B	3.68	3.68	mg/l	0.005	0.0500	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Sulfate	EPA300.0	2.48	2.48	mg/l	0.1	0.300	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Calcium	EPA6010	1.72	1.72	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Iron	EPA6010	0.318	0.318	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Magnesium	EPA6010	0.999	0.999	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Arsenic	EPA7060	0.00041	0.00041	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Manganese	SW846/6020	0.0116	0.0116	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Nickel	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Zinc	SW846/6020	0.0050	0.0050	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Total Organic Carbon	EPA9060	4.42	4.42	mg/l	0.5	1.00	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Dissolved Solids	EPA160.1	35.0	35.0	mg/l	6.00	20.0	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Total Solids	EPA160.3	38.0	38.0	mg/l	4.00	10.0	1						
Broken Bow Lake	6	1BBROKS0144	5/23/2017	9:30:00 AM	0930	0.5	Total Suspended Solids	EPA160.2	3.00	3.00	mg/l	2.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Ammonia	EPA350.1	0.0539	0.0539	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Total Kjeldahl Nitrogen	I-4515-91	0.16	0.16	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Silica, Diss.	EPA6010B	0.0238	0.0238	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Silica, Tot.	EPA6010B	0.0226	0.0226	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Calcium	EPA6010	0.0061	0.0061	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Arsenic	EPA7060	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Zinc	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Dissolved Solids	EPA160.1	14.0	14.0	mg/l	4.80	14.0	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Total Solids	EPA160.3	14.0	14.0	mg/l	4.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	6/19/2017	12:10:00 PM	1210	0	Total Suspended Solids	EPA160.2	ND	<0.8	mg/l	0.8	4.00	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Alkalinity	EPA310.1	9.03	9.03	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Ammonia	EPA350.1	0.0604	0.0604	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Chloride	EPA300.0	1.62	1.62	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Hardness	SM2340B	8.72	8.72	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.14	0.14	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Silica, Diss.	EPA6010B	2.02	2.02	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Silica, Tot.	EPA6010B	2.14	2.14	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Sulfate	EPA300.0	2.81	2.81	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Calcium	EPA6010	1.99	1.99	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Iron	EPA6010	0.0142	0.0142	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Magnesium	EPA6010	0.909	0.909	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Arsenic	EPA7060	0.00034	0.00034	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Manganese	SW846/6020	0.0069	0.0069	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Zinc	SW846/6020	0.0101	0.0101	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1151	0.5	Total Organic Carbon	EPA906												

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Manganese	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Zinc	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Total Organic Carbon	EPA9060	3.10	3.10	mg/l	0.5	1.00	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Dissolved Solids	EPA160.1	33.2	33.2	mg/l	4.80	14.0	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Total Solids	EPA160.3	34.0	34.0	mg/l	4.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	0.5	Total Suspended Solids	EPA160.2	0.800	0.800	mg/l	0.8	4.00	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Alkalinity	EPA310.1	10.7	10.7	mg/l	5.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Ammonia	EPA350.1	0.0437	0.0437	mg/l	0.005	0.0100	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Chloride	EPA300.0	1.50	1.50	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Hardness	SM2340B	9.72	9.72	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Total Kjeldahl Nitrogen	I-4515-91	0.23	0.23	mg/l	0.07	0.14	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Nitrate+Nitrite	EPA300.0	0.217	0.217	mg/l	0.006	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Phosphorus, Total	EPA6010B	0.004	0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Silica, Diss.	EPA6010B	2.64	2.64	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Silica, Tot.	EPA6010B	2.71	2.71	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Sulfate	EPA300.0	2.60	2.60	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Calcium	EPA6010	2.31	2.31	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Iron	EPA6010	0.0978	0.0978	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Magnesium	EPA6010	0.961	0.961	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Arsenic	EPA7060	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Copper	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Manganese	SW846/6020	0.0357	0.0357	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Nickel	SW846/6020	0.00035	0.00035	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Zinc	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Total Organic Carbon	EPA9060	2.98	2.98	mg/l	0.5	1.00	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Dissolved Solids	EPA160.1	37.2	37.2	mg/l	4.80	14.0	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Total Solids	EPA160.3	38.0	38.0	mg/l	4.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	6/20/2017	11:00:00 AM	1100	32	Total Suspended Solids	EPA160.2	0.800	0.800	mg/l	0.8	4.00	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Alkalinity	EPA310.1	10.3	10.3	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Ammonia	EPA350.1	0.0652	0.0652	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Chloride	EPA300.0	1.62	1.62	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Hardness	SM2340B	8.87	8.87	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Silica, Diss.	EPA6010B	2.06	2.06	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Silica, Tot.	EPA6010B	2.10	2.10	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Sulfate	EPA300.0	2.81	2.81	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Calcium	EPA6010	2.01	2.01	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Iron	EPA6010	0.0156	0.0156	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Magnesium	EPA6010	0.936	0.936	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Arsenic	EPA7060	0.00033	0.00033	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Manganese	SW846/6020	0.0071	0.0071	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Zinc	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Total Organic Carbon	EPA9060	3.06	3.06	mg/l	0.5	1.00	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Dissolved Solids	EPA160.1	34.0	34.0	mg/l	4.80	14.0	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Total Solids	EPA160.3	34.0	34.0	mg/l	4.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	0.5	Total Suspended Solids	EPA160.2	ND	<0.8	mg/l	0.8	4.00	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	26	Alkalinity	EPA310.1	11.6	11.6	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	26	Ammonia	EPA350.1	0.101	0.101	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	26	Chloride	EPA300.0	1.51	1.51	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	26	Hardness	SM2340B	10.4	10.4	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	26	Total Kjeldahl Nitrogen	I-4515-91	0.18	0.18	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	26	Mercury	SW846/7474	0.000016	0.000016	mg/l	0.00001	0.00002	2						
Broken Bow Lake	2	1BBROKS0141	6/20/2017	11:50:00 AM	1150	26	Nitrate+Nitrite	EPA300.0	0.236	0.236	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	6/20																	

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Chloride	EPA300.0	1.65	1.65	mg/l	0.1	0.300	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Hardness	SM2340B	8.98	8.98	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.18	0.18	mg/l	0.07	0.14	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Silica, Diss.	EPA6010B	2.12	2.12	mg/l	0.005	0.0500	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Silica, Tot.	EPA6010B	2.15	2.15	mg/l	0.005	0.0500	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Sulfate	EPA300.0	2.80	2.80	mg/l	0.1	0.300	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Calcium	EPA6010	2.03	2.03	mg/l	0.004	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Iron	EPA6010	0.0174	0.0174	mg/l	0.004	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Magnesium	EPA6010	0.950	0.950	mg/l	0.004	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Arsenic	EPA7060	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Manganese	SW846/6020	0.0044	0.0044	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Zinc	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Total Organic Carbon	EPA9060	2.99	2.99	mg/l	0.5	1.00	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Dissolved Solids	EPA160.1	239	239	mg/l	4.80	14.0	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Total Solids	EPA160.3	240	240	mg/l	4.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	6/20/2017	10:00:00 AM	1000	0.5	Total Suspended Solids	EPA160.2	0.800	0.800	mg/l	0.8	4.00	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Alkalinity	EPA310.1	10.5	10.5	mg/l	5.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Ammonia	EPA350.1	0.0699	0.0699	mg/l	0.005	0.0100	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Chloride	EPA300.0	1.79	1.79	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Hardness	SM2340B	9.11	9.11	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.26	0.26	mg/l	0.07	0.14	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Nitrate+Nitrite	EPA300.0	0.0104	0.0104	mg/l	0.006	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Silica, Diss.	EPA6010B	2.27	2.27	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Silica, Tot.	EPA6010B	2.31	2.31	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Sulfate	EPA300.0	2.68	2.68	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Calcium	EPA6010	2.01	2.01	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Iron	EPA6010	0.0508	0.0508	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Magnesium	EPA6010	0.994	0.994	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Arsenic	EPA7060	0.00048	0.00048	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Manganese	SW846/6020	0.0076	0.0076	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Zinc	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Total Organic Carbon	EPA9060	3.86	3.86	mg/l	0.5	1.00	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Dissolved Solids	EPA160.1	34.4	34.4	mg/l	4.80	14.0	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Total Solids	EPA160.3	36.0	36.0	mg/l	4.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	6/20/2017	9:20:00 AM	0920	0.5	Total Suspended Solids	EPA160.2	1.60	1.60	mg/l	0.8	4.00	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Alkalinity	EPA310.1	11.9	11.9	mg/l	5.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Ammonia	EPA350.1	0.0607	0.0607	mg/l	0.005	0.0100	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Chloride	EPA300.0	1.92	1.92	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Hardness	SM2340B	9.50	9.50	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.37	0.37	mg/l	0.07	0.14	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Phosphorus, Total	EPA6010B	0.009	0.009	mg/l	0.004	0.020	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Silica, Diss.	EPA6010B	2.67	2.67	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Silica, Tot.	EPA6010B	2.65	2.65	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Sulfate	EPA300.0	2.33	2.33	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Calcium	EPA6010	2.03	2.03	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Iron	EPA6010	0.223	0.223	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Magnesium	EPA6010	1.07	1.07	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Arsenic	EPA7060	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM																

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Iron	EPA6010	2.89	2.89	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Magnesium	EPA6010	1.32	1.32	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Arsenic	EPA7060	0.0029	0.0029	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Lead	SW846/6020	0.00034	0.00034	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Manganese	SW846/6020	0.661	0.661	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Zinc	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Total Organic Carbon	EPA9060	5.21	5.21	mg/l	0.5	1.00	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Dissolved Solids	EPA160.1	56.0	56.0	mg/l	6.67	23.3	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Total Solids	EPA160.3	68.0	68.0	mg/l	4.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	6/20/2017	8:50:00 AM	0850	10	Total Suspended Solids	EPA160.2	12.0	12.0	mg/l	2.67	13.3	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Alkalinity	EPA310.1	12.0	12.0	mg/l	5.00	10.0	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Ammonia	EPA350.1	0.0721	0.0721	mg/l	0.005	0.0100	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Chloride	EPA300.0	2.00	2.00	mg/l	0.1	0.300	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Hardness	SM2340B	8.82	8.82	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.38	0.38	mg/l	0.07	0.14	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Mercury	SW846/7474	0.000011	0.000011	mg/l	0.00001	0.00002	2						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Nitrate+Nitrite	EPA300.0	0.0196	0.0196	mg/l	0.006	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.020	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Silica, Diss.	EPA6010B	2.70	2.70	mg/l	0.005	0.0500	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Silica, Tot.	EPA6010B	2.79	2.79	mg/l	0.005	0.0500	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Sulfate	EPA300.0	2.18	2.18	mg/l	0.1	0.300	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Calcium	EPA6010	1.71	1.71	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Iron	EPA6010	0.266	0.266	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Magnesium	EPA6010	1.11	1.11	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Arsenic	EPA7060	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Manganese	SW846/6020	0.0213	0.0213	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Zinc	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Total Organic Carbon	EPA9060	4.13	4.13	mg/l	0.5	1.00	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Dissolved Solids	EPA160.1	44.0	44.0	mg/l	6.00	20.0	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Total Solids	EPA160.3	50.0	50.0	mg/l	4.00	10.0	1						
Broken Bow Lake	6	1BBROKS0144	6/20/2017	8:25:00 AM	0825	0.5	Total Suspended Solids	EPA160.2	6.00	6.00	mg/l	2.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.0100	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Silica, Diss.	EPA6010B	0.0358	0.0358	mg/l	0.005	0.0500	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Silica, Tot.	EPA6010B	0.0266	0.0266	mg/l	0.005	0.0500	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Arsenic	EPA7060	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Zinc	SW846/6020	0.0042	0.0042	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Dissolved Solids	EPA160.1	ND	<6.00	mg/l	6.00	20.0	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	8/28/2017	12:00:00 PM	1200	0	Total Suspended Solids	EPA160.2	ND	<2.00	mg/l	2.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	0.5	Alkalinity	EPA310.1	8.77	8.77	mg/l	5.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	0.5	Ammonia	EPA350.1	0.0154	0.0154	mg/l	0.005	0.0100	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	0.5	Chloride	EPA300.0	1.56	1.56	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	0.5	Hardness	SM2340B	8.93	8.93	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.2	0.2	mg/l	0.07	0.14	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0								

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Hardness	SM2340B	9.89	9.89	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Total Kjeldahl Nitrogen	I-4515-91	0.14	0.14	mg/l	0.07	0.14	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Nitrate+Nitrite	EPA300.0	0.232	0.232	mg/l	0.006	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Phosphorus, Total	EPA6010B	0.007	0.007	mg/l	0.004	0.020	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Silica, Diss.	EPA6010B	3.04	3.04	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Silica, Tot.	EPA6010B	2.91	2.91	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Sulfate	EPA300.0	2.40	2.40	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Arsenic	EPA7060	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Manganese	SW846/6020	0.108	0.108	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Zinc	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Total Organic Carbon	EPA9060	3.11	3.11	mg/l	0.5	1.00	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Dissolved Solids	EPA160.1	33.0	33.0	mg/l	4.40	12.0	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Total Solids	EPA160.3	34.0	34.0	mg/l	4.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	8/29/2017	10:55:00 AM	1055	40	Total Suspended Solids	EPA160.2	1.00	1.00	mg/l	0.4	2.00	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Alkalinity	EPA310.1	8.01	8.01	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Ammonia	EPA350.1	0.0101	0.0101	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Chloride	EPA300.0	1.56	1.56	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Hardness	SM2340B	9.17	9.17	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.24	0.24	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Silica, Diss.	EPA6010B	2.15	2.15	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Silica, Tot.	EPA6010B	2.20	2.20	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Sulfate	EPA300.0	2.67	2.67	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Arsenic	EPA7060	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Manganese	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Nickel	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Zinc	SW846/6020	0.0048	0.0048	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Total Organic Carbon	EPA9060	2.93	2.93	mg/l	0.5	1.00	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Dissolved Solids	EPA160.1	28.0	28.0	mg/l	4.80	14.0	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Total Solids	EPA160.3	28.0	28.0	mg/l	4.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	0.5	Total Suspended Solids	EPA160.2	ND	<0.8	mg/l	0.8	4.00	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Alkalinity	EPA310.1	12.7	12.7	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Chloride	EPA300.0	1.43	1.43	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Hardness	SM2340B	11.4	11.4	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Total Kjeldahl Nitrogen	I-4515-91	0.19	0.19	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Phosphorus, Total	EPA6010B	0.024	0.024	mg/l	0.004	0.020	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Silica, Diss.	EPA6010B	2.41	2.41	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Silica, Tot.	EPA6010B	3.61	3.61	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Sulfate	EPA300.0	2.08	2.08	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Arsenic	EPA7060	0.0018	0.0018	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Copper	SW846/6020	0.0616	0.0616	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Lead	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Manganese	SW846/6020	0.800	0.800	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Zinc	SW846/6020	0.0376	0.0376	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Total Organic Carbon	EPA9060	3.14	3.14	mg/l	0.5	1.00	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Dissolved Solids	EPA160.1	25.0	25.0	mg/l	4.67	13.3	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Total Solids	EPA160.3	26.0	26.0	mg/l	4.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	8/29/2017	11:45:00 AM	1145	25	Total Suspended Solids	EPA160.2	1.00	1.00	mg/l	0.667	3.33	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0955	0.5	Alkalinity	EPA310.1	9.34	9.34	mg/l	5.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM																



Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0955	0.5	Total Suspended Solids	EPA160.2	ND	<0.8	mg/l	0.8	4.00	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Alkalinity	EPA310.1	10.0	10.0	mg/l	5.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Ammonia	EPA350.1	0.0188	0.0188	mg/l	0.005	0.0100	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Chloride	EPA300.0	1.65	1.65	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Hardness	SM2340B	9.52	9.52	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.36	0.36	mg/l	0.07	0.14	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Phosphorus, Total	EPA6010B	0.005	0.005	mg/l	0.004	0.020	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Silica, Diss.	EPA6010B	2.55	2.55	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Silica, Tot.	EPA6010B	2.54	2.54	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Sulfate	EPA300.0	2.39	2.39	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Arsenic	EPA7060	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Manganese	SW846/6020	0.0083	0.0083	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Zinc	SW846/6020	0.0062	0.0062	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Total Organic Carbon	EPA9060	3.89	3.89	mg/l	0.5	1.00	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Dissolved Solids	EPA160.1	27.2	27.2	mg/l	4.80	14.0	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Total Solids	EPA160.3	28.0	28.0	mg/l	4.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	8/29/2017	9:20:00 AM	0920	0.5	Total Suspended Solids	EPA160.2	0.800	0.800	mg/l	0.8	4.00	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Alkalinity	EPA310.1	9.68	9.68	mg/l	5.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Ammonia	EPA350.1	0.0584	0.0584	mg/l	0.005	0.0100	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Chloride	EPA300.0	1.78	1.78	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Hardness	SM2340B	9.94	9.94	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Nitrate+Nitrite	EPA300.0	0.00860	0.00860	mg/l	0.006	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Phosphorus, Total	EPA6010B	0.018	0.018	mg/l	0.004	0.020	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Silica, Diss.	EPA6010B	3.15	3.15	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Silica, Tot.	EPA6010B	3.46	3.46	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Sulfate	EPA300.0	2.25	2.25	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Arsenic	EPA7060	0.0009	0.0009	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Chromium	SW846/6020	0.00025	0.00025	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Manganese	SW846/6020	0.0232	0.0232	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Nickel	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Zinc	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Total Organic Carbon	EPA9060	4.45	4.45	mg/l	0.5	1.00	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Dissolved Solids	EPA160.1	38.9	38.9	mg/l	5.54	17.7	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Total Solids	EPA160.3	42.0	42.0	mg/l	4.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	0.5	Total Suspended Solids	EPA160.2	3.08	3.08	mg/l	1.54	7.69	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Alkalinity	EPA310.1	19.8	19.8	mg/l	5.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Ammonia	EPA350.1	0.0274	0.0274	mg/l	0.005	0.0100	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Chloride	EPA300.0	1.55	1.55	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Hardness	SM2340B	15.5	15.5	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Mercury	SW846/7474	0.000013	0.000013	mg/l	0.00001	0.00002	2						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Phosphorus, Total	EPA6010B	0.171	0.171	mg/l	0.004	0.020	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Silica, Diss.	EPA6010B	3.55	3.55	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Silica, Tot.	EPA6010B	5.17	5.17	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Sulfate	EPA300.0	0.510	0.510	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Arsenic	EPA7060	0.0042	0.0042	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Manganese	SW846/6020	1.18	1.18	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Zinc	SW846/6020	0.0060	0.0060	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11	Total Organic Carbon	EPA9060	4.65	4.65	mg/l	0.5	1.00	1						
Broken Bow Lake	5	1BBROKS0138	8/29/2017	8:45:00 AM	0845	11														

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	6	1BBROKS0144	8/29/2017	8:25:00 AM	0825	0.5	Zinc	SW846/6020	0.0029	0.0029	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	8/29/2017	8:25:00 AM	0825	0.5	Total Organic Carbon	EPA9060	4.27	4.27	mg/l	0.5	1.00	1						
Broken Bow Lake	6	1BBROKS0144	8/29/2017	8:25:00 AM	0825	0.5	Dissolved Solids	EPA160.1	40.7	40.7	mg/l	5.33	16.7	1						
Broken Bow Lake	6	1BBROKS0144	8/29/2017	8:25:00 AM	0825	0.5	Total Solids	EPA160.3	44.0	44.0	mg/l	4.00	10.0	1						
Broken Bow Lake	6	1BBROKS0144	8/29/2017	8:25:00 AM	0825	0.5	Total Suspended Solids	EPA160.2	3.33	3.33	mg/l	1.33	6.67	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Ammonia	EPA350.1	0.00918	0.00918	mg/l	0.005	0.0100	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Chloride	EPA300.0	1.58	1.58	mg/l	0.1	0.300	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Hardness	SM2340B	9.08	9.08	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.25	0.25	mg/l	0.07	0.14	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Phosphorus, Total	EPA6010B	0.004	0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Silica, Diss.	EPA6010B	2.24	2.24	mg/l	0.005	0.0500	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Silica, Tot.	EPA6010B	2.29	2.29	mg/l	0.005	0.0500	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Sulfate	EPA300.0	2.57	2.57	mg/l	0.1	0.300	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Arsenic	EPA7060	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Manganese	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Zinc	SW846/6020	0.0043	0.0043	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Total Organic Carbon	EPA9060	3.13	3.13	mg/l	0.5	1.00	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Dissolved Solids	EPA160.1	29.2	29.2	mg/l	4.80	14.0	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Total Solids	EPA160.3	30.0	30.0	mg/l	4.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	8/29/2017	9:55:00 AM	0956	0.5	Total Suspended Solids	EPA160.2	0.800	0.800	mg/l	0.8	4.00	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Ammonia	EPA350.1	0.00879	0.00879	mg/l	0.005	0.0100	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Silica, Diss.	EPA6010B	0.0529	0.0529	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Silica, Tot.	EPA6010B	0.0486	0.0486	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Calcium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Arsenic	EPA7060	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Zinc	SW846/6020	0.0100	0.0100	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Dissolved Solids	EPA160.1	ND	<6.00	mg/l	6.00	20.0	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	9/25/2017	12:15:00 PM	1215	0	Total Suspended Solids	EPA160.2	ND	<2.00	mg/l	2.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Alkalinity	EPA310.1	13.5	13.5	mg/l	5.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Ammonia	EPA350.1	0.0141	0.0141	mg/l	0.005	0.0100	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Chloride	EPA300.0	1.63	1.63	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Hardness	SM2340B	9.38	9.38	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.27	0.27	mg/l	0.07	0.14	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Phosphorus, Total	EPA6010B	0.013	0.013	mg/l	0.004	0.020	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Silica, Diss.	EPA6010B	2.39	2.39	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Silica, Tot.	EPA6010B	2.43	2.43	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Sulfate	EPA300.0	2.48	2.48	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Calcium	EPA6010	2.09	2.09	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Iron	EPA6010	0.0299	0.0299	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0906	0.5	Magnesium	EPA6010	1.01	1.01	mg/l	0.004	0.0200	1						

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Silica, Diss.	EPA6010B	2.12	2.12	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Silica, Tot.	EPA6010B	2.11	2.11	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Sulfate	EPA300.0	2.61	2.61	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Calcium	EPA6010	2.02	2.02	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Iron	EPA6010	0.0056	0.0056	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Magnesium	EPA6010	0.975	0.975	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Arsenic	EPA7060	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Copper	SW846/6020	0.00057	0.00057	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Manganese	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Zinc	SW846/6020	0.0053	0.0053	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Total Organic Carbon	EPA9060	2.84	2.84	mg/l	0.5	1.00	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Dissolved Solids	EPA160.1	27.6	27.6	mg/l	4.40	12.0	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Total Solids	EPA160.3	28.0	28.0	mg/l	4.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	0.5	Total Suspended Solids	EPA160.2	0.400	0.400	mg/l	0.4	2.00	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Alkalinity	EPA310.1	20.6	20.6	mg/l	5.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Ammonia	EPA350.1	0.327	0.327	mg/l	0.005	0.0100	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Chloride	EPA300.0	1.43	1.43	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Hardness	SM2340B	11.2	11.2	mgeqCaCO3/l	0.265	0.132	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Total Kjeldahl Nitrogen	I-4515-91	0.53	0.53	mg/l	0.07	0.14	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Nitrate+Nitrite	EPA300.0	0.105	0.105	mg/l	0.006	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Phosphorus, Total	EPA6010B	0.027	0.027	mg/l	0.004	0.020	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Silica, Diss.	EPA6010B	3.64	3.64	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Silica, Tot.	EPA6010B	3.31	3.31	mg/l	0.005	0.0500	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Sulfate	EPA300.0	2.11	2.11	mg/l	0.1	0.300	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Calcium	EPA6010	2.76	2.76	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Iron	EPA6010	0.928	0.928	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Magnesium	EPA6010	1.04	1.04	mg/l	0.004	0.0200	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Arsenic	EPA7060	0.0012	0.0012	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Manganese	SW846/6020	1.30	1.30	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Nickel	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Zinc	SW846/6020	0.0049	0.0049	mg/l	0.0002	0.0010	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Total Organic Carbon	EPA9060	3.71	3.71	mg/l	0.5	1.00	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Dissolved Solids	EPA160.1	52.0	52.0	mg/l	6.00	20.0	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Total Solids	EPA160.3	56.0	56.0	mg/l	4.00	10.0	1						
Broken Bow Lake	1	1BBROKS0140	9/26/2017	10:35:00 AM	1035	49	Total Suspended Solids	EPA160.2	4.00	4.00	mg/l	2.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Alkalinity	EPA310.1	9.55	9.55	mg/l	5.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Ammonia	EPA350.1	0.0103	0.0103	mg/l	0.005	0.0100	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Chloride	EPA300.0	1.60	1.60	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Hardness	SM2340B	9.50	9.50	mgeqCaCO3/l	0.265	0.132	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.2	0.2	mg/l	0.07	0.14	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Phosphorus, Total	EPA6010B	0.010	0.010	mg/l	0.004	0.020	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Silica, Diss.	EPA6010B	2.09	2.09	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Silica, Tot.	EPA6010B	2.29	2.29	mg/l	0.005	0.0500	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Sulfate	EPA300.0	2.63	2.63	mg/l	0.1	0.300	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Calcium	EPA6010	2.11	2.11	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Iron	EPA6010	0.0136	0.0136	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Magnesium	EPA6010	1.03	1.03	mg/l	0.004	0.0200	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Arsenic	EPA7060	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Manganese	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Nickel	SW846/6020	0.00027	0.00027	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Zinc	SW846/6020	0.0059	0.0059	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Total Organic Carbon	EPA9060	2.88	2.88	mg/l	0.5	1.00	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	0.5	Dissolved Solids	EPA160.1	31.6	31.6	mg/l	4.40	12.0	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:0																

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	24	Manganese	SW846/6020	0.876	0.876	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	24	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	24	Zinc	SW846/6020	0.0044	0.0044	mg/l	0.0002	0.0010	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	24	Total Organic Carbon	EPA9060	3.41	3.41	mg/l	0.5	1.00	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	24	Dissolved Solids	EPA160.1	34.0	34.0	mg/l	6.00	20.0	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	24	Total Solids	EPA160.3	40.0	40.0	mg/l	4.00	10.0	1						
Broken Bow Lake	2	1BBROKS0141	9/26/2017	11:20:00 AM	1120	24	Total Suspended Solids	EPA160.2	6.00	6.00	mg/l	2.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Alkalinity	EPA310.1	8.76	8.76	mg/l	5.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Ammonia	EPA350.1	0.0159	0.0159	mg/l	0.005	0.0100	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Chloride	EPA300.0	1.60	1.60	mg/l	0.1	0.300	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Hardness	SM2340B	9.48	9.48	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.2	0.2	mg/l	0.07	0.14	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Phosphorus, Total	EPA6010B	0.016	0.016	mg/l	0.004	0.020	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Silica, Diss.	EPA6010B	2.17	2.17	mg/l	0.005	0.0500	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Silica, Tot.	EPA6010B	2.20	2.20	mg/l	0.005	0.0500	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Sulfate	EPA300.0	2.60	2.60	mg/l	0.1	0.300	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Calcium	EPA6010	2.12	2.12	mg/l	0.004	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Iron	EPA6010	0.0118	0.0118	mg/l	0.004	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Magnesium	EPA6010	1.02	1.02	mg/l	0.004	0.0200	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Arsenic	EPA7060	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Manganese	SW846/6020	0.0045	0.0045	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Zinc	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Total Organic Carbon	EPA9060	2.94	2.94	mg/l	0.5	1.00	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Dissolved Solids	EPA160.1	33.4	33.4	mg/l	4.40	12.0	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Total Solids	EPA160.3	34.0	34.0	mg/l	4.00	10.0	1						
Broken Bow Lake	3	1BBROKS0139	9/26/2017	9:50:00 AM	0950	0.5	Total Suspended Solids	EPA160.2	0.600	0.600	mg/l	0.4	2.00	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Alkalinity	EPA310.1	9.53	9.53	mg/l	5.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Ammonia	EPA350.1	0.00749	0.00749	mg/l	0.005	0.0100	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Chloride	EPA300.0	1.63	1.63	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Hardness	SM2340B	9.89	9.89	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.26	0.26	mg/l	0.07	0.14	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Phosphorus, Total	EPA6010B	0.006	0.006	mg/l	0.004	0.020	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Silica, Diss.	EPA6010B	2.40	2.40	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Silica, Tot.	EPA6010B	2.52	2.52	mg/l	0.005	0.0500	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Sulfate	EPA300.0	2.49	2.49	mg/l	0.1	0.300	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Calcium	EPA6010	2.21	2.21	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Iron	EPA6010	0.0302	0.0302	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Magnesium	EPA6010	1.06	1.06	mg/l	0.004	0.0200	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Arsenic	EPA7060	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Manganese	SW846/6020	0.0068	0.0068	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Zinc	SW846/6020	0.0037	0.0037	mg/l	0.0002	0.0010	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Total Organic Carbon	EPA9060	3.50	3.50	mg/l	0.5	1.00	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Dissolved Solids	EPA160.1	26.8	26.8	mg/l	4.80	14.0	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Total Solids	EPA160.3	28.0	28.0	mg/l	4.00	10.0	1						
Broken Bow Lake	4	1BBROKS0142	9/26/2017	9:05:00 AM	0905	0.5	Total Suspended Solids	EPA160.2	1.20	1.20	mg/l	0.8	4.00	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Alkalinity	EPA310.1	9.97	9.97	mg/l	5.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Ammonia	EPA350.1	0.0121	0.0121	mg/l	0.005	0.0100	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Chloride	EPA300.0	1.72	1.72	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Hardness	SM2340B	9.77	9.77	mgeqCaCO3/l	0.0265	0.132	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.4	0.4	mg/l	0.07	0.14	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Phosphorus, Total	EPA6010B	0.020	0.020	mg/l	0.004	0.020	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	0.5	Silica, Diss.	EPA6010B	2.63											

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Total Kjeldahl Nitrogen	I-4515-91	0.47	0.47	mg/l	0.07	0.14	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Phosphorus, Total	EPA6010B	0.029	0.029	mg/l	0.004	0.020	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Silica, Diss.	EPA6010B	3.04	3.04	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Silica, Tot.	EPA6010B	3.12	3.12	mg/l	0.005	0.0500	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Sulfate	EPA300.0	2.09	2.09	mg/l	0.1	0.300	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Calcium	EPA6010	2.51	2.51	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Iron	EPA6010	0.799	0.799	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Magnesium	EPA6010	1.19	1.19	mg/l	0.004	0.0200	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Arsenic	EPA7060	0.0012	0.0012	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Chromium	SW846/6020	0.00023	0.00023	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Manganese	SW846/6020	0.288	0.288	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Zinc	SW846/6020	0.0033	0.0033	mg/l	0.0002	0.0010	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Total Organic Carbon	EPA9060	4.41	4.41	mg/l	0.5	1.00	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Dissolved Solids	EPA160.1	34.0	34.0	mg/l	6.00	20.0	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Total Solids	EPA160.3	44.0	44.0	mg/l	4.00	10.0	1						
Broken Bow Lake	5	1BBROKS0138	9/26/2017	8:35:00 AM	0835	8	Total Suspended Solids	EPA160.2	10.0	10.0	mg/l	2.00	10.0	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Alkalinity	EPA310.1	10.9	10.9	mg/l	5.00	10.0	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Ammonia	EPA350.1	0.0164	0.0164	mg/l	0.005	0.0100	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Chloride	EPA300.0	2.12	2.12	mg/l	0.1	0.300	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Hardness	SM2340B	10.2	10.2	mg/l	0.0265	0.132	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Phosphorus, Total	EPA6010B	0.027	0.027	mg/l	0.004	0.020	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Silica, Diss.	EPA6010B	2.68	2.68	mg/l	0.005	0.0500	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Silica, Tot.	EPA6010B	2.73	2.73	mg/l	0.005	0.0500	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Sulfate	EPA300.0	2.13	2.13	mg/l	0.1	0.300	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Calcium	EPA6010	2.06	2.06	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Iron	EPA6010	0.211	0.211	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Magnesium	EPA6010	1.22	1.22	mg/l	0.004	0.0200	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Arsenic	EPA7060	0.0009	0.0009	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Manganese	SW846/6020	0.0603	0.0603	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Zinc	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Total Organic Carbon	EPA9060	4.87	4.87	mg/l	0.5	1.00	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Dissolved Solids	EPA160.1	35.6	35.6	mg/l	5.82	19.1	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Total Solids	EPA160.3	42.0	42.0	mg/l	4.00	10.0	1						
Broken Bow Lake	6	1BBROKS0144	9/26/2017	8:20:00 AM	0820	0.5	Total Suspended Solids	EPA160.2	6.36	6.36	mg/l	1.82	9.09	1						
	1	1BBROKS0140	5/22/2017		1210	0.0	CHL A, FL, COR	EPA445.0		0.0	0.0	ug/l								
	1	1BBROKS0140	5/23/2017		1150	0.5	CHL A, FL, COR	EPA445.0		3.0	3.0	ug/l								
	1	1BBROKS0140	5/23/2017		1151	0.5	CHL A, FL, COR	EPA445.0		3.0	3.0	ug/l								
	2	1BBROKS0141	5/23/2017		0815	0.5	CHL A, FL, COR	EPA445.0		3.6	3.6	ug/l								
	3	1BBROKS0139	5/23/2017		1100	0.5	CHL A, FL, COR	EPA445.0		4.7	4.7	ug/l								
	4	1BBROKS0142	5/23/2017		1030	0.5	CHL A, FL, COR	EPA445.0		11.0	11.0	ug/l								
	5	1BBROKS0138	5/23/2017		0955	0.5	CHL A, FL, COR	EPA445.0		11.5	11.5	ug/l								
	6	1BBROKS0144	5/23/2017		0930	0.5	CHL A, FL, COR	EPA445.0		5.6	5.6	ug/l								
	1	1BBROKS0140	5/22/2017		1210	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-0.4	-0.4	ug/l								
	1	1BBROKS0140	5/23/2017		1150	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.9	0.9	ug/l								
	1	1BBROKS0140	5/23/2017		1151	0.5	PHPHTN-A, FLR MTHD	EPA445.0		1.0	1.0	ug/l								
	2	1BBROKS0141	5/23/2017		0815	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.9	0.9	ug/l								
	3	1BBROKS0139	5/23/2017		1100	0.5	PHPHTN-A, FLR MTHD	EPA445.0		2.6	2.6	ug/l								
	4	1BBROKS0142	5/23/2017		1030	0.5	PHPHTN-A, FLR MTHD	EPA445.0		6.3	6.3	ug/l								
	5	1BBROKS0138	5/23/2017		0955	0.5	PHPHTN-A, FLR MTHD	EPA445.0		8.5	8.5	ug/l								
	6	1BBROKS0144	5/23/2017		0930	0.5	PHPHTN-A, FLR MTHD	EPA445.0		2.4	2.4	ug/l								
	2	1BBROKS0141	6/19/2017		1210	0.0	CHL A, FL, COR	EPA445.0		0.1	0.1	ug/l								
	1	1BBROKS0140	6/20/2017		1100	0.5	CHL A, FL, COR	EPA445.0		1.7	1.7	ug/l								
	2	1BBROKS0141	6/20/2017		1150	0.5	CHL A, FL, COR	EPA445.0		1.6	1.6	ug/l								
	2	1BBROKS0141	6/20/2017		1151	0.5	CHL A, FL, COR	EPA445.0		1.7	1.7	ug/l								
	3	1BBROKS0139	6/20/2017		1000	0.5	CHL A, FL, COR	EPA445.0		2.8	2.8	ug/l								
	4	1BBROKS0142	6/20/2017		0920	0.5	CHL A, FL, COR	EPA445.0		7.9	7.9	ug/l								
	5	1BBROKS0138	6/20/2017		0850	0.5	CHL A, FL, COR	EPA445.0		16.6	16.6	ug/l								
	6	1BBROKS0144	6/20/2017		0825	0.5	CHL A, FL, COR	EPA445.0		10.9	10.9	ug/l								
	2	1BBROKS0141	6/19/2017		1210	0.0	PHPHTN-A, FLR MTHD													

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
		2 1BBROKS0141	8/29/2017		1145	0.5	PHPHTN-A, FLR MTHD	EPA445.0	1.0	1.0	ug/l			1						
		3 1BBROKS0139	8/29/2017		0955	0.5	PHPHTN-A, FLR MTHD	EPA445.0	2.0	2.0	ug/l			1						
		3 1BBROKS0139	8/29/2017		0956	0.5	PHPHTN-A, FLR MTHD	EPA445.0	2.7	2.7	ug/l			1						
		4 1BBROKS0142	8/29/2017		0920	0.5	PHPHTN-A, FLR MTHD	EPA445.0	4.1	4.1	ug/l			1						
		5 1BBROKS0138	8/29/2017		0845	0.5	PHPHTN-A, FLR MTHD	EPA445.0	12.1	12.1	ug/l			1						
		6 1BBROKS0144	8/29/2017		0825	0.5	PHPHTN-A, FLR MTHD	EPA445.0	6.3	6.3	ug/l			1						
		4 1BBROKS0142	9/25/2017		1215	0.0	CHL A, FL, COR	EPA445.0	0.0	0.0	ug/l			1						
		1 1BBROKS0140	9/26/2017		1035	0.5	CHL A, FL, COR	EPA445.0	3.1	3.1	ug/l			1						
		2 1BBROKS0141	9/26/2017		1120	0.5	CHL A, FL, COR	EPA445.0	2.2	2.2	ug/l			1						
		3 1BBROKS0139	9/26/2017		0950	0.5	CHL A, FL, COR	EPA445.0	3.8	3.8	ug/l			1						
		4 1BBROKS0142	9/26/2017		0905	0.5	CHL A, FL, COR	EPA445.0	7.7	7.7	ug/l			1						
		4 1BBROKS0142	9/26/2017		0906	0.5	CHL A, FL, COR	EPA445.0	7.3	7.3	ug/l			1						
		5 1BBROKS0138	9/26/2017		0835	0.5	CHL A, FL, COR	EPA445.0	15.4	15.4	ug/l			1						
		6 1BBROKS0144	9/26/2017		0820	0.5	CHL A, FL, COR	EPA445.0	23.5	23.5	ug/l			1						
		4 1BBROKS0142	9/25/2017		1215	0.0	PHPHTN-A, FLR MTHD	EPA445.0	-1.9	-1.9	ug/l			1						
		1 1BBROKS0140	9/26/2017		1035	0.5	PHPHTN-A, FLR MTHD	EPA445.0	0.2	0.2	ug/l			1						
		2 1BBROKS0141	9/26/2017		1120	0.5	PHPHTN-A, FLR MTHD	EPA445.0	0.2	0.2	ug/l			1						
		3 1BBROKS0139	9/26/2017		0950	0.5	PHPHTN-A, FLR MTHD	EPA445.0	0.9	0.9	ug/l			1						
		4 1BBROKS0142	9/26/2017		0905	0.5	PHPHTN-A, FLR MTHD	EPA445.0	3.6	3.6	ug/l			1						
		4 1BBROKS0142	9/26/2017		0906	0.5	PHPHTN-A, FLR MTHD	EPA445.0	2.8	2.8	ug/l			1						
		5 1BBROKS0138	9/26/2017		0835	0.5	PHPHTN-A, FLR MTHD	EPA445.0	9.1	9.1	ug/l			1						
		6 1BBROKS0144	9/26/2017		0820	0.5	PHPHTN-A, FLR MTHD	EPA445.0	15.9	15.9	ug/l			1						