

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1	1	1EUFOKS0037		Alkalinity	00410	ERDC-ECB	EPA310.1
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Ammonia	EPA350.1	0.0727	0.0727	mg/l	0.005	0.0100	1	2	1EUFOKS0038		Ammonia	00610	ERDC-ECB	EPA350.1
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1	3	1EUFOKS0039		Arsenic	01002	ERDC-ECB	EPA7060
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1	4	1EUFOKS0040		Barium	01007	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1	5	1EUFOKS0173		Cadmium	01027	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2	6	1EUFOKS0175		Calcium	00916	ERDC-ECB	EPA6010
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Nitrate+Nitrite, FCA	I-2547-11	ND	<0.04	mg/l	0.04	0.08	1	7	1EUFOKS0174		CHL A, FL, COR	32209	SWTPEE	EPA445.0
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1	8	1EUFOKS0044		Chloride	00940	ERDC-ECB	EPA300.0
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1				Chromium	01034	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Silica, Diss.	EPA6010B	0.0242	0.0242	mg/l	0.005	0.0500	1				Copper	01042	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Silica, Tot.	EPA6010B	0.0235	0.0235	mg/l	0.005	0.0500	1				Dissolved Solids	70300	ERDC-ECB	EPA160.1
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1				Hardness	00900	ERDC-ECB	SM2340B
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Calcium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1				Iron	01045	ERDC-ECB	EPA6010
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1				Lead	01051	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1				Magnesium	00927	ERDC-ECB	EPA6010
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Arsenic	EPA7060	ND	<0.0002	mg/l	0.0002	0.0010	1				Manganese	01055	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1				Mercury	71900	ERDC-ECB	SW846/7474
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1				Nickel	01067	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1				Nitrate+Nitrite	00630	ERDC-ECB	EPA300.0
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1				Nitrate+Nitrite, FCA	00630	USGS-NWQL	I-2547-11
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1				Ortho-Phosphorus, Dissolved	00671	ERDC-ECB	EPA300.0
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1				Phosphorus, Total	00665	ERDC-ECB	EPA6010B
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Zinc	SW846/6020	0.0109	0.0109	mg/l	0.0002	0.0010	1				PHPTHN-A, FLR MTHD	32213	SWTPEE	EPA445.0
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Total Organic Carbon	EPA9060	1.37	1.37	mg/l	0.5	1.00	1				Potassium	00937	ERDC-ECB	SW846/6010
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Dissolved Solids	EPA160.1	6.00	6.00	mg/l	5.00	15.0	1				Selenium	01147	ERDC-ECB	EPA7740
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Total Solids	EPA160.3	6.00	6.00	mg/l	4.00	10.0	1				Silica, Diss.	00955	ERDC-ECB	EPA6010B
Eufaula	1	1EUFOKS0037	5/2/2017	6:00:00 AM	0600	0	Total Suspended Solids	EPA160.2	ND	<1.00	mg/l	1.00	5.00	1				Silica, Tot.	00956	ERDC-ECB	EPA6010B
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Alkalinity	EPA310.1	109	109	mg/l	5.00	10.0	1				Silver	01077	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Ammonia	EPA350.1	0.0771	0.0771	mg/l	0.005	0.0100	1				Sodium	00929	ERDC-ECB	SW846/6010
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Chloride	EPA300.0	42.6	42.6	mg/l	0.1	0.300	1				Sulfate	00945	ERDC-ECB	EPA300.0
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Hardness	SM2340B	147	147	mgeqCaCO3/l	0.0265	0.132	1				Total Kjeldahl Nitrogen	00625	USGS-NWQL	I-4515-91
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.35	0.35	mg/l	0.07	0.14	1				Total Organic Carbon	00680	ERDC-ECB	EPA9060
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2				Total Solids	00500	ERDC-ECB	EPA160.3
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Nitrate+Nitrite, FCA	I-2547-11	0.195	0.195	mg/l	0.04	0.08	1				Total Suspended Solids	00530	ERDC-ECB	EPA160.2
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0232	0.0232	mg/l	0.01	0.0300	1				Zinc	01092	ERDC-ECB	SW846/6020
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Phosphorus, Total	EPA6010B	0.124	0.124	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Silica, Diss.	EPA6010B	2.55	2.55	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Silica, Tot.	EPA6010B	2.76	2.76	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Sulfate	EPA300.0	44.0	44.0	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Calcium	EPA6010	36.4	36.4	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Iron	EPA6010	0.129	0.129	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Magnesium	EPA6010	13.6	13.6	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Arsenic	EPA7060	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Chromium	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Manganese	SW846/6020	0.0197	0.0197	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Zinc	SW846/6020	0.0049	0.0049	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Total Organic Carbon	EPA9060	5.86	5.86	mg/l	0.5	1.00	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Dissolved Solids	EPA160.1	303	303	mg/l	5.00	15.0	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Total Solids	EPA160.3	306	306	mg/l	4.00	10.0	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1101	0.5	Total Suspended Solids	EPA160.2	3.00	3.00	mg/l	1.00	5.00	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Alkalinity	EPA310.1	107	107	mg/l	5.00	10.0	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Ammonia	EPA350.1	0.0819	0.0819	mg/l	0.005	0.0100	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Chloride	EPA300.0	42.7	42.7	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Hardness	SM2340B	139	139	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.38	0.38	mg/l	0.07	0.14	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Nitrate+Nitrite, FCA	I-2547-11	0.193	0.193	mg/l	0.04	0.08	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0227	0.0227	mg/l	0.01	0.0300	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Phosphorus, Total	EPA6010B	0.117	0.117	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Silica, Diss.	EPA6010B	2.48	2.48	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Silica, Tot.	EPA6010B	2.63	2.63	mg/l	0.005	0.0								

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Zinc	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Total Organic Carbon	EPA9060	6.86	6.86	mg/l	0.5	1.00	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Dissolved Solids	EPA160.1	286	286	mg/l	5.00	15.0	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Total Solids	EPA160.3	290	290	mg/l	4.00	10.0	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	0.5	Total Suspended Solids	EPA160.2	3.50	3.50	mg/l	1.00	5.00	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Alkalinity	EPA310.1	105	105	mg/l	5.00	10.0	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Ammonia	EPA350.1	0.0744	0.0744	mg/l	0.005	0.0100	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Chloride	EPA300.0	42.6	42.6	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Hardness	SM2340B	151	151	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Total Kjeldahl Nitrogen	I-4515-91	0.34	0.34	mg/l	0.07	0.14	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Nitrate+Nitrite, FCA	I-2547-11	0.193	0.193	mg/l	0.04	0.08	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Ortho-Phosphorus, Dissolved	EPA300.0	0.0235	0.0235	mg/l	0.01	0.0300	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Phosphorus, Total	EPA6010B	0.129	0.129	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Silica, Diss.	EPA6010B	2.45	2.45	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Silica, Tot.	EPA6010B	2.93	2.93	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Sulfate	EPA300.0	43.9	43.9	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Calcium	EPA6010	37.4	37.4	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Iron	EPA6010	0.171	0.171	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Magnesium	EPA6010	14.1	14.1	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Arsenic	EPA7060	0.0020	0.0020	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Chromium	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Manganese	SW846/6020	0.0291	0.0291	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Zinc	SW846/6020	0.0076	0.0076	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Total Organic Carbon	EPA9060	6.72	6.72	mg/l	0.5	1.00	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Dissolved Solids	EPA160.1	276	276	mg/l	5.00	15.0	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Total Solids	EPA160.3	280	280	mg/l	4.00	10.0	1							
Eufaula	1	1EUFOKS0037	5/2/2017	11:00:00 AM	1100	23	Total Suspended Solids	EPA160.2	3.50	3.50	mg/l	1.00	5.00	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Alkalinity	EPA310.1	112	112	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Ammonia	EPA350.1	0.0615	0.0615	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Chloride	EPA300.0	55.0	55.0	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Hardness	SM2340B	164	164	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.31	0.31	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Nitrate+Nitrite, FCA	I-2547-11	0.265	0.265	mg/l	0.04	0.08	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0293	0.0293	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Phosphorus, Total	EPA6010B	0.141	0.141	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Silica, Diss.	EPA6010B	2.62	2.62	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Silica, Tot.	EPA6010B	3.05	3.05	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Sulfate	EPA300.0	62.7	62.7	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Calcium	EPA6010	40.4	40.4	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Iron	EPA6010	0.169	0.169	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Magnesium	EPA6010	15.3	15.3	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Arsenic	EPA7060	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Chromium	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Manganese	SW846/6020	0.0276	0.0276	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Zinc	SW846/6020	0.0101	0.0101	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Total Organic Carbon	EPA9060	5.82	5.82	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Dissolved Solids	EPA160.1	332	332	mg/l	5.00	15.0	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Total Solids	EPA160.3	334	334	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	0.5	Total Suspended Solids	EPA160.2	2.50	2.50	mg/l	1.00	5.00	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Alkalinity	EPA310.1	109	109	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Ammonia	EPA350.1	0.0757	0.0757	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Chloride	EPA300.0	53.2	53.2	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Hardness	SM2340B	166	166	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Total Kjeldahl Nitrogen	I-4515-91	0.38	0.38	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Nitrate+Nitrite, FCA	I-2547-11	0.241	0.241	mg/l	0.04	0.08	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Ortho-Phosphorus, Dissolved	EPA300.0	0.0182	0.0182	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Phosphorus, Total	EPA6010B	0.135	0.135	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Silica, Diss.	EPA6010B	2.58	2.58	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Silica, Tot.	EPA6010B	3.42	3.42	mg/l	0.005	0.0500</								

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Chromium	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Manganese	SW846/6020	0.0994	0.0994	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Nickel	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Zinc	SW846/6020	0.0073	0.0073	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Total Organic Carbon	EPA9060	5.52	5.52	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Dissolved Solids	EPA160.1	344	344	mg/l	5.18	15.9	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Total Solids	EPA160.3	352	352	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	5/2/2017	12:00:00 PM	1200	19	Total Suspended Solids	EPA160.2	8.24	8.24	mg/l	1.18	5.88	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Alkalinity	EPA310.1	145	145	mg/l	5.00	10.0	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Ammonia	EPA350.1	0.0721	0.0721	mg/l	0.005	0.0100	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Chloride	EPA300.0	96.1	96.1	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Hardness	SM2340B	278	278	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Nitrate+Nitrite, FCA	I-2547-11	0.48	0.48	mg/l	0.04	0.08	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0448	0.0448	mg/l	0.01	0.0300	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Phosphorus, Total	EPA6010B	0.189	0.189	mg/l	0.004	0.020	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Silica, Diss.	EPA6010B	4.56	4.56	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Silica, Tot.	EPA6010B	4.50	4.50	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Sulfate	EPA300.0	163	163	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Calcium	EPA6010	68.8	68.8	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Iron	EPA6010	0.195	0.195	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Magnesium	EPA6010	25.8	25.8	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Arsenic	EPA7060	0.0026	0.0026	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Chromium	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Manganese	SW846/6020	0.0418	0.0418	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Zinc	SW846/6020	0.0063	0.0063	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Total Organic Carbon	EPA9060	6.23	6.23	mg/l	0.5	1.00	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Dissolved Solids	EPA160.1	572	572	mg/l	6.00	20.0	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Total Solids	EPA160.3	580	580	mg/l	4.00	10.0	1							
Eufaula	3	1EUFOKS0039	5/2/2017	12:35:00 PM	1235	0.5	Total Suspended Solids	EPA160.2	8.00	8.00	mg/l	2.00	10.0	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Alkalinity	EPA310.1	125	125	mg/l	5.00	10.0	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Ammonia	EPA350.1	0.0756	0.0756	mg/l	0.005	0.0100	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Chloride	EPA300.0	68.1	68.1	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Hardness	SM2340B	236	236	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.38	0.38	mg/l	0.07	0.14	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Nitrate+Nitrite, FCA	I-2547-11	0.333	0.333	mg/l	0.04	0.08	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0270	0.0270	mg/l	0.01	0.0300	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Phosphorus, Total	EPA6010B	0.164	0.164	mg/l	0.004	0.020	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Silica, Diss.	EPA6010B	3.38	3.38	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Silica, Tot.	EPA6010B	3.88	3.88	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Sulfate	EPA300.0	96.8	96.8	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Calcium	EPA6010	58.0	58.0	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Iron	EPA6010	0.167	0.167	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Magnesium	EPA6010	22.1	22.1	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Arsenic	EPA7060	0.0020	0.0020	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Chromium	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Manganese	SW846/6020	0.0363	0.0363	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Zinc	SW846/6020	0.0085	0.0085	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Total Organic Carbon	EPA9060	5.47	5.47	mg/l	0.5	1.00	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Dissolved Solids	EPA160.1	460	460	mg/l	5.00	15.0	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Total Solids	EPA160.3	466	466	mg/l	4.00	10.0	1							
Eufaula	4	1EUFOKS0040	5/2/2017	1:00:00 PM	1300	0.5	Total Suspended Solids	EPA160.2	5.50	5.50	mg/l	1.00	5.00	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Alkalinity	EPA310.1	69.3	69.3	mg/l	5.00	10.0	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Ammonia	EPA350.1	0.0770	0.0770	mg/l	0.005	0.0100	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Chloride	EPA300.0	30.1	30.1	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Hardness	SM2340B	101	101	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.39	0.39	mg/l	0.07	0.14	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.0								

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Calcium	EPA6010	25.1	25.1	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Iron	EPA6010	0.298	0.298	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Magnesium	EPA6010	9.32	9.32	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Arsenic	EPA7060	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Lead	SW846/6020	0.00042	0.00042	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Manganese	SW846/6020	0.0682	0.0682	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Zinc	SW846/6020	0.0075	0.0075	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Total Organic Carbon	EPA9060	5.42	5.42	mg/l	0.5	1.00	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Dissolved Solids	EPA160.1	238	238	mg/l	5.00	15.0	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Total Solids	EPA160.3	245	245	mg/l	4.00	10.0	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	0.5	Total Suspended Solids	EPA160.2	7.00	7.00	mg/l	1.00	5.00	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Alkalinity	EPA310.1	65.6	65.6	mg/l	5.00	10.0	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Ammonia	EPA350.1	0.0781	0.0781	mg/l	0.005	0.0100	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Chloride	EPA300.0	27.2	27.2	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Hardness	SM2340B	91.1	91.1	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Total Kjeldahl Nitrogen	I-4515-91	0.41	0.41	mg/l	0.07	0.14	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Nitrate+Nitrite, FCA	I-2547-11	0.073	0.073	mg/l	0.04	0.08	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Ortho-Phosphorus, Dissolved	EPA300.0	0.0233	0.0233	mg/l	0.01	0.0300	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Phosphorus, Total	EPA6010B	0.091	0.091	mg/l	0.004	0.020	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Silica, Diss.	EPA6010B	1.16	1.16	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Silica, Tot.	EPA6010B	1.74	1.74	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Sulfate	EPA300.0	38.1	38.1	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Calcium	EPA6010	22.8	22.8	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Iron	EPA6010	0.466	0.466	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Magnesium	EPA6010	8.33	8.33	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Arsenic	EPA7060	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Chromium	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Copper	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Manganese	SW846/6020	0.113	0.113	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Nickel	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Zinc	SW846/6020	0.0108	0.0108	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Total Organic Carbon	EPA9060	5.34	5.34	mg/l	0.5	1.00	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Dissolved Solids	EPA160.1	220	220	mg/l	5.18	15.9	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Total Solids	EPA160.3	232	232	mg/l	4.00	10.0	1							
Eufaula	5	1EUFOKS0173	5/2/2017	1:40:00 PM	1340	17	Total Suspended Solids	EPA160.2	12.4	12.4	mg/l	1.18	5.88	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Alkalinity	EPA310.1	107	107	mg/l	5.00	10.0	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Ammonia	EPA350.1	0.104	0.104	mg/l	0.005	0.0100	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Chloride	EPA300.0	46.7	46.7	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Hardness	SM2340B	132	132	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.52	0.52	mg/l	0.07	0.14	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Nitrate+Nitrite, FCA	I-2547-11	0.431	0.431	mg/l	0.04	0.08	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0423	0.0423	mg/l	0.01	0.0300	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Phosphorus, Total	EPA6010B	0.165	0.165	mg/l	0.004	0.020	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Silica, Diss.	EPA6010B	2.34	2.34	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Silica, Tot.	EPA6010B	3.10	3.10	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Sulfate	EPA300.0	34.1	34.1	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Calcium	EPA6010	32.5	32.5	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Iron	EPA6010	0.452	0.452	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Magnesium	EPA6010	12.4	12.4	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Arsenic	EPA7060	0.0022	0.0022	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Chromium	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Copper	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Lead	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Manganese	SW846/6020	0.0694	0.0694	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Nickel	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Zinc	SW846/6020	0.0078	0.0078	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Total Organic Carbon	EPA9060	5.68	5.68	mg/l	0.5	1.00	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Dissolved Solids	EPA160.1	293	293	mg/l	6.00	20.0	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Total Solids	EPA160.3	312	312	mg/l	4.00	10.0	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	0.5	Total Suspended Solids	EPA160.2	19.0	19.0	mg/l	2.00	10.0	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Alkalinity	EPA310.1	107	107	mg/l	5.00	10.0	1					</		

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Ortho-Phosphorus, Dissolved	EPA300.0	0.0434	0.0434	mg/l	0.01	0.0300	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Phosphorus, Total	EPA6010B	0.153	0.153	mg/l	0.004	0.020	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Silica, Diss.	EPA6010B	2.24	2.24	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Silica, Tot.	EPA6010B	2.97	2.97	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Sulfate	EPA300.0	33.2	33.2	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Calcium	EPA6010	33.0	33.0	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Iron	EPA6010	0.468	0.468	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Magnesium	EPA6010	12.5	12.5	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Arsenic	EPA7060	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Chromium	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Copper	SW846/6020	0.0020	0.0020	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Lead	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Manganese	SW846/6020	0.0820	0.0820	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Nickel	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Zinc	SW846/6020	0.0120	0.0120	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Total Organic Carbon	EPA9060	6.06	6.06	mg/l	0.5	1.00	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Dissolved Solids	EPA160.1	311	311	mg/l	6.00	20.0	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Total Solids	EPA160.3	320	320	mg/l	4.00	10.0	1							
Eufaula	6	1EUFOKS0175	5/2/2017	10:00:00 AM	1000	11	Total Suspended Solids	EPA160.2	9.00	9.00	mg/l	2.00	10.0	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Alkalinity	EPA310.1	82.7	82.7	mg/l	5.00	10.0	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Ammonia	EPA350.1	0.239	0.239	mg/l	0.005	0.0100	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Chloride	EPA300.0	29.9	29.9	mg/l	0.1	0.300	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Hardness	SM2340B	109	109	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Total Kjeldahl Nitrogen	I-4515-91	1.21	1.21	mg/l	0.07	0.14	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Mercury	SW846/7474	0.000018	0.000018	mg/l	0.00001	0.00002	2							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Nitrate+Nitrite, FCA	I-2547-11	0.529	0.529	mg/l	0.04	0.08	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0758	0.0758	mg/l	0.01	0.0300	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Phosphorus, Total	EPA6010B	0.255	0.255	mg/l	0.004	0.020	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Silica, Diss.	EPA6010B	3.30	3.30	mg/l	0.005	0.0500	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Silica, Tot.	EPA6010B	5.19	5.19	mg/l	0.005	0.0500	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Sulfate	EPA300.0	26.7	26.7	mg/l	0.1	0.300	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Calcium	EPA6010	30.3	30.3	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Iron	EPA6010	1.55	1.55	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Magnesium	EPA6010	8.10	8.10	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Arsenic	EPA7060	0.0025	0.0025	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Chromium	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Copper	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Lead	SW846/6020	0.0066	0.0066	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Manganese	SW846/6020	0.169	0.169	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Nickel	SW846/6020	0.0050	0.0050	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Zinc	SW846/6020	0.0164	0.0164	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Total Organic Carbon	EPA9060	7.27	7.27	mg/l	0.5	1.00	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Dissolved Solids	EPA160.1	308	308	mg/l	8.00	30.0	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Total Solids	EPA160.3	458	458	mg/l	4.00	10.0	1							
Eufaula	7	1EUFOKS0174	5/2/2017	9:30:00 AM	0930	0.5	Total Suspended Solids	EPA160.2	150	150	mg/l	4.00	20.0	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Alkalinity	EPA310.1	56.8	56.8	mg/l	5.00	10.0	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Ammonia	EPA350.1	0.175	0.175	mg/l	0.005	0.0100	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Chloride	EPA300.0	21.6	21.6	mg/l	0.1	0.300	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Hardness	SM2340B	71.7	71.7	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Total Kjeldahl Nitrogen	I-4515-91	1.06	1.06	mg/l	0.07	0.14	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Mercury	SW846/7474	0.000017	0.000017	mg/l	0.00001	0.00002	2							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Nitrate+Nitrite, FCA	I-2547-11	0.254	0.254	mg/l	0.04	0.08	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0345	0.0345	mg/l	0.01	0.0300	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Phosphorus, Total	EPA6010B	0.186	0.186	mg/l	0.004	0.020	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Silica, Diss.	EPA6010B	3.26	3.26	mg/l	0.005	0.0500	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Silica, Tot.	EPA6010B	4.72	4.72	mg/l	0.005	0.0500	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Sulfate	EPA300.0	11.8	11.8	mg/l	0.1	0.300	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Calcium	EPA6010	16.5	16.5	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Iron	EPA6010	1.57	1.57	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Magnesium	EPA6010	7.39	7.39	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Arsenic	EPA7060	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Chromium	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Copper	SW846/6020	0.0039	0.0039	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Lead	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Manganese	SW846/6020	0.143	0.143	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Nickel	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	5/2/2017	8:50:00 AM	0850	0.5	Zinc	SW846/6020	0.0181	0.0181	mg/l	0.0002									

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Silica, Diss.	EPA6010B	0.0250	0.0250	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Silica, Tot.	EPA6010B	0.0238	0.0238	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Calcium	EPA6010	0.0340	0.0340	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Magnesium	EPA6010	0.0087	0.0087	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Arsenic	EPA7060	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Zinc	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Dissolved Solids	EPA160.1	ND	<6.00	mg/l	6.00	20.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	5:25:00 AM	0525	0	Total Suspended Solids	EPA160.2	ND	<2.00	mg/l	2.00	10.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Alkalinity	EPA310.1	80.6	80.6	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Ammonia	EPA350.1	0.0734	0.0734	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Chloride	EPA300.0	34.3	34.3	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Hardness	SM2340B	119	119	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Nitrate+Nitrite	EPA300.0	0.153	0.153	mg/l	0.006	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0108	0.0108	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Phosphorus, Total	EPA6010B	0.031	0.031	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Silica, Diss.	EPA6010B	2.27	2.27	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Silica, Tot.	EPA6010B	2.75	2.75	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Sulfate	EPA300.0	43.4	43.4	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Calcium	EPA6010	30.2	30.2	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Iron	EPA6010	0.287	0.287	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Magnesium	EPA6010	10.7	10.7	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Arsenic	EPA7060	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Manganese	SW846/6020	0.0292	0.0292	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Zinc	SW846/6020	0.0083	0.0083	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Total Organic Carbon	EPA9060	8.18	8.18	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Dissolved Solids	EPA160.1	269	269	mg/l	4.80	14.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Total Solids	EPA160.3	280	280	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1116	0.5	Total Suspended Solids	EPA160.2	11.2	11.2	mg/l	0.8	4.00	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Alkalinity	EPA310.1	97.4	97.4	mg/l	5.00	10.0	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Ammonia	EPA350.1	0.0770	0.0770	mg/l	0.005	0.0100	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Chloride	EPA300.0	42.0	42.0	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Hardness	SM2340B	141	141	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.6	0.6	mg/l	0.07	0.14	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Nitrate+Nitrite	EPA300.0	0.0289	0.0289	mg/l	0.006	0.0200	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Phosphorus, Total	EPA6010B	0.059	0.059	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Silica, Diss.	EPA6010B	1.69	1.69	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Silica, Tot.	EPA6010B	1.97	1.97	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Sulfate	EPA300.0	49.0	49.0	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Calcium	EPA6010	35.5	35.5	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Iron	EPA6010	0.100	0.100	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Magnesium	EPA6010	12.8	12.8	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Arsenic	EPA7060	0.0017	0.0017	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Chromium	SW846/6020	0.0002	0.0002											

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Dissolved Solids	EPA160.1	304	304	mg/l	4.80	14.0	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Total Solids	EPA160.3	310	310	mg/l	4.00	10.0	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	0.5	Total Suspended Solids	EPA160.2	5.60	5.60	mg/l	0.8	4.00	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Alkalinity	EPA310.1	108	108	mg/l	5.00	10.0	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Ammonia	EPA350.1	0.0634	0.0634	mg/l	0.005	0.0100	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Chloride	EPA300.0	46.7	46.7	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Hardness	SM2340B	158	158	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Total Kjeldahl Nitrogen	I-4515-91	0.39	0.39	mg/l	0.07	0.14	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Nitrate+Nitrite	EPA300.0	0.336	0.336	mg/l	0.006	0.0200	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Ortho-Phosphorus, Dissolved	EPA300.0	0.0348	0.0348	mg/l	0.01	0.0300	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Phosphorus, Total	EPA6010B	0.054	0.054	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Silica, Diss.	EPA6010B	3.09	3.09	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Silica, Tot.	EPA6010B	3.51	3.51	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Sulfate	EPA300.0	53.3	53.3	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Calcium	EPA6010	39.8	39.8	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Iron	EPA6010	0.196	0.196	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Magnesium	EPA6010	14.2	14.2	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Arsenic	EPA7060	0.0020	0.0020	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Manganese	SW846/6020	0.130	0.130	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Zinc	SW846/6020	0.0038	0.0038	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Total Organic Carbon	EPA9060	7.49	7.49	mg/l	0.5	1.00	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Dissolved Solids	EPA160.1	347	347	mg/l	4.44	12.2	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Total Solids	EPA160.3	350	350	mg/l	4.00	10.0	1							
Eufaula	1	1EUFOKS0037	6/13/2017	12:00:00 PM	1200	22	Total Suspended Solids	EPA160.2	2.89	2.89	mg/l	0.444	2.22	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Alkalinity	EPA310.1	82.8	82.8	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Ammonia	EPA350.1	0.0690	0.0690	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Chloride	EPA300.0	34.3	34.3	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Hardness	SM2340B	115	115	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.58	0.58	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Nitrate+Nitrite	EPA300.0	0.152	0.152	mg/l	0.006	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0116	0.0116	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Phosphorus, Total	EPA6010B	0.029	0.029	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Silica, Diss.	EPA6010B	2.33	2.33	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Silica, Tot.	EPA6010B	2.73	2.73	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Sulfate	EPA300.0	43.3	43.3	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Calcium	EPA6010	29.1	29.1	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Iron	EPA6010	0.277	0.277	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Magnesium	EPA6010	10.3	10.3	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Arsenic	EPA7060	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Manganese	SW846/6020	0.0299	0.0299	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Zinc	SW846/6020	0.0039	0.0039	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Total Organic Carbon	EPA9060	7.23	7.23	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Dissolved Solids	EPA160.1	288	288	mg/l	4.80	14.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Total Solids	EPA160.3	294	294	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	0.5	Total Suspended Solids	EPA160.2	6.40	6.40	mg/l	0.8	4.00	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Alkalinity	EPA310.1	94.5	94.5	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Ammonia	EPA350.1	0.0640	0.0640	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Chloride	EPA300.0	37.0	37.0	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Hardness	SM2340B	132	132	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Total Kjeldahl Nitrogen	I-4515-91	0.56	0.56	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Nitrate+Nitrite	EPA300.0	0.386	0.386	mg/l	0.006	0.0200	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Ortho-Phosphorus, Dissolved	EPA300.0	0.0385	0.0385	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Phosphorus, Total	EPA6010B	0.067	0.067	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Silica, Diss.	EPA6010B	3.18	3.18	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Silica, Tot.	EPA6010B	3.92	3.92	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Sulfate	EPA300.0	47.2	47.2	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Calcium														

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Lead	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Manganese	SW846/6020	0.0999	0.0999	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Nickel	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Zinc	SW846/6020	0.0057	0.0057	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Total Organic Carbon	EPA9060	8.16	8.16	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Dissolved Solids	EPA160.1	346	346	mg/l	5.00	15.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Total Solids	EPA160.3	356	356	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	6/13/2017	11:15:00 AM	1115	15	Total Suspended Solids	EPA160.2	10.0	10.0	mg/l	1.00	5.00	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Alkalinity	EPA310.1	119	119	mg/l	5.00	10.0	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Ammonia	EPA350.1	0.0834	0.0834	mg/l	0.005	0.0100	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Chloride	EPA300.0	47.4	47.4	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Hardness	SM2340B	194	194	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.49	0.49	mg/l	0.07	0.14	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Nitrate+Nitrite	EPA300.0	0.195	0.195	mg/l	0.006	0.0200	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0332	0.0332	mg/l	0.01	0.0300	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Phosphorus, Total	EPA6010B	0.057	0.057	mg/l	0.004	0.020	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Silica, Diss.	EPA6010B	3.71	3.71	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Silica, Tot.	EPA6010B	4.13	4.13	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Sulfate	EPA300.0	73.1	73.1	mg/l	1.00	3.00	10							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Calcium	EPA6010	49.9	49.9	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Iron	EPA6010	0.187	0.187	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Magnesium	EPA6010	16.8	16.8	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Arsenic	EPA7060	0.0024	0.0024	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Copper	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Manganese	SW846/6020	0.0342	0.0342	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Nickel	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Zinc	SW846/6020	0.0055	0.0055	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Total Organic Carbon	EPA9060	8.74	8.74	mg/l	0.5	1.00	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Dissolved Solids	EPA160.1	444	444	mg/l	4.44	12.2	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Total Solids	EPA160.3	448	448	mg/l	4.00	10.0	1							
Eufaula	3	1EUFOKS0039	6/13/2017	9:35:00 AM	0935	0.5	Total Suspended Solids	EPA160.2	4.00	4.00	mg/l	0.444	2.22	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Alkalinity	EPA310.1	57.5	57.5	mg/l	5.00	10.0	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Ammonia	EPA350.1	0.0691	0.0691	mg/l	0.005	0.0100	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Chloride	EPA300.0	23.5	23.5	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Hardness	SM2340B	78.3	78.3	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.56	0.56	mg/l	0.07	0.14	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Nitrate+Nitrite	EPA300.0	0.0699	0.0699	mg/l	0.006	0.0200	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Phosphorus, Total	EPA6010B	0.015	0.015	mg/l	0.004	0.020	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Silica, Diss.	EPA6010B	1.81	1.81	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Silica, Tot.	EPA6010B	2.06	2.06	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Sulfate	EPA300.0	34.9	34.9	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Calcium	EPA6010	19.8	19.8	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Iron	EPA6010	0.260	0.260	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Magnesium	EPA6010	7.00	7.00	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Arsenic	EPA7060	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Manganese	SW846/6020	0.0335	0.0335	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Zinc	SW846/6020	0.0032	0.0032	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Total Organic Carbon	EPA9060	7.92	7.92	mg/l	0.5	1.00	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Dissolved Solids	EPA160.1	187	187	mg/l	4.80	14.0	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Total Solids	EPA160.3	196	196	mg/l	4.00	10.0	1							
Eufaula	4	1EUFOKS0040	6/13/2017	10:45:00 AM	1045	0.5	Total Suspended Solids	EPA160.2	8.80	8.80	mg/l	0.8	4.00	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Alkalinity	EPA310.1	38.4	38.4	mg/l	5.00	10.0	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Ammonia	EPA350.1	0.0775	0.0775	mg/l	0.005	0.0100	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Chloride	EPA300.0	12.9	12.9	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Hardness	SM2340B	48.8	48.8	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.6	0.6	mg/l	0.07	0.14	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Nitrate+Nitrite	EPA300.0	0.102	0.102	mg/l	0.006	0.0200	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	10																

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Magnesium	EPA6010	4.30	4.30	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Arsenic	EPA7060	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Copper	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Manganese	SW846/6020	0.0504	0.0504	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Nickel	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Zinc	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Total Organic Carbon	EPA9060	8.32	8.32	mg/l	0.5	1.00	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Dissolved Solids	EPA160.1	135	135	mg/l	4.57	12.9	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Total Solids	EPA160.3	142	142	mg/l	4.00	10.0	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	0.5	Total Suspended Solids	EPA160.2	6.86	6.86	mg/l	0.571	2.86	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Alkalinity	EPA310.1	68.6	68.6	mg/l	5.00	10.0	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Ammonia	EPA350.1	0.0689	0.0689	mg/l	0.005	0.0100	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Chloride	EPA300.0	27.3	27.3	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Hardness	SM2340B	101	101	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Total Kjeldahl Nitrogen	I-4515-91	0.48	0.48	mg/l	0.07	0.14	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Nitrate+Nitrite	EPA300.0	0.288	0.288	mg/l	0.006	0.0200	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Ortho-Phosphorus, Dissolved	EPA300.0	0.0149	0.0149	mg/l	0.01	0.0300	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Phosphorus, Total	EPA6010B	0.039	0.039	mg/l	0.004	0.020	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Silica, Diss.	EPA6010B	2.68	2.68	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Silica, Tot.	EPA6010B	3.39	3.39	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Sulfate	EPA300.0	41.9	41.9	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Calcium	EPA6010	26.0	26.0	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Iron	EPA6010	0.521	0.521	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Magnesium	EPA6010	8.72	8.72	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Arsenic	EPA7060	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Copper	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Lead	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Manganese	SW846/6020	0.415	0.415	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Nickel	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Zinc	SW846/6020	0.0048	0.0048	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Total Organic Carbon	EPA9060	7.06	7.06	mg/l	0.5	1.00	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Dissolved Solids	EPA160.1	231	231	mg/l	4.80	14.0	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Total Solids	EPA160.3	240	240	mg/l	4.00	10.0	1							
Eufaula	5	1EUFOKS0173	6/13/2017	10:10:00 AM	1010	18	Total Suspended Solids	EPA160.2	8.80	8.80	mg/l	0.8	4.00	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Alkalinity	EPA310.1	85.7	85.7	mg/l	5.00	10.0	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Ammonia	EPA350.1	0.0755	0.0755	mg/l	0.005	0.0100	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Chloride	EPA300.0	31.4	31.4	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Hardness	SM2340B	109	109	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.69	0.69	mg/l	0.07	0.14	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Nitrate+Nitrite	EPA300.0	0.443	0.443	mg/l	0.006	0.0200	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0413	0.0413	mg/l	0.01	0.0300	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Phosphorus, Total	EPA6010B	0.082	0.082	mg/l	0.004	0.020	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Silica, Diss.	EPA6010B	2.91	2.91	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Silica, Tot.	EPA6010B	3.66	3.66	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Sulfate	EPA300.0	32.8	32.8	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Calcium	EPA6010	28.3	28.3	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Iron	EPA6010	0.633	0.633	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Magnesium	EPA6010	9.23	9.23	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Arsenic	EPA7060	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Chromium	SW846/6020	0.00059	0.00059	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Copper	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Lead	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Manganese	SW846/6020	0.0402	0.0402	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Nickel	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Zinc	SW846/6020	0.0069	0.0069	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Total Organic Carbon	EPA9060	8.10	8.10	mg/l	0.5	1.00	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Dissolved Solids	EPA160.1	289	289	mg/l	4.44	12.2	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Total Solids	EPA160.3	296	296	mg/l	4.00	10.0	1							
Eufaula	6	1EUFOKS0175	6/13/2017	8:50:00 AM	0850	0.5	Total Suspended Solids	EPA160.2	7.11	7.11	mg/l	0.444	2.22	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Alkalinity	EPA310.1	83.1	83.1	mg/l	5.00	10.0	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Ammonia	EPA350.1	0.100	0.100	mg/l	0.005	0.0100	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Ch														

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Silica, Diss.	EPA6010B	3.94	3.94	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Silica, Tot.	EPA6010B	5.23	5.23	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Sulfate	EPA300.0	23.0	23.0	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Calcium	EPA6010	25.7	25.7	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Iron	EPA6010	1.14	1.14	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Magnesium	EPA6010	8.40	8.40	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Arsenic	EPA7060	0.0026	0.0026	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Copper	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Lead	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Manganese	SW846/6020	0.390	0.390	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Nickel	SW846/6020	0.0030	0.0030	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Zinc	SW846/6020	0.0118	0.0118	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Total Organic Carbon	EPA9060	9.38	9.38	mg/l	0.5	1.00	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Dissolved Solids	EPA160.1	300	300	mg/l	5.00	15.0	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Total Solids	EPA160.3	322	322	mg/l	4.00	10.0	1							
Eufaula	6	1EUFOKS0175	6/13/2017	7:40:00 AM	0850	15	Total Suspended Solids	EPA160.2	22.5	22.5	mg/l	1.00	5.00	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Alkalinity	EPA310.1	109	109	mg/l	5.00	10.0	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Ammonia	EPA350.1	0.117	0.117	mg/l	0.005	0.0100	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Chloride	EPA300.0	35.8	35.8	mg/l	0.1	0.300	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Hardness	SM2340B	132	132	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.83	0.83	mg/l	0.07	0.14	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Nitrate+Nitrite	EPA300.0	0.265	0.265	mg/l	0.006	0.0200	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0558	0.0558	mg/l	0.01	0.0300	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Phosphorus, Total	EPA6010B	0.108	0.108	mg/l	0.004	0.020	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Silica, Diss.	EPA6010B	3.08	3.08	mg/l	0.005	0.0500	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Silica, Tot.	EPA6010B	3.88	3.88	mg/l	0.005	0.0500	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Sulfate	EPA300.0	37.2	37.2	mg/l	0.1	0.300	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Calcium	EPA6010	35.5	35.5	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Iron	EPA6010	0.693	0.693	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Magnesium	EPA6010	10.5	10.5	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Arsenic	EPA7060	0.0029	0.0029	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Copper	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Lead	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Manganese	SW846/6020	0.0951	0.0951	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Nickel	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Zinc	SW846/6020	0.0079	0.0079	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Total Organic Carbon	EPA9060	9.40	9.40	mg/l	0.5	1.00	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Dissolved Solids	EPA160.1	328	328	mg/l	5.33	16.7	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Total Solids	EPA160.3	352	352	mg/l	4.00	10.0	1							
Eufaula	7	1EUFOKS0174	6/13/2017	8:25:00 AM	0825	0.5	Total Suspended Solids	EPA160.2	24.0	24.0	mg/l	1.33	6.67	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Alkalinity	EPA310.1	55.3	55.3	mg/l	5.00	10.0	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Ammonia	EPA350.1	0.0947	0.0947	mg/l	0.005	0.0100	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Chloride	EPA300.0	12.1	12.1	mg/l	0.1	0.300	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Hardness	SM2340B	60.0	60.0	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.74	0.74	mg/l	0.07	0.14	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Nitrate+Nitrite	EPA300.0	0.232	0.232	mg/l	0.006	0.0200	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0383	0.0383	mg/l	0.01	0.0300	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Phosphorus, Total	EPA6010B	0.089	0.089	mg/l	0.004	0.020	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Silica, Diss.	EPA6010B	3.74	3.74	mg/l	0.005	0.0500	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Silica, Tot.	EPA6010B	4.02	4.02	mg/l	0.005	0.0500	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Sulfate	EPA300.0	6.95	6.95	mg/l	0.1	0.300	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Calcium	EPA6010	14.5	14.5	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Iron	EPA6010	0.936	0.936	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Magnesium	EPA6010	5.76	5.76	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Arsenic	EPA7060	0.0017	0.0017	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Copper	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Lead	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Manganese	SW846/6020	0.123	0.123	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Nickel	SW846/6020	0.0030	0.0030	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Zinc	SW846/6020	0.0093	0.0093	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Total Organic Carbon	EPA9060	11.1	11.1	mg/l	0.5	1.00	1							
Eufaula	8	1EUFOKS0044	6/13/2017	1:30:00 PM	1330	0.5	Dissolved Solids	EPA160.1	190	19											

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Silica, Diss.	EPA6010B	0.0243	0.0243	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Silica, Tot.	EPA6010B	0.0238	0.0238	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Calcium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Arsenic	EPA7060	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Zinc	SW846/6020	0.0045	0.0045	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Dissolved Solids	EPA160.1	ND	<6.00	mg/l	6.00	20.0	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1							
Eufaula	3	1EUFOKS0039	8/8/2017	5:55:00 AM	0555	0	Total Suspended Solids	EPA160.2	ND	<2.00	mg/l	2.00	10.0	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Alkalinity	EPA310.1	108	108	mg/l	5.00	10.0	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Ammonia	EPA350.1	0.0936	0.0936	mg/l	0.005	0.0100	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Chloride	EPA300.0	42.1	42.1	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Hardness	SM2340B	173	173	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.59	0.59	mg/l	0.07	0.14	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Nitrate+Nitrite	EPA300.0	0.0102	0.0102	mg/l	0.006	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0217	0.0217	mg/l	0.01	0.0300	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Phosphorus, Total	EPA6010B	0.057	0.057	mg/l	0.004	0.020	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Silica, Diss.	EPA6010B	3.03	3.03	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Silica, Tot.	EPA6010B	3.65	3.65	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Sulfate	EPA300.0	60.9	60.9	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Calcium	EPA6010	43.1	43.1	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Iron	EPA6010	0.217	0.217	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Magnesium	EPA6010	15.8	15.8	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Arsenic	EPA7060	0.0035	0.0035	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Chromium	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Manganese	SW846/6020	0.0954	0.0954	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Zinc	SW846/6020	0.0130	0.0130	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Total Organic Carbon	EPA9060	7.77	7.77	mg/l	0.5	1.00	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Dissolved Solids	EPA160.1	353	353	mg/l	5.33	16.7	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Total Solids	EPA160.3	366	366	mg/l	4.00	10.0	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1031	0.5	Total Suspended Solids	EPA160.2	12.7	12.7	mg/l	1.33	6.67	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Alkalinity	EPA310.1	89.2	89.2	mg/l	5.00	10.0	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Ammonia	EPA350.1	0.0770	0.0770	mg/l	0.005	0.0100	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Chloride	EPA300.0	32.8	32.8	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Hardness	SM2340B	124	124	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Silica, Diss.	EPA6010B	2.23	2.23	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Silica, Tot.	EPA6010B	2.37	2.37	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Sulfate	EPA300.0	41.0	41.0	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Calcium	EPA6010	31.9	31.9	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Iron	EPA6010	0.0258	0.0258	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Magnesium	EPA6010	10.7	10.7	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Arsenic	EPA7060	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Chromium	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	0.5	Total Suspended Solids	EPA160.2	2.40	2.40	mg/l	0.8	4.00	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Alkalinity	EPA310.1	105	105	mg/l	5.00	10.0	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Ammonia	EPA350.1	0.223	0.223	mg/l	0.005	0.0100	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Chloride	EPA300.0	36.5	36.5	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Hardness	SM2340B	142	142	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Total Kjeldahl Nitrogen	I-4515-91	0.5	0.5	mg/l	0.07	0.14	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Nitrate+Nitrite	EPA300.0	0.0260	0.0260	mg/l	0.006	0.0200	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Ortho-Phosphorus, Dissolved	EPA300.0	0.0657	0.0657	mg/l	0.01	0.0300	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Phosphorus, Total	EPA6010B	0.114	0.114	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Silica, Diss.	EPA6010B	4.10	4.10	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Silica, Tot.	EPA6010B	4.53	4.53	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Sulfate	EPA300.0	44.4	44.4	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Calcium	EPA6010	36.4	36.4	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Iron	EPA6010	0.156	0.156	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Magnesium	EPA6010	12.3	12.3	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Arsenic	EPA7060	0.0064	0.0064	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Chromium	SW846/6020	0.0020	0.0020	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Manganese	SW846/6020	0.733	0.733	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Zinc	SW846/6020	0.0081	0.0081	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Total Organic Carbon	EPA9060	7.30	7.30	mg/l	0.5	1.00	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Dissolved Solids	EPA160.1	296	296	mg/l	4.80	14.0	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Total Solids	EPA160.3	298	298	mg/l	4.00	10.0	1							
Eufaula	1	1EUFOKS0037	8/8/2017	12:45:00 PM	1245	22	Total Suspended Solids	EPA160.2	2.00	2.00	mg/l	0.8	4.00	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Alkalinity	EPA310.1	91.6	91.6	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Ammonia	EPA350.1	0.0729	0.0729	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Chloride	EPA300.0	32.0	32.0	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Hardness	SM2340B	124	124	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Phosphorus, Total	EPA6010B	0.037	0.037	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Silica, Diss.	EPA6010B	2.42	2.42	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Silica, Tot.	EPA6010B	2.75	2.75	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Sulfate	EPA300.0	41.9	41.9	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Calcium	EPA6010	32.0	32.0	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Iron	EPA6010	0.0430	0.0430	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Magnesium	EPA6010	10.7	10.7	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Arsenic	EPA7060	0.0026	0.0026	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Chromium	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Manganese	SW846/6020	0.0763	0.0763	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Zinc	SW846/6020	0.0100	0.0100	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Total Organic Carbon	EPA9060	7.50	7.50	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Dissolved Solids	EPA160.1	262	262	mg/l	5.00	15.0	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Total Solids	EPA160.3	266	266	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	0.5	Total Suspended Solids	EPA160.2	4.50	4.50	mg/l	1.00	5.00	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Alkalinity	EPA310.1	90.2	90.2	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Ammonia	EPA350.1	0.0897	0.0897	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Chloride	EPA300.0	32.0	32.0	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Hardness	SM2340B	126	126	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Nitrate+Nitrite	EPA300.0	0.00770	0.00770	mg/l	0.006	0.0200	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Ortho-Phosphorus, Dissolved	EPA300.0	0.0104	0.0104	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Phosphorus, Total	EPA6010B	0.037	0.037	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Silica, Diss.	EPA6010B	2.50	2.50	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Silica, Tot.	EPA6010B	2.84	2.84	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Sulfate	EPA300.0	41.8	41.8	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Calcium	EPA6010	32.0	32.0	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Iron	EPA6010	0.182	0.182	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Magnesium	EPA6010	11.1	11.1	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Arsenic	EPA7060	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:0																	

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Zinc	SW846/6020	0.0067	0.0067	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Total Organic Carbon	EPA9060	7.75	7.75	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Dissolved Solids	EPA160.1	278	278	mg/l	6.00	20.0	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Total Solids	EPA160.3	290	290	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	8/8/2017	9:45:00 AM	0945	14	Total Suspended Solids	EPA160.2	12.0	12.0	mg/l	2.00	10.0	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Alkalinity	EPA310.1	109	109	mg/l	5.00	10.0	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Ammonia	EPA350.1	0.108	0.108	mg/l	0.005	0.0100	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Chloride	EPA300.0	42.2	42.2	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Hardness	SM2340B	171	171	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.58	0.58	mg/l	0.07	0.14	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Nitrate+Nitrite	EPA300.0	0.0101	0.0101	mg/l	0.006	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0182	0.0182	mg/l	0.01	0.0300	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Phosphorus, Total	EPA6010B	0.062	0.062	mg/l	0.004	0.020	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Silica, Diss.	EPA6010B	3.17	3.17	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Silica, Tot.	EPA6010B	3.69	3.69	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Sulfate	EPA300.0	60.9	60.9	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Calcium	EPA6010	43.2	43.2	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Iron	EPA6010	0.198	0.198	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Magnesium	EPA6010	15.2	15.2	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Arsenic	EPA7060	0.0034	0.0034	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Chromium	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Lead	SW846/6020	0.00047	0.00047	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Manganese	SW846/6020	0.0937	0.0937	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Zinc	SW846/6020	0.0076	0.0076	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Total Organic Carbon	EPA9060	7.69	7.69	mg/l	0.5	1.00	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Dissolved Solids	EPA160.1	387	387	mg/l	5.33	16.7	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Total Solids	EPA160.3	402	402	mg/l	4.00	10.0	1							
Eufaula	3	1EUFOKS0039	8/8/2017	10:30:00 AM	1030	0.5	Total Suspended Solids	EPA160.2	14.7	14.7	mg/l	1.33	6.67	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Alkalinity	EPA310.1	89.7	89.7	mg/l	5.00	10.0	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Ammonia	EPA350.1	0.0690	0.0690	mg/l	0.005	0.0100	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Chloride	EPA300.0	32.6	32.6	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Hardness	SM2340B	130	130	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.53	0.53	mg/l	0.07	0.14	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0177	0.0177	mg/l	0.01	0.0300	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Phosphorus, Total	EPA6010B	0.038	0.038	mg/l	0.004	0.020	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Silica, Diss.	EPA6010B	2.75	2.75	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Silica, Tot.	EPA6010B	2.98	2.98	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Sulfate	EPA300.0	46.6	46.6	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Calcium	EPA6010	33.0	33.0	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Iron	EPA6010	0.0873	0.0873	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Magnesium	EPA6010	11.5	11.5	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Arsenic	EPA7060	0.0033	0.0033	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Chromium	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Manganese	SW846/6020	0.141	0.141	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Zinc	SW846/6020	0.0052	0.0052	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Total Organic Carbon	EPA9060	8.61	8.61	mg/l	0.5	1.00	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Dissolved Solids	EPA160.1	259	259	mg/l	5.33	16.7	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Total Solids	EPA160.3	266	266	mg/l	4.00	10.0	1							
Eufaula	4	1EUFOKS0040	8/8/2017	11:00:00 AM	1100	0.5	Total Suspended Solids	EPA160.2	6.67	6.67	mg/l	1.33	6.67	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Alkalinity	EPA310.1	54.6	54.6	mg/l	5.00	10.0	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Ammonia	EPA350.1	0.0741	0.0741	mg/l	0.005	0.0100	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Chloride	EPA300.0	15.7	15.7	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Hardness	SM2340B	67.3	67.3	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Phosphorus, Total	EPA6010B	0.034	0.034	mg/l	0.004	0.020	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Silica, Diss.	EPA6010B	2.30	2.30	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Silica, Tot.	EPA6010B	2.74	2.74	mg/l	0.005									

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Chromium	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Manganese	SW846/6020	0.221	0.221	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Zinc	SW846/6020	0.0073	0.0073	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Total Organic Carbon	EPA9060	7.30	7.30	mg/l	0.5	1.00	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Dissolved Solids	EPA160.1	143	143	mg/l	5.33	16.7	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Total Solids	EPA160.3	152	152	mg/l	4.00	10.0	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	0.5	Total Suspended Solids	EPA160.2	8.67	8.67	mg/l	1.33	6.67	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Alkalinity	EPA310.1	52.0	52.0	mg/l	5.00	10.0	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Ammonia	EPA350.1	0.105	0.105	mg/l	0.005	0.0100	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Chloride	EPA300.0	14.1	14.1	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Hardness	SM2340B	62.5	62.5	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Total Kjeldahl Nitrogen	I-4515-91	0.48	0.48	mg/l	0.07	0.14	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Nitrate+Nitrite	EPA300.0	0.00702	0.00702	mg/l	0.006	0.0200	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0131	0.0131	mg/l	0.01	0.0300	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Phosphorus, Total	EPA6010B	0.038	0.038	mg/l	0.004	0.020	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Silica, Diss.	EPA6010B	2.40	2.40	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Silica, Tot.	EPA6010B	2.72	2.72	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Sulfate	EPA300.0	23.1	23.1	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Calcium	EPA6010	16.0	16.0	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Iron	EPA6010	0.306	0.306	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Magnesium	EPA6010	5.47	5.47	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Arsenic	EPA7060	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Chromium	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Manganese	SW846/6020	0.275	0.275	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Zinc	SW846/6020	0.0053	0.0053	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Total Organic Carbon	EPA9060	7.31	7.31	mg/l	0.5	1.00	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Dissolved Solids	EPA160.1	142	142	mg/l	6.00	20.0	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Total Solids	EPA160.3	154	154	mg/l	4.00	10.0	1							
Eufaula	5	1EUFOKS0173	8/8/2017	11:35:00 AM	1135	16.5	Total Suspended Solids	EPA160.2	12.0	12.0	mg/l	2.00	10.0	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Alkalinity	EPA310.1	95.4	95.4	mg/l	5.00	10.0	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Ammonia	EPA350.1	0.0709	0.0709	mg/l	0.005	0.0100	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Chloride	EPA300.0	31.2	31.2	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Hardness	SM2340B	120	120	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.57	0.57	mg/l	0.07	0.14	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0233	0.0233	mg/l	0.01	0.0300	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Phosphorus, Total	EPA6010B	0.055	0.055	mg/l	0.004	0.020	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Silica, Diss.	EPA6010B	2.50	2.50	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Silica, Tot.	EPA6010B	2.91	2.91	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Sulfate	EPA300.0	34.8	34.8	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Calcium	EPA6010	30.8	30.8	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Iron	EPA6010	0.124	0.124	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Magnesium	EPA6010	10.4	10.4	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Arsenic	EPA7060	0.0034	0.0034	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Chromium	SW846/6020	0.0020	0.0020	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Manganese	SW846/6020	0.0687	0.0687	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Zinc	SW846/6020	0.0094	0.0094	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Total Organic Carbon	EPA9060	8.12	8.12	mg/l	0.5	1.00	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Dissolved Solids	EPA160.1	430	430	mg/l	5.33	16.7	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Total Solids	EPA160.3	438	438	mg/l	4.00	10.0	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	0.5	Total Suspended Solids	EPA160.2	8.00	8.00	mg/l	1.33	6.67	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Alkalinity	EPA310.1	104	104	mg/l	5.00	10.0	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Ammonia	EPA350.1	0.285	0.285	mg/l	0.005	0.0100	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Chloride	EPA300.0	30.8	30.8	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Hardness	SM2340B	122	122	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Total Kjeldahl Nitrogen	I-4515-91	0.79	0.79	mg/l	0.07	0.14	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Mercury	SW846/7474	ND	<0.00001	mg/l										

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Calcium	EPA6010	31.8	31.8	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Iron	EPA6010	0.269	0.269	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Magnesium	EPA6010	10.4	10.4	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Arsenic	EPA7060	0.0116	0.0116	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Chromium	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Lead	SW846/6020	0.00047	0.00047	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Manganese	SW846/6020	1.27	1.27	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Nickel	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Zinc	SW846/6020	0.0094	0.0094	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Total Organic Carbon	EPA9060	9.98	9.98	mg/l	0.5	1.00	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Dissolved Solids	EPA160.1	251	251	mg/l	6.00	20.0	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Total Solids	EPA160.3	268	268	mg/l	4.00	10.0	1							
Eufaula	6	1EUFOKS0175	8/8/2017	9:10:00 AM	0910	15	Total Suspended Solids	EPA160.2	17.0	17.0	mg/l	2.00	10.0	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Alkalinity	EPA310.1	123	123	mg/l	5.00	10.0	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Ammonia	EPA350.1	0.0802	0.0802	mg/l	0.005	0.0100	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Chloride	EPA300.0	43.2	43.2	mg/l	0.1	0.300	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Hardness	SM2340B	156	156	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.85	0.85	mg/l	0.07	0.14	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0495	0.0495	mg/l	0.01	0.0300	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Phosphorus, Total	EPA6010B	0.109	0.109	mg/l	0.004	0.020	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Silica, Diss.	EPA6010B	3.06	3.06	mg/l	0.005	0.0500	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Silica, Tot.	EPA6010B	3.65	3.65	mg/l	0.005	0.0500	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Sulfate	EPA300.0	41.7	41.7	mg/l	0.1	0.300	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Calcium	EPA6010	40.1	40.1	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Iron	EPA6010	0.299	0.299	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Magnesium	EPA6010	13.5	13.5	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Arsenic	EPA7060	0.0050	0.0050	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Chromium	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Copper	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Lead	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Manganese	SW846/6020	0.105	0.105	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Nickel	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Zinc	SW846/6020	0.0143	0.0143	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Total Organic Carbon	EPA9060	8.70	8.70	mg/l	0.5	1.00	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Dissolved Solids	EPA160.1	315	315	mg/l	6.00	20.0	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Total Solids	EPA160.3	342	342	mg/l	4.00	10.0	1							
Eufaula	7	1EUFOKS0174	8/8/2017	8:50:00 AM	0850	0.5	Total Suspended Solids	EPA160.2	27.0	27.0	mg/l	2.00	10.0	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Alkalinity	EPA310.1	85.0	85.0	mg/l	5.00	10.0	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Ammonia	EPA350.1	0.0867	0.0867	mg/l	0.005	0.0100	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Chloride	EPA300.0	23.1	23.1	mg/l	0.1	0.300	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Hardness	SM2340B	93.7	93.7	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.57	0.57	mg/l	0.07	0.14	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0415	0.0415	mg/l	0.01	0.0300	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Phosphorus, Total	EPA6010B	0.089	0.089	mg/l	0.004	0.020	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Silica, Diss.	EPA6010B	2.85	2.85	mg/l	0.005	0.0500	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Silica, Tot.	EPA6010B	3.32	3.32	mg/l	0.005	0.0500	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Sulfate	EPA300.0	10.3	10.3	mg/l	0.1	0.300	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Calcium	EPA6010	21.8	21.8	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Iron	EPA6010	0.466	0.466	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Magnesium	EPA6010	9.52	9.52	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Arsenic	EPA7060	0.0029	0.0029	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Chromium	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Manganese	SW846/6020	0.193	0.193	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Nickel	SW846/6020	0.0020	0.0020	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Zinc	SW846/6020	0.0116	0.0116	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Total Organic Carbon	EPA9060	9.36	9.36	mg/l	0.5	1.00	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Dissolved Solids	EPA160.1	182	182	mg/l	6.00	20.0	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Total Solids	EPA160.3	204	204	mg/l	4.00	10.0	1							
Eufaula	8	1EUFOKS0044	8/8/2017	8:05:00 AM	0805	0.5	Total Suspended Solids	EPA160.2	22.0	22.0	mg/l	2.00	10.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017																		

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Phosphorus, Total	EPA6010B	0.004	0.004	mg/l	0.004	0.020	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Silica, Diss.	EPA6010B	0.0389	0.0389	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Silica, Tot.	EPA6010B	0.0354	0.0354	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Calcium	EPA6010	0.0202	0.0202	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Magnesium	EPA6010	0.0059	0.0059	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Arsenic	EPA7060	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Zinc	SW846/6020	0.0073	0.0073	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Dissolved Solids	EPA160.1	ND	<6.00	mg/l	6.00	20.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	5:50:00 AM	0550	0	Total Suspended Solids	EPA160.2	ND	<2.00	mg/l	2.00	10.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Alkalinity	EPA310.1	89.3	89.3	mg/l	5.00	10.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Ammonia	EPA350.1	0.0222	0.0222	mg/l	0.005	0.0100	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Chloride	EPA300.0	31.1	31.1	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Hardness	SM2340B	121	121	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.5	0.5	mg/l	0.07	0.14	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Nitrate+Nitrite	EPA300.0	0.0403	0.0403	mg/l	0.006	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0160	0.0160	mg/l	0.01	0.0300	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Phosphorus, Total	EPA6010B	0.049	0.049	mg/l	0.004	0.020	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Silica, Diss.	EPA6010B	2.67	2.67	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Silica, Tot.	EPA6010B	3.01	3.01	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Sulfate	EPA300.0	43.0	43.0	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Calcium	EPA6010	31.0	31.0	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Iron	EPA6010	0.127	0.127	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Magnesium	EPA6010	10.6	10.6	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Arsenic	EPA7060	0.0031	0.0031	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Manganese	SW846/6020	0.0523	0.0523	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Nickel	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Zinc	SW846/6020	0.0083	0.0083	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Total Organic Carbon	EPA9060	7.88	7.88	mg/l	0.5	1.00	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Dissolved Solids	EPA160.1	250	250	mg/l	4.80	14.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Total Solids	EPA160.3	258	258	mg/l	4.00	10.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1241	0.5	Total Suspended Solids	EPA160.2	7.60	7.60	mg/l	0.8	4.00	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Alkalinity	EPA310.1	89.5	89.5	mg/l	5.00	10.0	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Ammonia	EPA350.1	0.0113	0.0113	mg/l	0.005	0.0100	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Chloride	EPA300.0	31.6	31.6	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Hardness	SM2340B	117	117	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.47	0.47	mg/l	0.07	0.14	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Phosphorus, Total	EPA6010B	0.034	0.034	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Silica, Diss.	EPA6010B	2.21	2.21	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Silica, Tot.	EPA6010B	2.23	2.23	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Sulfate	EPA300.0	40.1	40.1	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Calcium	EPA6010	30.2	30.2	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Iron	EPA6010	0.0203	0.0203	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Magnesium	EPA6010	10.2	10.2	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Arsenic	EPA7060	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Manganese	SW846/6020	0.0075	0.0075	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Nickel	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	0.5	Zinc	SW846/6020	0.0085	0.0085	mg/l	0.0002	0.0010								

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Chloride	EPA300.0	33.1	33.1	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Hardness	SM2340B	125	125	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Total Kjeldahl Nitrogen	I-4515-91	0.76	0.76	mg/l	0.07	0.14	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Nitrate+Nitrite	EPA300.0	0.0619	0.0619	mg/l	0.006	0.0200	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Ortho-Phosphorus, Dissolved	EPA300.0	0.135	0.135	mg/l	0.01	0.0300	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Phosphorus, Total	EPA6010B	0.192	0.192	mg/l	0.004	0.020	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Silica, Diss.	EPA6010B	3.84	3.84	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Silica, Tot.	EPA6010B	3.67	3.67	mg/l	0.005	0.0500	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Sulfate	EPA300.0	39.4	39.4	mg/l	0.1	0.300	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Calcium	EPA6010	32.2	32.2	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Iron	EPA6010	0.0591	0.0591	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Magnesium	EPA6010	10.8	10.8	mg/l	0.004	0.0200	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Arsenic	EPA7060	0.0067	0.0067	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Copper	SW846/6020	0.00082	0.00082	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Manganese	SW846/6020	1.09	1.09	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Nickel	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Zinc	SW846/6020	0.0099	0.0099	mg/l	0.0002	0.0010	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Total Organic Carbon	EPA9060	9.57	9.57	mg/l	0.5	1.00	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Dissolved Solids	EPA160.1	267	267	mg/l	4.44	12.2	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Total Solids	EPA160.3	270	270	mg/l	4.00	10.0	1							
Eufaula	1	1EUFOKS0037	9/5/2017	10:45:00 AM	1045	22	Total Suspended Solids	EPA160.2	2.67	2.67	mg/l	0.444	2.22	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Alkalinity	EPA310.1	92.2	92.2	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Ammonia	EPA350.1	0.0203	0.0203	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Chloride	EPA300.0	31.8	31.8	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Hardness	SM2340B	123	123	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.51	0.51	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Nitrate+Nitrite	EPA300.0	0.0239	0.0239	mg/l	0.006	0.0200	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0202	0.0202	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Phosphorus, Total	EPA6010B	0.044	0.044	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Silica, Diss.	EPA6010B	2.52	2.52	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Silica, Tot.	EPA6010B	2.65	2.65	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Sulfate	EPA300.0	40.2	40.2	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Calcium	EPA6010	30.9	30.9	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Iron	EPA6010	0.102	0.102	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Magnesium	EPA6010	11.0	11.0	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Arsenic	EPA7060	0.0034	0.0034	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Copper	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Manganese	SW846/6020	0.0647	0.0647	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Nickel	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Zinc	SW846/6020	0.0122	0.0122	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Total Organic Carbon	EPA9060	8.89	8.89	mg/l	0.5	1.00	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Dissolved Solids	EPA160.1	254	254	mg/l	4.80	14.0	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Total Solids	EPA160.3	262	262	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	0.5	Total Suspended Solids	EPA160.2	7.60	7.60	mg/l	0.8	4.00	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Alkalinity	EPA310.1	92.8	92.8	mg/l	5.00	10.0	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Ammonia	EPA350.1	0.0182	0.0182	mg/l	0.005	0.0100	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Chloride	EPA300.0	31.6	31.6	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Hardness	SM2340B	120	120	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Total Kjeldahl Nitrogen	I-4515-91	0.54	0.54	mg/l	0.07	0.14	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Nitrate+Nitrite	EPA300.0	0.0493	0.0493	mg/l	0.006	0.0200	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Ortho-Phosphorus, Dissolved	EPA300.0	0.0207	0.0207	mg/l	0.01	0.0300	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Phosphorus, Total	EPA6010B	0.054	0.054	mg/l	0.004	0.020	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Silica, Diss.	EPA6010B	2.54	2.54	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Silica, Tot.	EPA6010B	2.77	2.77	mg/l	0.005	0.0500	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Sulfate	EPA300.0	40.5	40.5	mg/l	0.1	0.300	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Calcium	EPA6010	30.6	30.6	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Iron	EPA6010	0.155	0.155	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Magnesium	EPA6010	10.6	10.6	mg/l	0.004	0.0200	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Arsenic	EPA7060	0.0035	0.0035	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Chromium	SW846/6020	0.0010	0.0010	mg/l	0.0002									

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Dissolved Solids	EPA160.1	257	257	mg/l	4.80	14.0	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Total Solids	EPA160.3	266	266	mg/l	4.00	10.0	1							
Eufaula	2	1EUFOKS0038	9/5/2017	11:40:00 AM	1140	10	Total Suspended Solids	EPA160.2	8.80	8.80	mg/l	0.8	4.00	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Alkalinity	EPA310.1	105	105	mg/l	5.00	10.0	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Ammonia	EPA350.1	0.0411	0.0411	mg/l	0.005	0.0100	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Chloride	EPA300.0	37.4	37.4	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Hardness	SM2340B	160	160	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.62	0.62	mg/l	0.07	0.14	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Nitrate+Nitrite	EPA300.0	0.0999	0.0999	mg/l	0.006	0.0200	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0269	0.0269	mg/l	0.01	0.0300	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Phosphorus, Total	EPA6010B	0.065	0.065	mg/l	0.004	0.020	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Silica, Diss.	EPA6010B	3.37	3.37	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Silica, Tot.	EPA6010B	3.75	3.75	mg/l	0.005	0.0500	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Sulfate	EPA300.0	57.3	57.3	mg/l	0.1	0.300	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Calcium	EPA6010	40.5	40.5	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Iron	EPA6010	0.203	0.203	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Magnesium	EPA6010	14.2	14.2	mg/l	0.004	0.0200	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Arsenic	EPA7060	0.0039	0.0039	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Chromium	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Manganese	SW846/6020	0.0994	0.0994	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Nickel	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Zinc	SW846/6020	0.0106	0.0106	mg/l	0.0002	0.0010	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Total Organic Carbon	EPA9060	8.98	8.98	mg/l	0.5	1.00	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Dissolved Solids	EPA160.1	345	345	mg/l	5.00	15.0	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Total Solids	EPA160.3	360	360	mg/l	4.00	10.0	1							
Eufaula	3	1EUFOKS0039	9/5/2017	12:20:00 PM	1220	0.5	Total Suspended Solids	EPA160.2	15.0	15.0	mg/l	1.00	5.00	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Alkalinity	EPA310.1	89.9	89.9	mg/l	5.00	10.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Ammonia	EPA350.1	0.0196	0.0196	mg/l	0.005	0.0100	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Chloride	EPA300.0	31.3	31.3	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Hardness	SM2340B	122	122	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.54	0.54	mg/l	0.07	0.14	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Nitrate+Nitrite	EPA300.0	0.0403	0.0403	mg/l	0.006	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0152	0.0152	mg/l	0.01	0.0300	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Phosphorus, Total	EPA6010B	0.042	0.042	mg/l	0.004	0.020	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Silica, Diss.	EPA6010B	2.71	2.71	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Silica, Tot.	EPA6010B	2.94	2.94	mg/l	0.005	0.0500	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Sulfate	EPA300.0	43.2	43.2	mg/l	0.1	0.300	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Calcium	EPA6010	31.1	31.1	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Iron	EPA6010	0.124	0.124	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Magnesium	EPA6010	10.8	10.8	mg/l	0.004	0.0200	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Arsenic	EPA7060	0.0032	0.0032	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Chromium	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Manganese	SW846/6020	0.0511	0.0511	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Nickel	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Zinc	SW846/6020	0.0087	0.0087	mg/l	0.0002	0.0010	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Total Organic Carbon	EPA9060	8.58	8.58	mg/l	0.5	1.00	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Dissolved Solids	EPA160.1	238	238	mg/l	5.00	15.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Total Solids	EPA160.3	246	246	mg/l	4.00	10.0	1							
Eufaula	4	1EUFOKS0040	9/5/2017	12:40:00 PM	1240	0.5	Total Suspended Solids	EPA160.2	8.50	8.50	mg/l	1.00	5.00	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Alkalinity	EPA310.1	50.8	50.8	mg/l	5.00	10.0	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Ammonia	EPA350.1	0.0245	0.0245	mg/l	0.005	0.0100	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Chloride	EPA300.0	12.6	12.6	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Hardness	SM2340B	59.7	59.7	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Nitrate+Nitrite	EPA300.0	0.0430	0.0430	mg/l	0.006	0.0200	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0106	0.0106	mg/l	0.01	0.0300	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Phosphorus, Total	EPA6010B	0.033	0.033	mg/l	0.004	0.020	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Silica, Diss.	EPA6010B	2.84	2.84	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Silica, Tot.	EPA6010B	3.02	3.02	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Sulfate	EPA300.0	21.0	21.0	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Calcium	EPA6010	15.3	15.3	mg/l</										

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Lead	SW846/6020	0.00039	0.00039	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Manganese	SW846/6020	0.169	0.169	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Nickel	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Zinc	SW846/6020	0.0063	0.0063	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Total Organic Carbon	EPA9060	7.31	7.31	mg/l	0.5	1.00	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Dissolved Solids	EPA160.1	128	128	mg/l	4.95	14.8	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Total Solids	EPA160.3	136	136	mg/l	4.00	10.0	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	0.5	Total Suspended Solids	EPA160.2	8.10	8.10	mg/l	0.952	4.76	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Alkalinity	EPA310.1	50.7	50.7	mg/l	5.00	10.0	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Ammonia	EPA350.1	0.0285	0.0285	mg/l	0.005	0.0100	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Chloride	EPA300.0	12.8	12.8	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Hardness	SM2340B	59.4	59.4	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Total Kjeldahl Nitrogen	I-4515-91	0.54	0.54	mg/l	0.07	0.14	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Nitrate+Nitrite	EPA300.0	0.0860	0.0860	mg/l	0.006	0.0200	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Ortho-Phosphorus, Dissolved	EPA300.0	0.0174	0.0174	mg/l	0.01	0.0300	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Phosphorus, Total	EPA6010B	0.056	0.056	mg/l	0.004	0.020	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Silica, Diss.	EPA6010B	2.95	2.95	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Silica, Tot.	EPA6010B	3.34	3.34	mg/l	0.005	0.0500	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Sulfate	EPA300.0	21.2	21.2	mg/l	0.1	0.300	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Calcium	EPA6010	15.2	15.2	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Iron	EPA6010	0.539	0.539	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Magnesium	EPA6010	5.20	5.20	mg/l	0.004	0.0200	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Arsenic	EPA7060	0.0028	0.0028	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Manganese	SW846/6020	0.434	0.434	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Nickel	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Zinc	SW846/6020	0.0103	0.0103	mg/l	0.0002	0.0010	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Total Organic Carbon	EPA9060	7.27	7.27	mg/l	0.5	1.00	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Dissolved Solids	EPA160.1	133	133	mg/l	5.33	16.7	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Total Solids	EPA160.3	150	150	mg/l	4.00	10.0	1							
Eufaula	5	1EUFOKS0173	9/5/2017	1:15:00 PM	1315	15	Total Suspended Solids	EPA160.2	16.7	16.7	mg/l	1.33	6.67	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Alkalinity	EPA310.1	95.3	95.3	mg/l	5.00	10.0	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Ammonia	EPA350.1	0.0198	0.0198	mg/l	0.005	0.0100	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Chloride	EPA300.0	32.2	32.2	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Hardness	SM2340B	118	118	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.57	0.57	mg/l	0.07	0.14	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Nitrate+Nitrite	EPA300.0	0.0189	0.0189	mg/l	0.006	0.0200	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0319	0.0319	mg/l	0.01	0.0300	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Phosphorus, Total	EPA6010B	0.063	0.063	mg/l	0.004	0.020	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Silica, Diss.	EPA6010B	2.56	2.56	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Silica, Tot.	EPA6010B	2.67	2.67	mg/l	0.005	0.0500	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Sulfate	EPA300.0	35.6	35.6	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Calcium	EPA6010	30.6	30.6	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Iron	EPA6010	0.102	0.102	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Magnesium	EPA6010	10.2	10.2	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Arsenic	EPA7060	0.0040	0.0040	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Manganese	SW846/6020	0.0369	0.0369	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Nickel	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Zinc	SW846/6020	0.0066	0.0066	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Total Organic Carbon	EPA9060	8.48	8.48	mg/l	0.5	1.00	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Dissolved Solids	EPA160.1	33.2	33.2	mg/l	4.80	14.0	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Total Solids	EPA160.3	40.0	40.0	mg/l	4.00	10.0	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	0.5	Total Suspended Solids	EPA160.2	6.80	6.80	mg/l	0.8	4.00	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Alkalinity	EPA310.1	99.5	99.5	mg/l	5.00	10.0	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Ammonia	EPA350.1	0.0762	0.0762	mg/l	0.005	0.0100	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Chloride	EPA300.0	32.5	32.5	mg/l	0.1	0.300	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Hardness	SM2340B	118	118	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Total Kjeldahl Nitrogen	I-4515-91	0.67	0.67	mg/l	0.07	0.14	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Nitrate+Nitrite	EPA300.0	0.102	0.102	mg/l	0.006	0.0200	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Ortho-Phosphorus, Dissolved	EPA300.0	0.0527	0.0527	mg/l	0.01	0.0300	1							
Eufaula																					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Magnesium	EPA6010	9.98	9.98	mg/l	0.004	0.0200	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Arsenic	EPA7060	0.0044	0.0044	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Chromium	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Copper	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Manganese	SW846/6020	0.126	0.126	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Nickel	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Zinc	SW846/6020	0.0098	0.0098	mg/l	0.0002	0.0010	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Total Organic Carbon	EPA9060	9.51	9.51	mg/l	0.5	1.00	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Dissolved Solids	EPA160.1	254	254	mg/l	6.00	20.0	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Total Solids	EPA160.3	294	294	mg/l	4.00	10.0	1							
Eufaula	6	1EUFOKS0175	9/5/2017	9:45:00 AM	0945	15	Total Suspended Solids	EPA160.2	40.0	40.0	mg/l	2.00	10.0	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Alkalinity	EPA310.1	100	100	mg/l	5.00	10.0	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Ammonia	EPA350.1	0.0427	0.0427	mg/l	0.005	0.0100	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Chloride	EPA300.0	32.3	32.3	mg/l	0.1	0.300	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Hardness	SM2340B	122	122	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.74	0.74	mg/l	0.07	0.14	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Nitrate+Nitrite	EPA300.0	0.0310	0.0310	mg/l	0.006	0.0200	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0506	0.0506	mg/l	0.01	0.0300	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Phosphorus, Total	EPA6010B	0.095	0.095	mg/l	0.004	0.020	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Silica, Diss.	EPA6010B	2.95	2.95	mg/l	0.005	0.0500	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Silica, Tot.	EPA6010B	3.36	3.36	mg/l	0.005	0.0500	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Sulfate	EPA300.0	33.2	33.2	mg/l	0.1	0.300	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Calcium	EPA6010	32.0	32.0	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Iron	EPA6010	0.267	0.267	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Magnesium	EPA6010	10.2	10.2	mg/l	0.004	0.0200	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Arsenic	EPA7060	0.0044	0.0044	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Chromium	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Copper	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Manganese	SW846/6020	0.0546	0.0546	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Nickel	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Zinc	SW846/6020	0.0114	0.0114	mg/l	0.0002	0.0010	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Total Organic Carbon	EPA9060	9.20	9.20	mg/l	0.5	1.00	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Dissolved Solids	EPA160.1	240	240	mg/l	5.67	18.3	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Total Solids	EPA160.3	262	262	mg/l	4.00	10.0	1							
Eufaula	7	1EUFOKS0174	9/5/2017	9:20:00 AM	0920	0.5	Total Suspended Solids	EPA160.2	21.7	21.7	mg/l	1.67	8.33	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Alkalinity	EPA310.1	85.4	85.4	mg/l	5.00	10.0	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Ammonia	EPA350.1	0.0312	0.0312	mg/l	0.005	0.0100	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Chloride	EPA300.0	26.5	26.5	mg/l	0.1	0.300	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Hardness	SM2340B	88.6	88.6	mgeqCaCO3/l	0.0265	0.132	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.75	0.75	mg/l	0.07	0.14	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Nitrate+Nitrite	EPA300.0	0.00740	0.00740	mg/l	0.006	0.0200	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0400	0.0400	mg/l	0.01	0.0300	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Phosphorus, Total	EPA6010B	0.085	0.085	mg/l	0.004	0.020	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Silica, Diss.	EPA6010B	3.34	3.34	mg/l	0.005	0.0500	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Silica, Tot.	EPA6010B	3.81	3.81	mg/l	0.005	0.0500	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Sulfate	EPA300.0	11.1	11.1	mg/l	0.1	0.300	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Calcium	EPA6010	20.5	20.5	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Iron	EPA6010	0.545	0.545	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Magnesium	EPA6010	9.05	9.05	mg/l	0.004	0.0200	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Arsenic	EPA7060	0.0030	0.0030	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Chromium	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Copper	SW846/6020	0.0020	0.0020	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Lead	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Manganese	SW846/6020	0.103	0.103	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Nickel	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Zinc	SW846/6020	0.0094	0.0094	mg/l	0.0002	0.0010	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Total Organic Carbon	EPA9060	9.77	9.77	mg/l	0.5	1.00	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Dissolved Solids	EPA160.1	193	193	mg/l	6.00	20.0	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Total Solids	EPA160.3	218	218	mg/l	4.00	10.0	1							
Eufaula	8	1EUFOKS0044	9/5/2017	8:30:00 AM	0830	0.5	Total Suspended Solids	EPA160.2	25.0	25.0	mg/l	2.00	10.0	1							
	1	1EUFOKS0037	5/2/2017		0600	0.0	CHL A, FL, COR	EPA445.0	0.0	0.0	ug/l										
	1	1EUFOKS0037	5/2/2017		1100	0.5	CHL A, FL, COR	EPA445.0	2.1	2.1	ug/l										
	1	1EUFOKS0037	5/2/2017		1101	0.5	CHL A, FL, COR	EPA445.0	2.0	2.0	ug/l										

[illegible]