

Resrvoir	site#	Primary_Station	Date_Collected	Time2	Depth	Parameter	Test_Method	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Analysis_Date
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Alkalinity	EPA310.1	17.2	mg/l	2.00	5.00	1	4/22/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Ammonia	EPA350.1	0.0641	mg/l	0.002	0.00600	2	4/29/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Total Organic Carbon	SM5310B	6.24	mg/l	0.7	1.4	1	4/28/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Chloride	EPA300.0	4.49	mg/l	0.2	1.00	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Hardness	SM2340B	21.2	mgeqCaCO3/l	0.0265	0.132	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Calcium	SW846/6010	5.84	mg/l	0.004	0.0200	1	5/7/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Magnesium	SW846/6010	1.61	mg/l	0.004	0.0200	1	5/7/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.456	mg/l	0.07	0.14	1	4/27/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Mercury	SW846/7474	0.00001	mg/l	0.00001	0.00002	2	5/27/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Nitrate+Nitrite	EPA300.0	0.0434	mg/l	0.01	0.0300	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Silica, Diss.	EPA6010B	3.2	mg/l	0.00556	0.0556	1.111111	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Sulfate	EPA300.0	7.03	mg/l	0.025	0.100	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Iron	SW846/6010	0.909	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Phosphorus, Total	SW846/6010	0.0233	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Potassium	SW846/6010	1.36	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Silica, Tot.	SW846/6010	4.57	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Sodium	SW846/6010	4.67	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Arsenic	SW846/6020	0.0007	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Barium	SW846/6020	0.0355	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Chromium	SW846/6020	0.0008	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Copper	SW846/6020	0.0015	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Lead	SW846/6020	0.001	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Manganese	SW846/6020	0.0738	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Nickel	SW846/6020	0.0018	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Selenium	SW846/6020	0.0005	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Zinc	SW846/6020	0.0059	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Dissolved Solids	EPA160.1	97	mg/l	5.00	15.0	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Total Solids	EPA160.3	106	mg/l	4.00	10.0	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1156	0.5	Total Suspended Solids	EPA160.2	9	mg/l	1.00	5.00	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Alkalinity	EPA310.1	19.1	mg/l	2.00	5.00	1	4/22/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Ammonia	EPA350.1	0.0845	mg/l	0.002	0.00600	2	4/29/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Total Organic Carbon	SM5310B	6.72	mg/l	0.7	1.4	1	4/28/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Chloride	EPA300.0	4.49	mg/l	0.2	1.00	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Hardness	SM2340B	20.8	mgeqCaCO3/l	0.0265	0.132	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Calcium	SW846/6010	5.75	mg/l	0.004	0.0200	1	5/7/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Magnesium	SW846/6010	1.57	mg/l	0.004	0.0200	1	5/7/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.498	mg/l	0.07	0.14	1	4/27/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/27/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Nitrate+Nitrite	EPA300.0	0.0433	mg/l	0.01	0.0300	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Silica, Diss.	EPA6010B	3.15	mg/l	0.00556	0.0556	1.111111	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Sulfate	EPA300.0	7.03	mg/l	0.025	0.100	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Iron	SW846/6010	0.886	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Phosphorus, Total	SW846/6010	0.0213	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Potassium	SW846/6010	1.34	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Silica, Tot.	SW846/6010	4.75	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Sodium	SW846/6010	4.68	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Arsenic	SW846/6020	0.0007	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Barium	SW846/6020	0.035	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Chromium	SW846/6020	0.0007	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Copper	SW846/6020	0.0014	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Lead	SW846/6020	0.00094	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Manganese	SW846/6020	0.074	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Nickel	SW846/6020	0.0017	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Selenium	SW846/6020	0.0004	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Zinc	SW846/6020	0.0049	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Dissolved Solids	EPA160.1	100	mg/l	4.80	14.0	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Total Solids	EPA160.3	108	mg/l	4.00	10.0	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	0.5	Total Suspended Solids	EPA160.2	8	mg/l	0.8	4.00	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Alkalinity	EPA310.1	16.4	mg/l	2.00	5.00	1	4/22/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Ammonia	EPA350.1	0.0701	mg/l	0.002	0.00600	2	4/29/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Total Organic Carbon	SM5310B	6.04	mg/l	0.7	1.4	1	4/28/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Chloride	EPA300.0	4.5	mg/l	0.2	1.00	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Hardness	SM2340B	20.4	mgeqCaCO3/l	0.0265	0.132	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Calcium	SW846/6010	5.52	mg/l	0.004	0.0200	1	5/7/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Magnesium	SW846/6010	1.6	mg/l	0.004	0.0200	1	5/7/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Total Kjeldahl Nitrogen	I-4515-91	0.435	mg/l	0.07	0.14	1	4/27/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Mercury	SW846/7474	0.00001	mg/l	0.00001	0.00002	2	5/27/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Nitrate+Nitrite	EPA300.0	0.0426	mg/l	0.01	0.0300	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Silica, Diss.	EPA6010B	3.23	mg/l	0.00556	0.0556	1.111111	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Sulfate	EPA300.0	6.98	mg/l	0.025	0.100	1	4/16/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Iron	SW846/6010	0.92	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Phosphorus, Total	SW846/6010	0.0222	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Potassium	SW846/6010	1.32	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Silica, Tot.	SW846/6010	4.48	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Sodium	SW846/6010	4.87	mg/l	0.004	0.0200	1	4/24/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Arsenic	SW846/6020	0.0006	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Barium	SW846/6020	0.0354	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Chromium	SW846/6020	0.0007	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Copper	SW846/6020	0.0015	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	1	1HUGOKS0026	4/15/2015	1155	12	Lead	SW846/6020	0.001	mg/l	0.0002	0.0010	1	5/12/2015
H													

Resrvoir	site#	Primary_Station	Date_Collected	Time2	Depth	Parameter	Test_Method	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Analysis_Date
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/27/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Nitrate+Nitrite	EPA300.0	0.043	mg/l	0.01	0.0300	1	4/16/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	4/16/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Silica, Diss.	EPA6010B	3.13	mg/l	0.00556	0.0556	1.111111	4/24/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Sulfate	EPA300.0	7.24	mg/l	0.025	0.100	1	4/16/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Iron	SW846/6010	1.18	mg/l	0.004	0.0200	1	4/24/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Phosphorus, Total	SW846/6010	0.0304	mg/l	0.004	0.0200	1	4/24/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Potassium	SW846/6010	1.43	mg/l	0.004	0.0200	1	4/24/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Silica, Tot.	SW846/6010	5.86	mg/l	0.004	0.0200	1	4/24/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Sodium	SW846/6010	4.61	mg/l	0.004	0.0200	1	4/24/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Arsenic	SW846/6020	0.00065	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Barium	SW846/6020	0.0362	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Chromium	SW846/6020	0.0008	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Copper	SW846/6020	0.0016	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Lead	SW846/6020	0.001	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Manganese	SW846/6020	0.0715	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Nickel	SW846/6020	0.0017	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Selenium	SW846/6020	0.0004	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Zinc	SW846/6020	0.0221	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Dissolved Solids	EPA160.1	107	mg/l	4.80	14.0	1	4/16/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Total Solids	EPA160.3	118	mg/l	4.00	10.0	1	4/16/2015
Hugo	2	1HUGOKS0027	4/15/2015	1100	0.5	Total Suspended Solids	EPA160.2	10.8	mg/l	0.8	4.00	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Alkalinity	EPA310.1	15.3	mg/l	2.00	5.00	1	4/22/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Ammonia	EPA350.1	0.0795	mg/l	0.002	0.00600	2	4/29/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Total Organic Carbon	SM5310B	6.95	mg/l	0.7	1.4	1	4/28/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Chloride	EPA300.0	4.32	mg/l	0.2	1.00	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Hardness	SM2340B	19	mgeqCaCO3/l	0.0265	0.132	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Calcium	SW846/6010	4.94	mg/l	0.004	0.0200	1	5/7/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Magnesium	SW846/6010	1.61	mg/l	0.004	0.0200	1	5/7/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.519	mg/l	0.07	0.14	1	4/27/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/27/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Nitrate+Nitrite	EPA300.0	0.0449	mg/l	0.01	0.0300	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Silica, Diss.	EPA6010B	3.16	mg/l	0.00556	0.0556	1.111111	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Sulfate	EPA300.0	6.88	mg/l	0.025	0.100	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Iron	SW846/6010	1.14	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Phosphorus, Total	SW846/6010	0.0307	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Potassium	SW846/6010	1.39	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Silica, Tot.	SW846/6010	5.4	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Sodium	SW846/6010	4.75	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Arsenic	SW846/6020	0.0007	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Barium	SW846/6020	0.0349	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Chromium	SW846/6020	0.0008	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Copper	SW846/6020	0.0015	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Lead	SW846/6020	0.0011	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Manganese	SW846/6020	0.0824	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Nickel	SW846/6020	0.0018	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Selenium	SW846/6020	0.0004	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Zinc	SW846/6020	0.0077	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Dissolved Solids	EPA160.1	99.2	mg/l	4.80	14.0	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Total Solids	EPA160.3	112	mg/l	4.00	10.0	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	0.5	Total Suspended Solids	EPA160.2	12.8	mg/l	0.8	4.00	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Alkalinity	EPA310.1	14.5	mg/l	2.00	5.00	1	4/22/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Ammonia	EPA350.1	0.128	mg/l	0.002	0.00600	2	4/29/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Total Organic Carbon	SM5310B	6.98	mg/l	0.7	1.4	1	4/28/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Chloride	EPA300.0	4.55	mg/l	0.2	1.00	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Hardness	SM2340B	20.1	mgeqCaCO3/l	0.0265	0.132	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Calcium	SW846/6010	5.4	mg/l	0.004	0.0200	1	5/7/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Magnesium	SW846/6010	1.61	mg/l	0.004	0.0200	1	5/7/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Total Kjeldahl Nitrogen	I-4515-91	0.51	mg/l	0.07	0.14	1	4/27/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Mercury	SW846/7474	0.000011	mg/l	0.00001	0.00002	2	5/27/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Nitrate+Nitrite	EPA300.0	0.0556	mg/l	0.01	0.0300	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Silica, Diss.	EPA6010B	3.56	mg/l	0.00556	0.0556	1.111111	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Sulfate	EPA300.0	6.92	mg/l	0.025	0.100	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Iron	SW846/6010	0.813	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Phosphorus, Total	SW846/6010	0.0326	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Potassium	SW846/6010	1.29	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Silica, Tot.	SW846/6010	4.5	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Sodium	SW846/6010	4.76	mg/l	0.004	0.0200	1	4/24/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Arsenic	SW846/6020	0.0008	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Barium	SW846/6020	0.0475	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Chromium	SW846/6020	0.0006	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Copper	SW846/6020	0.0016	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Lead	SW846/6020	0.0014	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Manganese	SW846/6020	0.535	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Nickel	SW846/6020	0.0018	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Selenium	SW846/6020	0.0005	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Zinc	SW846/6020	0.0062	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Dissolved Solids	EPA160.1	111	mg/l	6.00	20.0	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Total Solids	EPA160.3	134	mg/l	4.00	10.0	1	4/16/2015
Hugo	3	1HUGOKS0028	4/15/2015	1120	13	Total Suspended Solids	EPA160.2	23	mg/l	2.00	10.0	1	4/16/2

Resrvoir	site#	Primary_Station	Date_Collected	Time2	Depth	Parameter	Test_Method	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Analysis_Date
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Silica, Tot.	SW846/6010	4.87	mg/l	0.004	0.0200	1	4/24/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Sodium	SW846/6010	2.72	mg/l	0.004	0.0200	1	4/24/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Arsenic	SW846/6020	0.0008	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Barium	SW846/6020	0.0608	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Chromium	SW846/6020	0.0015	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Copper	SW846/6020	0.0033	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Lead	SW846/6020	0.0033	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Manganese	SW846/6020	0.164	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Nickel	SW846/6020	0.0041	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Selenium	SW846/6020	0.0004	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Zinc	SW846/6020	0.0119	mg/l	0.0002	0.0010	1	5/12/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Dissolved Solids	EPA160.1	117	mg/l	7.64	28.2	1	4/16/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Total Solids	EPA160.3	224	mg/l	4.00	10.0	1	4/16/2015
Hugo	4	1HUGOKS0095	4/15/2015	0930	0.5	Total Suspended Solids	EPA160.2	107	mg/l	3.64	18.2	1	4/16/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Alkalinity	EPA310.1	18.6	mg/l	5.00	10.0	1	5/18/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Ammonia	EPA350.1	0.0816	mg/l	0.005	0.0100	1	6/3/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Total Organic Carbon	SM5310B	7.84	mg/l	0.7	1.4	1	5/19/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Chloride	EPA300.0	3.04	mg/l	0.2	1.00	10	5/13/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Hardness	SM2340B	<0.0265	mgeqCaCO3/l	0.0265	0.132	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.553	mg/l	0.07	0.14	1	5/26/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/14/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Nitrate+Nitrite	EPA300.0	0.0782	mg/l	0.01	0.0300	1	5/13/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	5/13/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Silica, Diss.	EPA6010B	0.166	mg/l	0.005	0.0500	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Sulfate	EPA300.0	5.41	mg/l	0.025	0.100	1	5/13/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Calcium	SW846/6010	<0.004	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Iron	SW846/6010	0.0041	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Magnesium	SW846/6010	<0.004	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Phosphorus, Total	SW846/6010	0.0123	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Potassium	SW846/6010	0.0157	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Silica, Tot.	SW846/6010	0.153	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Sodium	SW846/6010	0.0052	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Arsenic	SW846/6020	0.0006	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Barium	SW846/6020	0.0319	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Chromium	SW846/6020	0.0004	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Copper	SW846/6020	0.0012	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Lead	SW846/6020	0.0007	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Manganese	SW846/6020	0.0396	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Nickel	SW846/6020	0.0012	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Selenium	SW846/6020	0.0003	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Zinc	SW846/6020	0.0015	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Dissolved Solids	EPA160.1	89.2	mg/l	4.80	14.0	1	5/14/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Total Solids	EPA160.3	98	mg/l	4.00	10.0	1	5/14/2015
Hugo	2	1HUGOKS0027	5/12/2015	1046	0.5	Total Suspended Solids	EPA160.2	8.8	mg/l	0.8	4.00	1	5/14/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Alkalinity	EPA310.1	16.2	mg/l	5.00	10.0	1	5/18/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Ammonia	EPA350.1	0.0622	mg/l	0.005	0.0100	1	6/3/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Total Organic Carbon	SM5310B	7.95	mg/l	0.7	1.4	1	5/19/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Chloride	EPA300.0	3.09	mg/l	0.2	1.00	10	5/13/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Hardness	SM2340B	18.4	mgeqCaCO3/l	0.0265	0.132	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.513	mg/l	0.07	0.14	1	5/29/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/14/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Nitrate+Nitrite	EPA300.0	0.0931	mg/l	0.01	0.0300	1	5/13/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	5/13/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Silica, Diss.	EPA6010B	2.34	mg/l	0.005	0.0500	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Sulfate	EPA300.0	5.32	mg/l	0.025	0.100	1	5/13/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Calcium	SW846/6010	4.94	mg/l	0.004	0.0200	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Iron	SW846/6010	0.308	mg/l	0.004	0.0200	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Magnesium	SW846/6010	1.47	mg/l	0.004	0.0200	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Phosphorus, Total	SW846/6010	0.0208	mg/l	0.004	0.0200	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Potassium	SW846/6010	1.47	mg/l	0.004	0.0200	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Silica, Tot.	SW846/6010	2.47	mg/l	0.004	0.0200	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Sodium	SW846/6010	3.7	mg/l	0.004	0.0200	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Arsenic	SW846/6020	0.0005	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Barium	SW846/6020	0.0332	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Chromium	SW846/6020	0.0004	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Copper	SW846/6020	0.0012	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Lead	SW846/6020	0.0006	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Manganese	SW846/6020	0.0446	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Nickel	SW846/6020	0.0011	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Selenium	SW846/6020	0.0003	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Silver	SW846/6020	0.0003	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Zinc	SW846/6020	0.003	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Dissolved Solids	EPA160.1	86.8	mg/l	4.80	14.0	1	5/14/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Total Solids	EPA160.3	96	mg/l	4.00	10.0	1	5/14/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	0.5	Total Suspended Solids	EPA160.2	9.2	mg/l	0.8	4.00	1	5/14/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Alkalinity	EPA310.1	15.4	mg/l	5.00	10.0	1	5/18/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Ammonia	EPA350.1	0.0608	mg/l	0.005	0.0100	1	6/3/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Total Organic Carbon	SM5310B	7.45	mg/l	0.7	1.4	1	5/19/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Chloride	EPA300.0	3.13	mg/l	0.2	1.00	10	5/13/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Hardness	SM2340B	18.4	mgeqCaCO3/l	0.0265	0.132	1	5/21/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Total Kjeldahl Nitrogen	I-4515-91	0.519	mg/l	0.07	0.14	1	5/29/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/14/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Nitrate+Nitrite	EPA300.0	0.0957	mg/l	0.01	0.0300	1	5/13/20

Resrvoir	site#	Primary_Station	Date_Collected	Time2	Depth	Parameter	Test_Method	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Analysis_Date
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Manganese	SW846/6020	0.0473	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Nickel	SW846/6020	0.0011	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Selenium	SW846/6020	0.0003	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Zinc	SW846/6020	0.0035	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Dissolved Solids	EPA160.1	89	mg/l	5.00	15.0	1	5/14/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Total Solids	EPA160.3	98	mg/l	4.00	10.0	1	5/14/2015
Hugo	1	1HUGOKS0026	5/12/2015	0945	13	Total Suspended Solids	EPA160.2	9	mg/l	1.00	5.00	1	5/14/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Alkalinity	EPA310.1	19.7	mg/l	5.00	10.0	1	5/18/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Ammonia	EPA350.1	0.0692	mg/l	0.005	0.0100	1	6/3/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Total Organic Carbon	SM5310B	8.66	mg/l	0.7	1.4	1	5/19/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Chloride	EPA300.0	3.05	mg/l	0.2	1.00	10	5/13/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Hardness	SM2340B	21.5	mgeqCaCO3/l	0.0265	0.132	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.589	mg/l	0.07	0.14	1	5/26/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/14/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Nitrate+Nitrite	EPA300.0	0.0787	mg/l	0.01	0.0300	1	5/13/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	5/13/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Silica, Diss.	EPA6010B	2.25	mg/l	0.005	0.0500	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Sulfate	EPA300.0	5.4	mg/l	0.025	0.100	1	5/13/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Calcium	SW846/6010	6.13	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Iron	SW846/6010	0.322	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Magnesium	SW846/6010	1.5	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Phosphorus, Total	SW846/6010	0.0246	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Potassium	SW846/6010	1.51	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Silica, Tot.	SW846/6010	2.36	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Sodium	SW846/6010	3.62	mg/l	0.004	0.0200	1	5/21/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Arsenic	SW846/6020	0.0006	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Barium	SW846/6020	0.0323	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Chromium	SW846/6020	0.0005	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Copper	SW846/6020	0.0013	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Lead	SW846/6020	0.0007	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Manganese	SW846/6020	0.042	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Nickel	SW846/6020	0.001	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Selenium	SW846/6020	0.0003	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Zinc	SW846/6020	0.0028	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Dissolved Solids	EPA160.1	88.4	mg/l	4.80	14.0	1	5/14/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Total Solids	EPA160.3	98	mg/l	4.00	10.0	1	5/14/2015
Hugo	2	1HUGOKS0027	5/12/2015	1045	0.5	Total Suspended Solids	EPA160.2	9.6	mg/l	0.8	4.00	1	5/14/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Alkalinity	EPA310.1	17.1	mg/l	5.00	10.0	1	5/18/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Ammonia	EPA350.1	0.0845	mg/l	0.005	0.0100	1	6/3/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Total Organic Carbon	SM5310B	10.3	mg/l	0.7	1.4	1	5/19/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Chloride	EPA300.0	2.76	mg/l	0.2	1.00	10	5/13/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Hardness	SM2340B	18.6	mgeqCaCO3/l	0.0265	0.132	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.707	mg/l	0.07	0.14	1	5/26/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/14/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Nitrate+Nitrite	EPA300.0	0.0808	mg/l	0.01	0.0300	1	5/13/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	5/13/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Silica, Diss.	EPA6010B	2.44	mg/l	0.005	0.0500	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Sulfate	EPA300.0	4.7	mg/l	0.025	0.100	1	5/13/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Calcium	SW846/6010	5.13	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Iron	SW846/6010	0.417	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Magnesium	SW846/6010	1.41	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Phosphorus, Total	SW846/6010	0.0363	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Potassium	SW846/6010	1.61	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Silica, Tot.	SW846/6010	2.59	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Sodium	SW846/6010	3.27	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Arsenic	SW846/6020	0.0007	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Barium	SW846/6020	0.0358	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Chromium	SW846/6020	0.0005	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Copper	SW846/6020	0.0015	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Lead	SW846/6020	0.0009	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Manganese	SW846/6020	0.073	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Nickel	SW846/6020	0.0013	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Selenium	SW846/6020	0.0003	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Zinc	SW846/6020	0.0038	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Dissolved Solids	EPA160.1	86	mg/l	5.11	15.6	1	5/14/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Total Solids	EPA160.3	106	mg/l	4.00	10.0	1	5/14/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	0.5	Total Suspended Solids	EPA160.2	20	mg/l	1.11	5.56	1	5/14/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Alkalinity	EPA310.1	12.4	mg/l	5.00	10.0	1	5/18/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Ammonia	EPA350.1	0.09	mg/l	0.005	0.0100	1	6/3/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Total Organic Carbon	SM5310B	10.5	mg/l	0.7	1.4	1	5/19/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Chloride	EPA300.0	2.82	mg/l	0.2	1.00	10	5/13/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Hardness	SM2340B	16.8	mgeqCaCO3/l	0.0265	0.132	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Total Kjeldahl Nitrogen	I-4515-91	0.664	mg/l	0.07	0.14	1	5/29/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/14/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Nitrate+Nitrite	EPA300.0	0.0979	mg/l	0.01	0.0300	1	5/13/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	5/13/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Silica, Diss.	EPA6010B	2.64	mg/l	0.005	0.0500	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Sulfate	EPA300.0	4.59	mg/l	0.025	0.100	1	5/13/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Calcium	SW846/6010	4.37	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Iron	SW846/6010	0.545	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Magnesium	SW846/6010	1.44	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Phosphorus, Total	SW846/6010	0.0469	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130	12	Potassium	SW846/6010	1.58	mg/l	0.004	0.0200	1	5/21/2015
Hugo	3	1HUGOKS0028	5/12/2015	1130</									

Resrvoir	site#	Primary_Station	Date_Collected	Time2	Depth	Parameter	Test_Method	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Analysis_Date
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Alkalinity	EPA310.1	9.17	mg/l	5.00	10.0	1	5/18/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Ammonia	EPA350.1	0.0637	mg/l	0.005	0.0100	1	6/3/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Total Organic Carbon	SM5310B	13.4	mg/l	0.7	1.4	1	5/19/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Chloride	EPA300.0	1.36	mg/l	0.2	1.00	10	5/13/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Hardness	SM2340B	11.3	mgeqCaCO3/l	0.0265	0.132	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.655	mg/l	0.07	0.14	1	5/29/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Mercury	SW846/7474	<0.00001	mg/l	0.00001	0.00002	2	5/14/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Nitrate+Nitrite	EPA300.0	0.0403	mg/l	0.01	0.0300	1	5/13/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	<0.05	mg/l	0.05	0.100	1	5/13/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Silica, Diss.	EPA6010B	2.71	mg/l	0.005	0.0500	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Sulfate	EPA300.0	3.05	mg/l	0.025	0.100	1	5/13/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Calcium	SW846/6010	2.7	mg/l	0.004	0.0200	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Iron	SW846/6010	0.481	mg/l	0.004	0.0200	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Magnesium	SW846/6010	1.1	mg/l	0.004	0.0200	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Phosphorus, Total	SW846/6010	0.0372	mg/l	0.004	0.0200	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Potassium	SW846/6010	1.53	mg/l	0.004	0.0200	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Silica, Tot.	SW846/6010	2.98	mg/l	0.004	0.0200	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Sodium	SW846/6010	2.02	mg/l	0.004	0.0200	1	5/21/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Arsenic	SW846/6020	0.0006	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Barium	SW846/6020	0.0341	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Cadmium	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Chromium	SW846/6020	0.0006	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Copper	SW846/6020	0.0016	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Lead	SW846/6020	0.001	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Manganese	SW846/6020	0.0426	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Nickel	SW846/6020	0.0017	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Selenium	SW846/6020	0.0004	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Silver	SW846/6020	<0.0002	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Zinc	SW846/6020	0.0054	mg/l	0.0002	0.0010	1	5/20/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Dissolved Solids	EPA160.1	67.3	mg/l	5.33	16.7	1	5/14/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Total Solids	EPA160.3	92	mg/l	4.00	10.0	1	5/14/2015
Hugo	4	1HUGOKS0095	5/12/2015	0845	0.5	Total Suspended Solids	EPA160.2	24.7	mg/l	1.33	6.67	1	5/14/2015
										0.01			