

Date	PSC	Time	time2	Depth	depth2	SiteNum	Temp	SpCond	TDS	Dosat	DO	DOchrg	pH	Turbid+	Secchi	LIGHT-PAR-SURF	LIGHT-PAR-DEPTH	Zmax	Notes	site#	PSC	name	
M/D/Y	*	HH:MM:SS	hhmm	meters	m	#	C	uS	g/L	%	mg/L	*	SU	NTU	m	umol/s/m2	umol/s/m2	m	#				
09/14/21	1KAWOKN0096	2:27:44	1130	2.009	2.0	1	26.26	714	0.464	78.8	6.36	36.9	8.00			1141	27.3						
09/14/21	1KAWOKN0096		1130		1.5	1										1107	63.4						
09/14/21	1KAWOKN0096	2:28:03	1130	1.002	1.0	1	26.28	714	0.464	79.4	6.40	36.9	8.01			1060	151.9						
09/14/21	1KAWOKN0096	2:28:26	1130	0.513	0.5	1	26.28	715	0.465	79.5	6.41	35.9	8.01		0.70	1091	379.6	20.8	Zoop tow 5m; Bottom sample 20m; Turbidity probe error				
09/14/21	1KAWOKN0096	2:28:45	1130	0.11	0.1	1	26.28	715	0.465	79.6	6.42	35.9	7.99			1085	686						
09/14/21	1KAWOKN0234	3:39:59	1250	0.486	0.5	9	26.25	713	0.463	121.1	9.76	38.0	8.16						Turbidity probe error				