

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Manganese	SW846/6020	0.0282	0.0282	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Zinc	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Total Organic Carbon	EPA9060	6.54	6.54	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Dissolved Solids	EPA160.1	219	219	mg/l	4.57	12.9	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Total Solids	EPA160.3	224	224	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	0.5	Total Suspended Solids	EPA160.2	4.86	4.86	mg/l	0.571	2.86	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Alkalinity	EPA310.1	125	125	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Ammonia	EPA350.1	0.0244	0.0244	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Chloride	EPA300.0	8.79	8.79	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Hardness	SM2340B	164	164	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Total Kjeldahl Nitrogen	I-4515-91	0.39	0.39	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Nitrite+Nitrate	EPA300.0	0.0100	0.0100	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Phosphorus, Total	EPA6010B	0.019	0.019	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Silica, Diss.	EPA6010B	0.181	0.181	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Silica, Tot.	EPA6010B	0.445	0.445	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Sulfate	EPA300.0	40.0	40.0	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Calcium	EPA6010	49.1	49.1	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Iron	EPA6010	0.146	0.146	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Magnesium	EPA6010	9.98	9.98	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Manganese	SW846/6020	0.0296	0.0296	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Zinc	SW846/6020	0.0062	0.0062	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Total Organic Carbon	EPA9060	8.45	8.45	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Dissolved Solids	EPA160.1	227	227	mg/l	4.57	12.9	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Total Solids	EPA160.3	232	232	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018	12:10:00 PM	1210	17	Total Suspended Solids	EPA160.2	5.14	5.14	mg/l	0.571	2.86	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Alkalinity	EPA310.1	124	124	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Ammonia	EPA350.1	0.0438	0.0438	mg/l	0.005	0.0100	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Chloride	EPA300.0	10.7	10.7	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Hardness	SM2340B	170	170	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.54	0.54	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Nitrite+Nitrate	EPA300.0	0.0266	0.0266	mg/l	0.006	0.0200	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Phosphorus, Total	EPA6010B	0.040	0.040	mg/l	0.004	0.020	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Silica, Diss.	EPA6010B	0.226	0.226	mg/l	0.005	0.0500	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Silica, Tot.	EPA6010B	0.584	0.584	mg/l	0.005	0.0500	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Sulfate	EPA300.0	44.7	44.7	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Calcium	EPA6010	50.6	50.6	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Iron	EPA6010	0.372	0.372	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Magnesium	EPA6010	10.5	10.5	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Copper	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Manganese	SW846/6020	0.0753	0.0753	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Zinc	SW846/6020	0.0057	0.0057	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Total Organic Carbon	EPA9060	8.08	8.08	mg/l	0.5	1.00	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Dissolved Solids	EPA160.1	239	239	mg/l	6	20.0	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Total Solids	EPA160.3	256	256	mg/l	4	10.0	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	0.5	Total Suspended Solids	EPA160.2	17.0	17.0	mg/l	2	10.0	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Alkalinity	EPA310.1	124	124	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Ammonia	EPA350.1	0.0387	0.0387	mg/l	0.005	0.0100	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Chloride	EPA300.0	10.7	10.7	mg/l	0.1	0.300	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Hardness	SM2340B	170	170	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Total Kjeldahl Nitrogen	I-4515-91	0.52	0.52	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Mercury	SW846/7474	0.000014	0.000014	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Nitrite+Nitrate	EPA300.0	0.0267	0.0267	mg/l	0.006	0.0200	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Phosphorus, Total	EPA6010B	0.036	0.036	mg/l	0.004	0.020	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Silica, Diss.	EPA6010B	0.226	0.226	mg/l	0.005	0.0500	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Silica, Tot.	EPA6010B	0.609	0.609	mg/l	0.005	0.0500	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Sulfate	EPA300.0	44.8	44.8	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Calcium	EPA6010	51.0	51.0	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Iron	EPA6010	0.391	0.391	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Magnesium	EPA6010	10.5	10.5	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Chromium	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Copper	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Manganese	SW846/6020	0.0799	0.0799	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Zinc	SW846/6020	0.0089	0.0089	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Total Organic Carbon	EPA9060	9.44	9.44	mg/l	0.5	1.00	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Dissolved Solids	EPA160.1	237	237	mg/l	6	20.0	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Total Solids	EPA160.3	254	254	mg/l	4	10.0	1					
Oologah Lake	2	1OOLOKN0241	4/4/2018	10:00:00 AM	1000	8	Total Suspended Solids	EPA160.2	17.0	17.0	mg/l	2	10.0	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Alkalinity	EPA310.1	125	125	mg/l	5	10.0	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Ammonia	EPA350.1	0.0853	0.0853	mg/l	0.005	0.0100	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Chloride	EPA300.0	14.1	14.1	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Hardness	SM2340B	193	193	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.76	0.76	mg/l	0.07	0.14	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Nitrite+Nitrate	EPA300.0	0.170	0.170	mg/l	0.006	0.0200	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0122	0.0122	mg/l	0.01	0.0300	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Phosphorus, Total	EPA6010B	0.077	0.077	mg/l	0.004	0.020	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Silica, Diss.	EPA6010B	0.697	0.697	mg/l	0.005	0.0500	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Silica, Tot.	EPA6010B	1.35	1.35	mg/l	0.005	0.0500	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Calcium	EPA6010	57.0	57.0	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Iron	EPA6010	0.785	0.785	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Magnesium	EPA6010	12.3	12.3	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Arsenic	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Chromium	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Copper	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Lead	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Manganese	SW846/6020	0.112	0.112	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Nickel	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Zinc	SW846/6020	0.0079	0.0079	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Total Organic Carbon	EPA9060	12.1	12.1	mg/l	0.5	1.00	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Dissolved Solids	EPA160.1	280	280	mg/l	6.86	24.3	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Total Solids	EPA160.3	320	320	mg/l	4	10.0	1					
Oologah Lake	3	1OOLOKN0127	4/4/2018	11:05:00 AM	1105	0.5	Total Suspended Solids	EPA160.2	40.0	40.0	mg/l	2.86	14.3	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Alkalinity	EPA310.1	129	129	mg/l	5	10.0	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Ammonia	EPA350.1	0.0296	0.0296	mg/l	0.005	0.0100	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Chloride	EPA300.0	9.00	9.00	mg/l	0.1	0.300	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Hardness	SM2340B	167	167	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.41	0.41	mg/l	0.07	0.14	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Nitrite+Nitrate	EPA300.0	0.0317	0.0317	mg/l	0.006	0.0200	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Phosphorus, Total	EPA6010B	0.028	0.028	mg/l	0.004	0.020	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Silica, Diss.	EPA6010B	0.238	0.238	mg/l	0.005	0.0500	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Silica, Tot.	EPA6010B	0.519	0.519	mg/l	0.005	0.0500	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Sulfate	EPA300.0	40.6	40.6	mg/l	0.1	0.300	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Calcium	EPA6010	50.0	50.0	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Iron	EPA6010	0.195	0.195	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Magnesium	EPA6010	10.1	10.1	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Arsenic	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Manganese	SW846/6020	0.0688	0.0688	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Zinc	SW846/6020	0.0044	0.0044	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Total Organic Carbon	EPA9060	8.72	8.72	mg/l	0.5	1.00	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Dissolved Solids	EPA160.1	222	222	mg/l	4.8	14.0	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Total Solids	EPA160.3	230	230	mg/l	4	10.0	1					
Oologah Lake	4	1OOLOKN0244	4/4/2018	8:40:00 AM	0840	0.5	Total Suspended Solids	EPA160.2	7.60	7.60	mg/l	0.8	4.00	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Silica, Diss.	EPA6010B	0.0499	0.0499	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Silica, Tot.	EPA6010B	0.0490	0.0490	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Calcium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Zinc	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Total Suspended Solids	EPA160.2	3.00	3.00	mg/l	2	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	7:15:00 AM	0715	0.0	Ammonia	EPA350.1	0.0548	0.0548	mg/l	0.005	0.0100	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Alkalinity	EPA310.1	144	144	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Chloride	EPA300.0	18.4	18.4	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Hardness	SM2340B	199	199	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.56	0.56	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Nitrite+Nitrate	EPA300.0	0.0451	0.0451	mg/l	0.006	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0152	0.0152	mg/l	0.01	0.0300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Phosphorus, Total	EPA6010B	0.080	0.080	mg/l	0.004	0.020	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Silica, Diss.	EPA6010B	1.26	1.26	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Silica, Tot.	EPA6010B	1.68	1.68	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Sulfate	EPA300.0	68.8	68.8	mg/l	1	3.00	10					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Calcium	EPA6010	60.0	60.0	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Iron	EPA6010	0.200	0.200	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Magnesium	EPA6010	11.9	11.9	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Arsenic	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Chromium	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Lead	SW846/6020	0.00032	0.00032	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Manganese	SW846/6020	0.0637	0.0637	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Zinc	SW846/6020	0.0035	0.0035	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Total Organic Carbon	EPA9060	4.63	4.63	mg/l	0.5	1.00	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Dissolved Solids	EPA160.1	324	324	mg/l	4.8	14.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Total Solids	EPA160.3	334	334	mg/l	4	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Total Suspended Solids	EPA160.2	10.0	10.0	mg/l	0.8	4.00	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0921	0.5	Ammonia	EPA350.1	0.0474	0.0474	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Alkalinity	EPA310.1	122	122	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Chloride	EPA300.0	10.5	10.5	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Hardness	SM2340B	166	166	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.38	0.38	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Phosphorus, Total	EPA6010B	0.048	0.048	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Silica, Diss.	EPA6010B	0.537	0.537	mg/l	0.005	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Silica, Tot.	EPA6010B	0.711	0.711	mg/l	0.005	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Sulfate	EPA300.0	55.5	55.5	mg/l	1	3.00	10					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Calcium	EPA6010	49.6	49.6	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Iron	EPA6010	0.0502	0.0502	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Magnesium	EPA6010	10.2	10.2	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Copper	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Manganese	SW846/6020	0.0046	0.0046	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Nickel	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Zinc	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Total Organic Carbon	EPA9060	4.14	4.14	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Dissolved Solids	EPA160.1	259	259	mg/l	4.4	12.0	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Total Solids	EPA160.3	262	262	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Total Suspended Solids	EPA160.2	2.60	2.60	mg/l	0.4	2.00	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	0.5	Ammonia	EPA350.1	0.0782	0.0782	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Alkalinity	EPA310.1	121	121	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Chloride	EPA300.0	9.83	9.83	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Hardness	SM2340B	159	159	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Total Kjeldahl Nitrogen	I-4515-91	0.38	0.38	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Nitrite+Nitrate	EPA300.0	0.166	0.166	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0290	0.0290	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Phosphorus, Total	EPA6010B	0.063	0.063	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Silica, Diss.	EPA6010B	1.25	1.25	mg/l	0.005	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Silica, Tot.	EPA6010B	1.79	1.79	mg/l	0.005	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Sulfate	EPA300.0	52.4	52.4	mg/l	1	3.00	10					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Calcium	EPA6010	47.8	47.8	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Iron	EPA6010	0.251	0.251	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Magnesium	EPA6010	9.57	9.57	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Chromium	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Manganese	SW846/6020	0.0883	0.0883	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Zinc	SW846/6020	0.0032	0.0032	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Total Organic Carbon	EPA9060	4.35	4.35	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Dissolved Solids	EPA160.1	260	260	mg/l	4.8	14.0	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Total Solids	EPA160.3	268	268	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Total Suspended Solids	EPA160.2	8.00	8.00	mg/l	0.8	4.00	1					
Oologah Lake	1	1OOLOKN0120	5/22/2018	11:30:00 AM	1130	19.5	Ammonia	EPA350.1	0.0928	0.0928	mg/l	0.005	0.0100	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Alkalinity	EPA310.1	143	143	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Chloride	EPA300.0	18.5	18.5	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Hardness	SM2340B	203	203	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.61	0.61	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Nitrite+Nitrate	EPA300.0	0.0460	0.0460	mg/l	0.006	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0134	0.0134	mg/l	0.01	0.0300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Phosphorus, Total	EPA6010B	0.078	0.078	mg/l	0.004	0.020	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Silica, Diss.	EPA6010B	1.24	1.24	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Silica, Tot.	EPA6010B	2.12	2.12	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Sulfate	EPA300.0	67.9	67.9	mg/l	1	3.00	10					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Calcium	EPA6010	61.1	61.1	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Iron	EPA6010	0.283	0.283	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Magnesium	EPA6010	12.2	12.2	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Arsenic	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Chromium	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Manganese	SW846/6020	0.0661	0.0661	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Zinc	SW846/6020	0.0035	0.0035	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Total Organic Carbon	EPA9060	4.71	4.71	mg/l	0.5	1.00	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Dissolved Solids	EPA160.1	306	306	mg/l	4.8	14.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Total Solids	EPA160.3	316	316	mg/l	4	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Total Suspended Solids	EPA160.2	10.0	10.0	mg/l	0.8	4.00	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	0.5	Ammonia	EPA350.1	0.0958	0.0958	mg/l	0.005	0.0100	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Alkalinity	EPA310.1	123	123	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Chloride	EPA300.0	10.6	10.6	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Hardness	SM2340B	170	170	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Total Kjeldahl Nitrogen	I-4515-91	0.47	0.47	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Nitrite+Nitrate	EPA300.0	0.183	0.183	mg/l	0.006	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0263	0.0263	mg/l	0.01	0.0300	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Phosphorus, Total	EPA6010B	0.089	0.089	mg/l	0.004	0.020	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Silica, Diss.	EPA6010B	1.92	1.92	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Silica, Tot.	EPA6010B	2.48	2.48	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Sulfate	EPA300.0	55.5	55.5	mg/l	1	3.00	10					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Calcium	EPA6010	51.2	51.2	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Iron	EPA6010	0.350	0.350	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Magnesium	EPA6010	10.3	10.3	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Arsenic	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Chromium	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Manganese	SW846/6020	0.253	0.253	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Zinc	SW846/6020	0.0043	0.0043	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Total Organic Carbon	EPA9060	4.83	4.83	mg/l	0.5	1.00	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Dissolved Solids	EPA160.1	277	277	mg/l	6	20.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Total Solids	EPA160.3	302	302	mg/l	4	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Total Suspended Solids	EPA160.2	25.0	25.0	mg/l	2	10.0	1					
Oologah Lake	2	1OOLOKN0241	5/22/2018	9:20:00 AM	0920	11.5	Ammonia	EPA350.1	0.0822	0.0822	mg/l	0.005	0.0100	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Alkalinity	EPA310.1	84.7	84.7	mg/l	5	10.0	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Chloride	EPA300.0	8.51	8.51	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Hardness	SM2340B	98.5	98.5	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Total Kjeldahl Nitrogen	I-4515-91	1.12	1.12	mg/l	0.07	0.14	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Mercury	SW846/7474	0.000013	0.000013	mg/l	0.00001	0.00002	2					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Nitrite+Nitrate	EPA300.0	1.23	1.23	mg/l	0.006	0.0200	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0527	0.0527	mg/l	0.01	0.0300	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Phosphorus, Total	EPA6010B	0.152	0.152	mg/l	0.004	0.020	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Silica, Diss.	EPA6010B	3.50	3.50	mg/l	0.005	0.0200	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Silica, Tot.	EPA6010B	4.70	4.70	mg/l	0.005	0.0200	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Sulfate	EPA300.0	16.7	16.7	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Calcium	EPA6010	31.9	31.9	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Iron	EPA6010	0.731	0.731	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Magnesium	EPA6010	4.58	4.58	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Arsenic	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Chromium	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Copper	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Lead	SW846/6020	0.0029	0.0029	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Manganese	SW846/6020	0.0662	0.0662	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Nickel	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Zinc	SW846/6020	0.0074	0.0074	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Total Organic Carbon	EPA9060	9.87	9.87	mg/l	0.5	1.00	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Dissolved Solids	EPA160.1	234	234	mg/l	8	30.0	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Total Solids	EPA160.3	342	342	mg/l	4	10.0	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Total Suspended Solids	EPA160.2	108	108	mg/l	4	20.0	1					
Oologah Lake	3	1OOLOKN0127	5/22/2018	10:30:00 AM	1030	0.5	Ammonia	EPA350.1	0.139	0.139	mg/l	0.005	0.0100	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Alkalinity	EPA310.1	122	122	mg/l	5	10.0	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Chloride	EPA300.0	10.0	10.0	mg/l	0.1	0.300	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Hardness	SM2340B	163	163	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Nitrite+Nitrate	EPA300.0	0.0420	0.0420	mg/l	0.006	0.0200	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0130	0.0130	mg/l	0.01	0.0300	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Phosphorus, Total	EPA6010B	0.070	0.070	mg/l	0.004	0.020	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Silica, Diss.	EPA6010B	0.879	0.879	mg/l	0.005	0.0200	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Silica, Tot.	EPA6010B	1.64	1.64	mg/l	0.005	0.0200	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Sulfate	EPA300.0	52.7	52.7	mg/l	1	3.00	10					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Calcium	EPA6010	49.1	49.1	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Iron	EPA6010	0.247	0.247	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Magnesium	EPA6010	9.90	9.90	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Chromium	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Manganese	SW846/6020	0.0634	0.0634	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Zinc	SW846/6020	0.0030	0.0030	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Total Organic Carbon	EPA9060	4.29	4.29	mg/l	0.5	1.00	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Dissolved Solids	EPA160.1	257	257	mg/l	4.57	12.9	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Total Solids	EPA160.3	264	264	mg/l	4	10.0	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Total Suspended Solids	EPA160.2	7.14	7.14	mg/l	0.571	2.86	1					
Oologah Lake	4	1OOLOKN0244	5/22/2018	12:50:00 PM	1250	0.5	Ammonia	EPA350.1	0.0851	0.0851	mg/l	0.005	0.0100	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.0100	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Phosphorus, Total	EPA6010B	0.004	0.004	mg/l	0.004	0.020	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Silica, Diss.	EPA6010B	0.0528	0.0528	mg/l	0.005	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Silica, Tot.	EPA6010B	0.0546	0.0546	mg/l	0.005	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Calcium	EPA6010	0.0069	0.0069	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Magnesium	EPA6010	0.0061	0.0061	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Zinc	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	7:40:00 AM	0740	0.0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Alkalinity	EPA310.1	128	128	mg/l	5	10.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Ammonia	EPA350.1	0.0496	0.0496	mg/l	0.005	0.0100	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Chloride	EPA300.0	11.7	11.7	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Hardness	SM2340B	137	137	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.69	0.69	mg/l	0.07	0.14	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Mercury	SW846/7474	0.000006	0.000006	mg/l	0.000005	0.00001	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Nitrite+Nitrate	EPA300.0	0.267	0.267	mg/l	0.006	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0350	0.0350	mg/l	0.01	0.0300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Phosphorus, Total	EPA6010B	0.119	0.119	mg/l	0.004	0.020	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Silica, Diss.	EPA6010B	3.18	3.18	mg/l	0.005	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Silica, Tot.	EPA6010B	3.82	3.82	mg/l	0.005	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Sulfate	EPA300.0	18.0	18.0	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Calcium	EPA6010	43.3	43.3	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Iron	EPA6010	0.511	0.511	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Magnesium	EPA6010	7.06	7.06	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Arsenic	SW846/6020	0.0031	0.0031	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Copper	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Lead	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Manganese	SW846/6020	0.121	0.121	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Nickel	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Zinc	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Total Organic Carbon	EPA9060	10.4	10.4	mg/l	0.5	1.00	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Dissolved Solids	EPA160.1	222	222	mg/l	6.5	22.5	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Total Solids	EPA160.3	256	256	mg/l	4	10.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1016	0.5	Total Suspended Solids	EPA160.2	33.8	33.8	mg/l	2.5	12.5	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Alkalinity	EPA310.1	125	125	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Ammonia	EPA350.1	0.0345	0.0345	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Chloride	EPA300.0	12.6	12.6	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Hardness	SM2340B	169	169	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.42	0.42	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Nitrite+Nitrate	EPA300.0	0.0295	0.0295	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Phosphorus, Total	EPA6010B	0.054	0.054	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Silica, Diss.	EPA6010B	1.50	1.50	mg/l	0.005	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Silica, Tot.	EPA6010B	1.76	1.76	mg/l	0.005	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Sulfate	EPA300.0	45.2	45.2	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Calcium	EPA6010	50.0	50.0	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Iron	EPA6010	0.0592	0.0592	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Magnesium	EPA6010	10.6	10.6	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Arsenic	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Manganese	SW846/6020	0.0279	0.0279	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Zinc	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Total Organic Carbon	EPA9060	6.26	6.26	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Dissolved Solids	EPA160.1	264	264	mg/l	4.33	11.7	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Total Solids	EPA160.3	266	266	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	0.5	Total Suspended Solids	EPA160.2	1.83	1.83	mg/l	0.333	1.67	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Alkalinity	EPA310.1	124	124	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Ammonia	EPA350.1	0.0311	0.0311	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Chloride	EPA300.0	12.5	12.5	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Hardness	SM2340B	168	168	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Nitrite+Nitrate	EPA300.0	0.210	0.210	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Ortho-Phosphorus, Dissolve	EPA300.0	0.0374	0.0374	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Phosphorus, Total	EPA6010B	0.065	0.065	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Silica, Diss.	EPA6010B	2.85	2.85	mg/l	0.005	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Silica, Tot.	EPA6010B	3.44	3.44	mg/l	0.005	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Sulfate	EPA300.0	43.7	43.7	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Calcium	EPA6010	50.8	50.8	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Iron	EPA6010	0.272	0.272	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Magnesium	EPA6010	10.1	10.1	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Arsenic	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Lead	SW846/6020	0.00047	0.00047	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Manganese	SW846/6020	0.794	0.794	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Nickel	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Zinc	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Total Organic Carbon	EPA9060	6.25	6.25	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Dissolved Solids	EPA160.1	272	272	mg/l	5	15.0	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Total Solids	EPA160.3	284	284	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	6/5/2018	12:00:00 PM	1200	19	Total Suspended Solids	EPA160.2	11.5	11.5	mg/l	1	5.00	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Alkalinity	EPA310.1	119	119	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Ammonia	EPA350.1	0.0291	0.0291	mg/l	0.005	0.0100	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Chloride	EPA300.0	13.8	13.8	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Hardness	SM2340B	152	152	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Nitrite+Nitrate	EPA300.0	0.126	0.126	mg/l	0.006	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0154	0.0154	mg/l	0.01	0.0300	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Phosphorus, Total	EPA6010B	0.064	0.064	mg/l	0.004	0.020	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Silica, Diss.	EPA6010B	2.63	2.63	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Silica, Tot.	EPA6010B	3.07	3.07	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Sulfate	EPA300.0	36.0	36.0	mg/l	0.1	0.300	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Calcium	EPA6010	45.8	45.8	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Iron	EPA6010	0.163	0.163	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Magnesium	EPA6010	9.16	9.16	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Arsenic	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Manganese	SW846/6020	0.0760	0.0760	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Zinc	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Total Organic Carbon	EPA9060	8.51	8.51	mg/l	0.5	1.00	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Dissolved Solids	EPA160.1	244	244	mg/l	4.8	14.0	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Total Solids	EPA160.3	250	250	mg/l	4	10.0	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	0.5	Total Suspended Solids	EPA160.2	6.40	6.40	mg/l	0.8	4.00	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Alkalinity	EPA310.1	122	122	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Ammonia	EPA350.1	0.0515	0.0515	mg/l	0.005	0.0100	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Chloride	EPA300.0	13.4	13.4	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Hardness	SM2340B	159	159	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Total Kjeldahl Nitrogen	I-4515-91	0.5	0.5	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Nitrite+Nitrate	EPA300.0	0.332	0.332	mg/l	0.006	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Ortho-Phosphorus, Dissolve	EPA300.0	0.0256	0.0256	mg/l	0.01	0.0300	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Phosphorus, Total	EPA6010B	0.085	0.085	mg/l	0.004	0.020	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Silica, Diss.	EPA6010B	3.34	3.34	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Silica, Tot.	EPA6010B	4.00	4.00	mg/l	0.005	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Sulfate	EPA300.0	38.5	38.5	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Calcium	EPA6010	48.4	48.4	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Iron	EPA6010	0.258	0.258	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Magnesium	EPA6010	9.30	9.30	mg/l	0.004	0.0200	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Arsenic	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Lead	SW846/6020	0.00056	0.00056	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Manganese	SW846/6020	0.784	0.784	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Zinc	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Total Organic Carbon	EPA9060	7.55	7.55	mg/l	0.5	1.00	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Dissolved Solids	EPA160.1	271	271	mg/l	5	15.0	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Total Solids	EPA160.3	282	282	mg/l	4	10.0	1					
Oologah Lake	2	1OOLOKN0241	6/5/2018	11:10:00 AM	1110	11	Total Suspended Solids	EPA160.2	11.0	11.0	mg/l	1	5.00	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Alkalinity	EPA310.1	129	129	mg/l	5	10.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Ammonia	EPA350.1	0.0353	0.0353	mg/l	0.005	0.0100	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Chloride	EPA300.0	11.7	11.7	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Hardness	SM2340B	138	138	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.56	0.56	mg/l	0.07	0.14	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Mercury	SW846/7474	0.000005	0.000005	mg/l	0.000005	0.00001	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Nitrite+Nitrate	EPA300.0	0.267	0.267	mg/l	0.006	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0374	0.0374	mg/l	0.01	0.0300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Phosphorus, Total	EPA6010B	0.119	0.119	mg/l	0.004	0.020	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Silica, Diss.	EPA6010B	3.19	3.19	mg/l	0.005	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Silica, Tot.	EPA6010B	3.84	3.84	mg/l	0.005	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Sulfate	EPA300.0	18.1	18.1	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Calcium	EPA6010	43.7	43.7	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Iron	EPA6010	0.508	0.508	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Magnesium	EPA6010	7.09	7.09	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Arsenic	SW846/6020	0.0031	0.0031	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Copper	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Lead	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Manganese	SW846/6020	0.124	0.124	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Nickel	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Zinc	SW846/6020	0.0057	0.0057	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Total Organic Carbon	EPA9060	10.2	10.2	mg/l	0.5	1.00	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Dissolved Solids	EPA160.1	223	223	mg/l	6	20.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Total Solids	EPA160.3	258	258	mg/l	4	10.0	1					
Oologah Lake	3	1OOLOKN0127	6/5/2018	10:15:00 AM	1015	0.5	Total Suspended Solids	EPA160.2	35.0	35.0	mg/l	2	10.0	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Alkalinity	EPA310.1	128	128	mg/l	5	10.0	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Ammonia	EPA350.1	0.0728	0.0728	mg/l	0.005	0.0100	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Chloride	EPA300.0	12.5	12.5	mg/l	0.1	0.300	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Hardness	SM2340B	175	175	mgeqCaCO3/l	0.0265	0.132	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.48	0.48	mg/l	0.07	0.14	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Mercury	SW846/7474	ND	<0.000005	mg/l	0.000005	0.00001	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Nitrite+Nitrate	EPA300.0	0.213	0.213	mg/l	0.006	0.0200	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0109	0.0109	mg/l	0.01	0.0300	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Phosphorus, Total	EPA6010B	0.068	0.068	mg/l	0.004	0.020	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Silica, Diss.	EPA6010B	2.86	2.86	mg/l	0.005	0.0200	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Silica, Tot.	EPA6010B	3.27	3.27	mg/l	0.005	0.0200	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Sulfate	EPA300.0	43.7	43.7	mg/l	0.1	0.300	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Calcium	EPA6010	52.9	52.9	mg/l	0.004	0.0200	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Iron	EPA6010	0.241	0.241	mg/l	0.004	0.0200	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Magnesium	EPA6010	10.4	10.4	mg/l	0.004	0.0200	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Arsenic	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Copper	SW846/6020	0.0020	0.0020	mg/l	0.0002	0.0010	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Manganese	SW846/6020	0.672	0.672	mg/l	0.0002	0.0010	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Zinc	SW846/6020	0.0035	0.0035	mg/l	0.0002	0.0010	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Total Organic Carbon	EPA9060	7.20	7.20	mg/l	0.5	1.00	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Dissolved Solids	EPA160.1	266	266	mg/l	4.8	14.0	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Total Solids	EPA160.3	274	274	mg/l	4	10.0	1						
Oologah Lake	4	10OLOKN0244	6/5/2018	8:45:00 AM	0845	0.5	Total Suspended Solids	EPA160.2	8.40	8.40	mg/l	0.8	4.00	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Ammonia	EPA350.1	0.0282	0.0282	mg/l	0.005	0.0100	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Silica, Diss.	EPA6010B	0.0229	0.0229	mg/l	0.005	0.0500	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Silica, Tot.	EPA6010B	0.0186	0.0186	mg/l	0.005	0.0500	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Calcium	EPA6010	0.0081	0.0081	mg/l	0.004	0.0200	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Iron	EPA6010	0.0089	0.0089	mg/l	0.004	0.0200	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Magnesium	EPA6010	0.0116	0.0116	mg/l	0.004	0.0200	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Zinc	SW846/6020	0.0076	0.0076	mg/l	0.0002	0.0010	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	6:40:00 AM	0640	0.0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Alkalinity	EPA310.1	127	127	mg/l	5	10.0	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Ammonia	EPA350.1	0.0500	0.0500	mg/l	0.005	0.0100	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Chloride	EPA300.0	13.4	13.4	mg/l	0.1	0.300	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Hardness	SM2340B	172	172	mgeqCaCO3/l	0.0265	0.132	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.45	0.45	mg/l	0.07	0.14	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Nitrite+Nitrate	EPA300.0	0.0339	0.0339	mg/l	0.006	0.0200	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0103	0.0103	mg/l	0.01	0.0300	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Phosphorus, Total	EPA6010B	0.086	0.086	mg/l	0.004	0.020	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Silica, Diss.	EPA6010B	1.85	1.85	mg/l	0.005	0.0500	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Silica, Tot.	EPA6010B	2.18	2.18	mg/l	0.005	0.0500	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Sulfate	EPA300.0	45.5	45.5	mg/l	0.1	0.300	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Calcium	EPA6010	51.1	51.1	mg/l	0.004	0.0200	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Iron	EPA6010	0.116	0.116	mg/l	0.004	0.0200	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Magnesium	EPA6010	10.7	10.7	mg/l	0.004	0.0200	1						
Oologah Lake	1	10OLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Arsenic	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1						

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Manganese	SW846/6020	0.0299	0.0299	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Zinc	SW846/6020	0.0071	0.0071	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Total Organic Carbon	EPA9060	5.28	5.28	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Dissolved Solids	EPA160.1	260	260	mg/l	4.5	12.5	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Total Solids	EPA160.3	264	264	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1006	0.5	Total Suspended Solids	EPA160.2	4.50	4.50	mg/l	0.5	2.50	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Alkalinity	EPA310.1	127	127	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Ammonia	EPA350.1	0.0399	0.0399	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Chloride	EPA300.0	13.3	13.3	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Hardness	SM2340B	173	173	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.44	0.44	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Nitrite+Nitrate	EPA300.0	0.0305	0.0305	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0100	0.0100	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Phosphorus, Total	EPA6010B	0.090	0.090	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Silica, Diss.	EPA6010B	1.86	1.86	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Silica, Tot.	EPA6010B	2.13	2.13	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Sulfate	EPA300.0	45.6	45.6	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Calcium	EPA6010	51.4	51.4	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Iron	EPA6010	0.119	0.119	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Magnesium	EPA6010	10.8	10.8	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Arsenic	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Manganese	SW846/6020	0.0299	0.0299	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Zinc	SW846/6020	0.0095	0.0095	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Total Organic Carbon	EPA9060	5.30	5.30	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Dissolved Solids	EPA160.1	263	263	mg/l	4.5	12.5	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Total Solids	EPA160.3	268	268	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	0.5	Total Suspended Solids	EPA160.2	5.00	5.00	mg/l	0.5	2.50	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Alkalinity	EPA310.1	128	128	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Ammonia	EPA350.1	0.0358	0.0358	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Chloride	EPA300.0	13.3	13.3	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Hardness	SM2340B	175	175	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Nitrite+Nitrate	EPA300.0	0.169	0.169	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Ortho-Phosphorus, Dissolve	EPA300.0	0.0289	0.0289	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Phosphorus, Total	EPA6010B	0.117	0.117	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Silica, Diss.	EPA6010B	2.31	2.31	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Silica, Tot.	EPA6010B	2.66	2.66	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Sulfate	EPA300.0	46.1	46.1	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Calcium	EPA6010	52.5	52.5	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Iron	EPA6010	0.259	0.259	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Magnesium	EPA6010	10.8	10.8	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Arsenic	SW846/6020	0.0033	0.0033	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Lead	SW846/6020	0.00041	0.00041	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Manganese	SW846/6020	0.237	0.237	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Zinc	SW846/6020	0.0054	0.0054	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Total Organic Carbon	EPA9060	5.17	5.17	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Dissolved Solids	EPA160.1	266	266	mg/l	4.8	14.0	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Total Solids	EPA160.3	276	276	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	7/2/2018	10:05:00 AM	1005	17	Total Suspended Solids	EPA160.2	9.60	9.60	mg/l	0.8	4.00	1					
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Alkalinity	EPA310.1	129	129	mg/l	5	10.0	1					
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Ammonia	EPA350.1	0.0474	0.0474	mg/l	0.005	0.0100	1					
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Chloride	EPA300.0	13.6	13.6	mg/l	0.1	0.300	1					
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Hardness	SM2340B	167	167	mgeqCaCO3/l	0.0265	0.132	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.63	0.63	mg/l	0.07	0.14	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Nitrite+Nitrate	EPA300.0	0.00684	0.00684	mg/l	0.006	0.0200	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0254	0.0254	mg/l	0.01	0.0300	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Phosphorus, Total	EPA6010B	0.107	0.107	mg/l	0.004	0.020	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Silica, Diss.	EPA6010B	1.65	1.65	mg/l	0.005	0.0500	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Silica, Tot.	EPA6010B	1.90	1.90	mg/l	0.005	0.0500	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Sulfate	EPA300.0	38.8	38.8	mg/l	0.1	0.300	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Calcium	EPA6010	50.3	50.3	mg/l	0.004	0.0200	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Iron	EPA6010	0.142	0.142	mg/l	0.004	0.0200	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Magnesium	EPA6010	10.0	10.0	mg/l	0.004	0.0200	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Arsenic	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Chromium	SW846/6020	0.00044	0.00044	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Manganese	SW846/6020	0.0533	0.0533	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Zinc	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Total Organic Carbon	EPA9060	6.46	6.46	mg/l	0.5	1.00	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Dissolved Solids	EPA160.1	234	234	mg/l	4.8	14.0	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Total Solids	EPA160.3	242	242	mg/l	4	10.0	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	0.5	Total Suspended Solids	EPA160.2	8.00	8.00	mg/l	0.8	4.00	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Alkalinity	EPA310.1	128	128	mg/l	5	10.0	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Ammonia	EPA350.1	0.0623	0.0623	mg/l	0.005	0.0100	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Chloride	EPA300.0	13.5	13.5	mg/l	0.1	0.300	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Hardness	SM2340B	167	167	mgeqCaCO3/l	0.0265	0.132	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Total Kjeldahl Nitrogen	I-4515-91	0.59	0.59	mg/l	0.07	0.14	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Nitrite+Nitrate	EPA300.0	0.0266	0.0266	mg/l	0.006	0.0200	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Ortho-Phosphorus, Dissolve	EPA300.0	0.0304	0.0304	mg/l	0.01	0.0300	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Phosphorus, Total	EPA6010B	0.119	0.119	mg/l	0.004	0.020	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Silica, Diss.	EPA6010B	1.88	1.88	mg/l	0.005	0.0500	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Silica, Tot.	EPA6010B	2.18	2.18	mg/l	0.005	0.0500	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Sulfate	EPA300.0	38.9	38.9	mg/l	0.1	0.300	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Calcium	EPA6010	50.4	50.4	mg/l	0.004	0.0200	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Iron	EPA6010	0.297	0.297	mg/l	0.004	0.0200	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Magnesium	EPA6010	10.0	10.0	mg/l	0.004	0.0200	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Arsenic	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Copper	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Manganese	SW846/6020	0.110	0.110	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Zinc	SW846/6020	0.0117	0.0117	mg/l	0.0002	0.0010	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Total Organic Carbon	EPA9060	5.87	5.87	mg/l	0.5	1.00	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Dissolved Solids	EPA160.1	237	237	mg/l	5.18	15.9	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Total Solids	EPA160.3	250	250	mg/l	4	10.0	1						
Oologah Lake	2	1OOLOKN0241	7/2/2018	8:40:00 AM	0840	9	Total Suspended Solids	EPA160.2	12.9	12.9	mg/l	1.18	5.88	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Alkalinity	EPA310.1	135	135	mg/l	5	10.0	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Ammonia	EPA350.1	0.0579	0.0579	mg/l	0.005	0.0100	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Chloride	EPA300.0	13.4	13.4	mg/l	0.1	0.300	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Hardness	SM2340B	157	157	mgeqCaCO3/l	0.0265	0.132	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.75	0.75	mg/l	0.07	0.14	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Nitrite+Nitrate	EPA300.0	0.0106	0.0106	mg/l	0.006	0.0200	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0330	0.0330	mg/l	0.01	0.0300	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Phosphorus, Total	EPA6010B	0.143	0.143	mg/l	0.004	0.020	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Silica, Diss.	EPA6010B	1.51	1.51	mg/l	0.005	0.0500	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Silica, Tot.	EPA6010B	1.88	1.88	mg/l	0.005	0.0500	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Sulfate	EPA300.0	28.6	28.6	mg/l	0.1	0.300	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Calcium	EPA6010	48.0	48.0	mg/l	0.004	0.0200	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Iron	EPA6010	0.368	0.368	mg/l	0.004	0.0200	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Magnesium	EPA6010	9.07	9.07	mg/l	0.004	0.0200	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Arsenic	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Copper	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1						

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Manganese	SW846/6020	0.151	0.151	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Zinc	SW846/6020	0.0059	0.0059	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Total Organic Carbon	EPA9060	8.35	8.35	mg/l	0.5	1.00	1					
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Dissolved Solids	EPA160.1	229	229	mg/l	6	20.0	1					
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Total Solids	EPA160.3	254	254	mg/l	4	10.0	1					
Oologah Lake	3	1OOLOKN0127	7/2/2018	9:15:00 AM	0915	0.5	Total Suspended Solids	EPA160.2	25.0	25.0	mg/l	2	10.0	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Alkalinity	EPA310.1	127	127	mg/l	5	10.0	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Ammonia	EPA350.1	0.0667	0.0667	mg/l	0.005	0.0100	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Chloride	EPA300.0	13.3	13.3	mg/l	0.1	0.300	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Hardness	SM2340B	175	175	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.47	0.47	mg/l	0.07	0.14	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Nitrite+Nitrate	EPA300.0	0.204	0.204	mg/l	0.006	0.0200	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0339	0.0339	mg/l	0.01	0.0300	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Phosphorus, Total	EPA6010B	0.121	0.121	mg/l	0.004	0.020	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Silica, Diss.	EPA6010B	2.47	2.47	mg/l	0.005	0.0500	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Silica, Tot.	EPA6010B	2.77	2.77	mg/l	0.005	0.0500	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Sulfate	EPA300.0	46.0	46.0	mg/l	0.1	0.300	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Calcium	EPA6010	52.3	52.3	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Iron	EPA6010	0.227	0.227	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Magnesium	EPA6010	10.8	10.8	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Arsenic	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Manganese	SW846/6020	0.290	0.290	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Zinc	SW846/6020	0.0134	0.0134	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Total Organic Carbon	EPA9060	5.11	5.11	mg/l	0.5	1.00	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Dissolved Solids	EPA160.1	262	262	mg/l	4.8	14.0	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Total Solids	EPA160.3	270	270	mg/l	4	10.0	1					
Oologah Lake	4	1OOLOKN0244	7/2/2018	10:55:00 AM	1055	0.5	Total Suspended Solids	EPA160.2	8.40	8.40	mg/l	0.8	4.00	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.01	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Phosphorus, Total	EPA6010B	0.009	0.009	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Silica, Diss.	EPA6010B	1.09	1.09	mg/l	0.005	0.05	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Silica, Tot.	EPA6010B	1.18	1.18	mg/l	0.005	0.05	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Calcium	EPA6010	0.0094	0.0094	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Magnesium	EPA6010	0.0091	0.0091	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Zinc	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Dissolved Solids	EPA160.1	ND	<4.8	mg/l	4.8	14	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	6:35:00 AM	0635	0	Total Suspended Solids	EPA160.2	ND	<0.8	mg/l	0.8	4	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Alkalinity	EPA310.1	129	129	mg/l	5	10	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Ammonia	EPA350.1	0.0197	0.0197	mg/l	0.005	0.01	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Chloride	EPA300.0	13.5	13.5	mg/l	0.1	0.3	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Hardness	SM2340B	155	155	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.57	0.57	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.051	0.051	mg/l	0.01	0.03	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Phosphorus, Total	EPA6010B	0.141	0.141	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Silica, Diss.	EPA6010B	2.33	2.33	mg/l	0.005	0.05	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Silica, Tot.	EPA6010B	2.65	2.65	mg/l	0.005	0.05	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Sulfate	EPA300.0	38.1	38.1	mg/l	0.1	0.3	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Calcium	EPA6010	45.9	45.9	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Iron	EPA6010	0.232	0.232	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Magnesium	EPA6010	9.89	9.89	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Arsenic	SW846/6020	0.0052	0.0052	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Manganese	SW846/6020	0.115	0.115	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Nickel	SW846/6020	0.001	0.001	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Zinc	SW846/6020	0.0031	0.0031	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Total Organic Carbon	EPA9060	6.21	6.21	mg/l	0.5	1	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Dissolved Solids	EPA160.1	237	237	mg/l	5.11	15.6	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Total Solids	EPA160.3	248	248	mg/l	4	10	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0846	0.5	Total Suspended Solids	EPA160.2	10.6	10.6	mg/l	1.11	5.56	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Alkalinity	EPA310.1	128	128	mg/l	5	10	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Ammonia	EPA350.1	0.0267	0.0267	mg/l	0.005	0.01	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Chloride	EPA300.0	13.3	13.3	mg/l	0.1	0.3	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Hardness	SM2340B	158	158	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Nitrite+Nitrate	EPA300.0	0.0852	0.0852	mg/l	0.006	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0474	0.0474	mg/l	0.01	0.03	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Phosphorus, Total	EPA6010B	0.13	0.13	mg/l	0.004	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Silica, Diss.	EPA6010B	2.2	2.2	mg/l	0.005	0.05	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Silica, Tot.	EPA6010B	2.37	2.37	mg/l	0.005	0.05	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Sulfate	EPA300.0	41.6	41.6	mg/l	0.1	0.3	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Calcium	EPA6010	46.5	46.5	mg/l	0.004	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Iron	EPA6010	0.159	0.159	mg/l	0.004	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Magnesium	EPA6010	10.1	10.1	mg/l	0.004	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Arsenic	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Manganese	SW846/6020	0.0786	0.0786	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Nickel	SW846/6020	0.001	0.001	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Zinc	SW846/6020	0.003	0.003	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Total Organic Carbon	EPA9060	5.31	5.31	mg/l	0.5	1	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Dissolved Solids	EPA160.1	245	245	mg/l	4.8	14	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Total Solids	EPA160.3	250	250	mg/l	4	10	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	0.5	Total Suspended Solids	EPA160.2	4.8	4.8	mg/l	0.8	4	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Alkalinity	EPA310.1	123	123	mg/l	5	10	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Ammonia	EPA350.1	0.03	0.03	mg/l	0.005	0.01	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Chloride	EPA300.0	13.3	13.3	mg/l	0.1	0.3	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Hardness	SM2340B	155	155	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Nitrite+Nitrate	EPA300.0	0.0887	0.0887	mg/l	0.006	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Ortho-Phosphorus, Dissolve	EPA300.0	0.0774	0.0774	mg/l	0.01	0.03	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Phosphorus, Total	EPA6010B	0.13	0.13	mg/l	0.004	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Silica, Diss.	EPA6010B	2.21	2.21	mg/l	0.005	0.05	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Silica, Tot.	EPA6010B	2.31	2.31	mg/l	0.005	0.05	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Sulfate	EPA300.0	41.6	41.6	mg/l	0.1	0.3	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Calcium	EPA6010	45.5	45.5	mg/l	0.004	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Iron	EPA6010	0.157	0.157	mg/l	0.004	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Magnesium	EPA6010	9.92	9.92	mg/l	0.004	0.02	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Arsenic	SW846/6020	0.0043	0.0043	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Manganese	SW846/6020	0.0796	0.0796	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Nickel	SW846/6020	0.001	0.001	mg/l	0.0002	0.001	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Zinc	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.001	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Total Organic Carbon	EPA9060	5.22	5.22	mg/l	0.5	1	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Dissolved Solids	EPA160.1	244	244	mg/l	4.8	14	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Total Solids	EPA160.3	250	250	mg/l	4	10	1					
Oologah Lake	1	1OOLOKN0120	8/7/2018	10:20:00 AM	1020	15	Total Suspended Solids	EPA160.2	6	6	mg/l	0.8	4	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Alkalinity	EPA310.1	130	130	mg/l	5	10	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Ammonia	EPA350.1	0.0156	0.0156	mg/l	0.005	0.01	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Chloride	EPA300.0	13.5	13.5	mg/l	0.1	0.3	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Hardness	SM2340B	157	157	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.59	0.59	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0621	0.0621	mg/l	0.01	0.03	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Phosphorus, Total	EPA6010B	0.146	0.146	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Silica, Diss.	EPA6010B	2.3	2.3	mg/l	0.005	0.05	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Silica, Tot.	EPA6010B	2.68	2.68	mg/l	0.005	0.05	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Sulfate	EPA300.0	38.2	38.2	mg/l	0.1	0.3	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Calcium	EPA6010	46.5	46.5	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Iron	EPA6010	0.228	0.228	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Magnesium	EPA6010	9.98	9.98	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Arsenic	SW846/6020	0.0053	0.0053	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Copper	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Manganese	SW846/6020	0.112	0.112	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Zinc	SW846/6020	0.0047	0.0047	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Total Organic Carbon	EPA9060	5.75	5.75	mg/l	0.5	1	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Dissolved Solids	EPA160.1	235	235	mg/l	5.25	16.2	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Total Solids	EPA160.3	246	246	mg/l	4	10	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	0.5	Total Suspended Solids	EPA160.2	11.2	11.2	mg/l	1.25	6.25	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Alkalinity	EPA310.1	135	135	mg/l	5	10	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Ammonia	EPA350.1	0.0766	0.0766	mg/l	0.005	0.01	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Chloride	EPA300.0	13.5	13.5	mg/l	0.1	0.3	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Hardness	SM2340B	160	160	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Total Kjeldahl Nitrogen	I-4515-91	0.63	0.63	mg/l	0.07	0.14	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Nitrite+Nitrate	EPA300.0	0.023	0.023	mg/l	0.006	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Ortho-Phosphorus, Dissolve	EPA300.0	0.0874	0.0874	mg/l	0.01	0.03	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Phosphorus, Total	EPA6010B	0.18	0.18	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Silica, Diss.	EPA6010B	2.87	2.87	mg/l	0.005	0.05	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Silica, Tot.	EPA6010B	3.27	3.27	mg/l	0.005	0.05	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Sulfate	EPA300.0	34.1	34.1	mg/l	0.1	0.3	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Calcium	EPA6010	47.7	47.7	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Iron	EPA6010	0.425	0.425	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Magnesium	EPA6010	10	10	mg/l	0.004	0.02	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Arsenic	SW846/6020	0.006	0.006	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Copper	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Manganese	SW846/6020	0.188	0.188	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Zinc	SW846/6020	0.0042	0.0042	mg/l	0.0002	0.001	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Total Organic Carbon	EPA9060	6.5	6.5	mg/l	0.5	1	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Dissolved Solids	EPA160.1	241	241	mg/l	6	20	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Total Solids	EPA160.3	256	256	mg/l	4	10	1					
Oologah Lake	2	1OOLOKN0241	8/7/2018	8:45:00 AM	0845	10	Total Suspended Solids	EPA160.2	15	15	mg/l	2	10	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Alkalinity	EPA310.1	141	141	mg/l	5	10	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Ammonia	EPA350.1	0.0249	0.0249	mg/l	0.005	0.01	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Chloride	EPA300.0	13.7	13.7	mg/l	0.1	0.3	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Hardness	SM2340B	161	161	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.66	0.66	mg/l	0.07	0.14	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0809	0.0809	mg/l	0.01	0.03	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Phosphorus, Total	EPA6010B	0.217	0.217	mg/l	0.004	0.02	1					
Oologah Lake	3	1OOLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Silica, Diss.	EPA6010B	3.02	3.02	mg/l	0.005	0.05	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Silica, Tot.	EPA6010B	4.03	4.03	mg/l	0.005	0.05	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Sulfate	EPA300.0	32.6	32.6	mg/l	0.1	0.3	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Calcium	EPA6010	48.1	48.1	mg/l	0.004	0.02	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Iron	EPA6010	1.09	1.09	mg/l	0.004	0.02	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Magnesium	EPA6010	10	10	mg/l	0.004	0.02	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Arsenic	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.001	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.001	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Copper	SW846/6020	0.002	0.002	mg/l	0.0002	0.001	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Lead	SW846/6020	0.002	0.002	mg/l	0.0002	0.001	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Manganese	SW846/6020	0.223	0.223	mg/l	0.0002	0.001	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Nickel	SW846/6020	0.0022	0.0022	mg/l	0.0002	0.001	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Zinc	SW846/6020	0.0086	0.0086	mg/l	0.0002	0.001	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Total Organic Carbon	EPA9060	7.84	7.84	mg/l	0.5	1	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Dissolved Solids	EPA160.1	242	242	mg/l	6	20	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Total Solids	EPA160.3	284	284	mg/l	4	10	1					
Oologah Lake	3	10OLOKN0127	8/7/2018	9:30:00 AM	0930	0.5	Total Suspended Solids	EPA160.2	42	42	mg/l	2	10	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Alkalinity	EPA310.1	127	127	mg/l	5	10	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Ammonia	EPA350.1	0.051	0.051	mg/l	0.005	0.01	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Chloride	EPA300.0	13.3	13.3	mg/l	0.1	0.3	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Hardness	SM2340B	156	156	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.49	0.49	mg/l	0.07	0.14	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Nitrite+Nitrate	EPA300.0	0.125	0.125	mg/l	0.006	0.02	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0618	0.0618	mg/l	0.01	0.03	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Phosphorus, Total	EPA6010B	0.149	0.149	mg/l	0.004	0.02	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Silica, Diss.	EPA6010B	2.24	2.24	mg/l	0.005	0.05	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Silica, Tot.	EPA6010B	2.56	2.56	mg/l	0.005	0.05	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Sulfate	EPA300.0	41.4	41.4	mg/l	0.1	0.3	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Calcium	EPA6010	45.8	45.8	mg/l	0.004	0.02	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Iron	EPA6010	0.161	0.161	mg/l	0.004	0.02	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Magnesium	EPA6010	10.1	10.1	mg/l	0.004	0.02	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Arsenic	SW846/6020	0.0045	0.0045	mg/l	0.0002	0.001	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.001	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Manganese	SW846/6020	0.184	0.184	mg/l	0.0002	0.001	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.001	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Zinc	SW846/6020	0.0057	0.0057	mg/l	0.0002	0.001	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Total Organic Carbon	EPA9060	5.28	5.28	mg/l	0.5	1	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Dissolved Solids	EPA160.1	252	252	mg/l	4.8	14	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Total Solids	EPA160.3	258	258	mg/l	4	10	1					
Oologah Lake	4	10OLOKN0244	8/7/2018	11:15:00 AM	1115	0.5	Total Suspended Solids	EPA160.2	6.4	6.4	mg/l	0.8	4	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Ammonia	EPA350.1	0.0220	0.0220	mg/l	0.005	0.0100	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Calcium	EPA6010	0.0117	0.0117	mg/l	0.004	0.0200	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Iron	EPA6010	0.0080	0.0080	mg/l	0.004	0.0200	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Magnesium	EPA6010	0.0140	0.0140	mg/l	0.004	0.0200	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Mercury	SW846/7474	0.000018	0.000018	mg/l	0.00001	0.00002	2					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Nitrite+Nitrate	EPA300.0	0.00986	0.00986	mg/l	0.006	0.0200	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Potassium	SW846/6010	0.0193	0.0193	mg/l	0.004	0.0200	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Silica, Diss.	EPA6010B	13.2	13.2	mg/l	0.005	0.0500	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Silica, Tot.	EPA6010B	17.0	17.0	mg/l	0.005	0.0500	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Dissolved Solids	EPA160.1	46.0	46.0	mg/l	6	20.0	1					
Oologah Lake	1	10OLOKN0120	9/4/2018	7:30:00 AM	0730	0	Total Organic Carbon	EPA9060	0.503	0.503	mg/l	0.5	1.00	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	1	1OOLOKN0120	9/4/2018	7:30:00 AM	0730	0	Total Solids	EPA160.3	46.0	46.0	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	7:30:00 AM	0730	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	7:30:00 AM	0730	0	Zinc	SW846/6020	0.0071	0.0071	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Ammonia	EPA350.1	0.0425	0.0425	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Arsenic	SW846/6020	0.0042	0.0042	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Calcium	EPA6010	46.2	46.2	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Chloride	EPA300.0	13.2	13.2	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Chromium	SW846/6020	0.00034	0.00034	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Hardness	SM2340B	155	155	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Iron	EPA6010	0.0816	0.0816	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Magnesium	EPA6010	9.56	9.56	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Manganese	SW846/6020	0.0302	0.0302	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Mercury	SW846/7474	0.000011	0.000011	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Nickel	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Nitrite+Nitrate	EPA300.0	0.0684	0.0684	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0349	0.0349	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Phosphorus, Total	EPA6010B	0.104	0.104	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Potassium	SW846/6010	3.87	3.87	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Silica, Diss.	EPA6010B	1.97	1.97	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Silica, Tot.	EPA6010B	2.10	2.10	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Sulfate	EPA300.0	39.7	39.7	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Alkalinity	EPA310.1	126	126	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Dissolved Solids	EPA160.1	249	249	mg/l	4.8	14.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Total Organic Carbon	EPA9060	5.75	5.75	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Total Solids	EPA160.3	252	252	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Total Suspended Solids	EPA160.2	3.20	3.20	mg/l	0.8	4.00	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1111	0.5	Zinc	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Ammonia	EPA350.1	0.0501	0.0501	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Arsenic	SW846/6020	0.0043	0.0043	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Calcium	EPA6010	45.6	45.6	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Chloride	EPA300.0	13.2	13.2	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Hardness	SM2340B	153	153	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Iron	EPA6010	0.0939	0.0939	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Magnesium	EPA6010	9.49	9.49	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Manganese	SW846/6020	0.0304	0.0304	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Nitrite+Nitrate	EPA300.0	0.0723	0.0723	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0308	0.0308	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Phosphorus, Total	EPA6010B	0.108	0.108	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Potassium	SW846/6010	3.84	3.84	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Silica, Diss.	EPA6010B	1.91	1.91	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Silica, Tot.	EPA6010B	2.13	2.13	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Sulfate	EPA300.0	39.7	39.7	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.44	0.44	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Alkalinity	EPA310.1	125	125	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Dissolved Solids	EPA160.1	249	249	mg/l	4.57	12.9	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Total Organic Carbon	EPA9060	5.75	5.75	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Total Solids	EPA160.3	254	254	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Total Suspended Solids	EPA160.2	4.86	4.86	mg/l	0.571	2.86	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	0.5	Zinc	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Ammonia	EPA350.1	0.127	0.127	mg/l	0.005	0.0100	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Arsenic	SW846/6020	0.0053	0.0053	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Calcium	EPA6010	46.0	46.0	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Chloride	EPA300.0	13.3	13.3	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Hardness	SM2340B	154	154	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Iron	EPA6010	0.167	0.167	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Magnesium	EPA6010	9.60	9.60	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Manganese	SW846/6020	0.279	0.279	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Mercury	SW846/7474	0.000012	0.000012	mg/l	0.00001	0.00002	2					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Nitrite+Nitrate	EPA300.0	0.171	0.171	mg/l	0.006	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Ortho-Phosphorus, Dissolve	EPA300.0	0.0574	0.0574	mg/l	0.01	0.0300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Phosphorus, Total	EPA6010B	0.130	0.130	mg/l	0.004	0.020	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Potassium	SW846/6010	3.83	3.83	mg/l	0.004	0.0200	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Silica, Diss.	EPA6010B	2.39	2.39	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Silica, Tot.	EPA6010B	2.51	2.51	mg/l	0.005	0.0500	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Sulfate	EPA300.0	40.2	40.2	mg/l	0.1	0.300	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Total Kjeldahl Nitrogen	I-4515-91	0.49	0.49	mg/l	0.07	0.14	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Alkalinity	EPA310.1	127	127	mg/l	5	10.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Dissolved Solids	EPA160.1	256	256	mg/l	4.8	14.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Total Organic Carbon	EPA9060	5.54	5.54	mg/l	0.5	1.00	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Total Solids	EPA160.3	262	262	mg/l	4	10.0	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Total Suspended Solids	EPA160.2	6.00	6.00	mg/l	0.8	4.00	1					
Oologah Lake	1	1OOLOKN0120	9/4/2018	11:10:00 AM	1110	19	Zinc	SW846/6020	0.0076	0.0076	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Ammonia	EPA350.1	0.101	0.101	mg/l	0.005	0.0100	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Arsenic	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Calcium	EPA6010	37.2	37.2	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Chloride	EPA300.0	9.47	9.47	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Copper	SW846/6020	0.0032	0.0032	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Hardness	SM2340B	118	118	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Iron	EPA6010	1.08	1.08	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Lead	SW846/6020	0.0037	0.0037	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Magnesium	EPA6010	5.99	5.99	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Manganese	SW846/6020	0.211	0.211	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Mercury	SW846/7474	0.000034	0.000034	mg/l	0.00001	0.00002	2					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Nickel	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Nitrite+Nitrate	EPA300.0	0.293	0.293	mg/l	0.006	0.0200	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0680	0.0680	mg/l	0.01	0.0300	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Phosphorus, Total	EPA6010B	0.191	0.191	mg/l	0.004	0.020	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Potassium	SW846/6010	3.98	3.98	mg/l	0.004	0.0200	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Silica, Diss.	EPA6010B	3.60	3.60	mg/l	0.005	0.0500	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Silica, Tot.	EPA6010B	4.32	4.32	mg/l	0.005	0.0500	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Sulfate	EPA300.0	21.7	21.7	mg/l	0.1	0.300	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Total Kjeldahl Nitrogen	I-4515-91	1.04	1.04	mg/l	0.07	0.14	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Alkalinity	EPA310.1	104	104	mg/l	5	10.0	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Dissolved Solids	EPA160.1	223	223	mg/l	10.7	43.3	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Total Organic Carbon	EPA9060	10.2	10.2	mg/l	0.5	1.00	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Total Solids	EPA160.3	330	330	mg/l	4	10.0	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Total Suspended Solids	EPA160.2	107	107	mg/l	6.67	33.3	1					
Oologah Lake	3	1OOLOKN0127	9/4/2018	9:30:00 AM	0930	0.5	Zinc	SW846/6020	0.0119	0.0119	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Ammonia	EPA350.1	0.194	0.194	mg/l	0.005	0.0100	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Arsenic	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Calcium	EPA6010	46.0	46.0	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Chloride	EPA300.0	13.3	13.3	mg/l	0.1	0.300	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Copper	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Hardness	SM2340B	154	154	mgeqCaCO3/l	0.0265	0.132	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Iron	EPA6010	0.163	0.163	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Magnesium	EPA6010	9.63	9.63	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Manganese	SW846/6020	0.361	0.361	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Mercury	SW846/7474	0.000014	0.000014	mg/l	0.00001	0.00002	2					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Nitrite+Nitrate	EPA300.0	0.205	0.205	mg/l	0.006	0.0200	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0585	0.0585	mg/l	0.01	0.0300	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Phosphorus, Total	EPA6010B	0.139	0.139	mg/l	0.004	0.020	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Potassium	SW846/6010	3.89	3.89	mg/l	0.004	0.0200	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Silica, Diss.	EPA6010B	2.40	2.40	mg/l	0.005	0.0500	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Silica, Tot.	EPA6010B	2.60	2.60	mg/l	0.005	0.0500	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Sulfate	EPA300.0	40.2	40.2	mg/l	0.1	0.300	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.6	0.6	mg/l	0.07	0.14	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Alkalinity	EPA310.1	127	127	mg/l	5	10.0	1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site/PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Dissolved Solids	EPA160.1	249	249	mg/l	6	20.0	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Total Organic Carbon	EPA9060	7.08	7.08	mg/l	0.5	1.00	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Total Solids	EPA160.3	258	258	mg/l	4	10.0	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Total Suspended Solids	EPA160.2	9.00	9.00	mg/l	2	10.0	1					
Oologah Lake	4	1OOLOKN0244	9/4/2018	12:30:00 PM	1230	0.5	Zinc	SW846/6020	0.0068	0.0068	mg/l	0.0002	0.0010	1					
Oologah Lake	1	1OOLOKN0120	4/4/2018		0640	0.0	CHL A, FL, COR	EPA445.0		1.3	ug/l			1					
Oologah Lake	1	1OOLOKN0120	4/4/2018		1210	0.5	CHL A, FL, COR	EPA445.0		4.6	ug/l			1					
Oologah Lake	1	1OOLOKN0120	4/4/2018		1211	0.5	CHL A, FL, COR	EPA445.0		4.4	ug/l			1					
Oologah Lake	2	1OOLOKN0241	4/4/2018		1000	0.5	CHL A, FL, COR	EPA445.0		11.9	ug/l			1					
Oologah Lake	3	1OOLOKN0127	4/4/2018		1105	0.5	CHL A, FL, COR	EPA445.0		17.8	ug/l			1					
Oologah Lake	4	1OOLOKN0244	4/4/2018		0840	0.5	CHL A, FL, COR	EPA445.0		4.1	ug/l			1					
Oologah Lake	1	1OOLOKN0120	4/4/2018		0640	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-5.1	ug/l			1					
Oologah Lake	1	1OOLOKN0120	4/4/2018		1210	0.5	PHPHTN-A, FLR MTHD	EPA445.0		1	ug/l			1					
Oologah Lake	1	1OOLOKN0120	4/4/2018		1211	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.7	ug/l			1					
Oologah Lake	2	1OOLOKN0241	4/4/2018		1000	0.5	PHPHTN-A, FLR MTHD	EPA445.0		6.5	ug/l			1					
Oologah Lake	3	1OOLOKN0127	4/4/2018		1105	0.5	PHPHTN-A, FLR MTHD	EPA445.0		11.2	ug/l			1					
Oologah Lake	4	1OOLOKN0244	4/4/2018		0840	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.5	ug/l			1					
Oologah Lake	2	1OOLOKN0241	5/22/2018		0715	0.0	CHL A, FL, COR	EPA445.0		0.0	ug/l			1					
Oologah Lake	1	1OOLOKN0120	5/22/2018		1130	0.5	CHL A, FL, COR	EPA445.0		3.2	ug/l			1					
Oologah Lake	2	1OOLOKN0241	5/22/2018		0920	0.5	CHL A, FL, COR	EPA445.0		13.4	ug/l			1					
Oologah Lake	2	1OOLOKN0241	5/22/2018		0921	0.5	CHL A, FL, COR	EPA445.0		12.7	ug/l			1					
Oologah Lake	3	1OOLOKN0127	5/22/2018		1030	0.5	CHL A, FL, COR	EPA445.0		3.8	ug/l			1					
Oologah Lake	4	1OOLOKN0244	5/22/2018		1250	0.5	CHL A, FL, COR	EPA445.0		2.0	ug/l			1					
Oologah Lake	2	1OOLOKN0241	5/22/2018		0715	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-3.0	ug/l			1					
Oologah Lake	1	1OOLOKN0120	5/22/2018		1130	0.5	PHPHTN-A, FLR MTHD	EPA445.0		-0.9	ug/l			1					
Oologah Lake	2	1OOLOKN0241	5/22/2018		0920	0.5	PHPHTN-A, FLR MTHD	EPA445.0		1.0	ug/l			1					
Oologah Lake	2	1OOLOKN0241	5/22/2018		0921	0.5	PHPHTN-A, FLR MTHD	EPA445.0		1.7	ug/l			1					
Oologah Lake	3	1OOLOKN0127	5/22/2018		1030	0.5	PHPHTN-A, FLR MTHD	EPA445.0		3.0	ug/l			1					
Oologah Lake	4	1OOLOKN0244	5/22/2018		1250	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.3	ug/l			1					
Oologah Lake	3	1OOLOKN0127	6/5/2018		0740	0.0	CHL A, FL, COR	EPA445.0		0.1	ug/l			1					
Oologah Lake	1	1OOLOKN0120	6/5/2018		1200	0.5	CHL A, FL, COR	EPA445.0		6.3	ug/l			1					
Oologah Lake	2	1OOLOKN0241	6/5/2018		1110	0.5	CHL A, FL, COR	EPA445.0		20.7	ug/l			1					
Oologah Lake	3	1OOLOKN0127	6/5/2018		1015	0.5	CHL A, FL, COR	EPA445.0		36.9	ug/l			1					
Oologah Lake	3	1OOLOKN0127	6/5/2018		1016	0.5	CHL A, FL, COR	EPA445.0		34.5	ug/l			1					
Oologah Lake	4	1OOLOKN0244	6/5/2018		0845	0.5	CHL A, FL, COR	EPA445.0		0.9	ug/l			1					
Oologah Lake	3	1OOLOKN0127	6/5/2018		0740	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-3.1	ug/l			1					
Oologah Lake	1	1OOLOKN0120	6/5/2018		1200	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.0	ug/l			1					
Oologah Lake	2	1OOLOKN0241	6/5/2018		1110	0.5	PHPHTN-A, FLR MTHD	EPA445.0		4.3	ug/l			1					
Oologah Lake	3	1OOLOKN0127	6/5/2018		1015	0.5	PHPHTN-A, FLR MTHD	EPA445.0		7.1	ug/l			1					
Oologah Lake	3	1OOLOKN0127	6/5/2018		1016	0.5	PHPHTN-A, FLR MTHD	EPA445.0		7.5	ug/l			1					
Oologah Lake	4	1OOLOKN0244	6/5/2018		0845	0.5	PHPHTN-A, FLR MTHD	EPA445.0		1.4	ug/l			1					
Oologah Lake	1	1OOLOKN0120	7/2/2018		0640	0.0	CHL A, FL, COR	EPA445.0		1.7	ug/l			1					
Oologah Lake	1	1OOLOKN0120	7/2/2018		1005	0.5	CHL A, FL, COR	EPA445.0		7.5	ug/l			1					
Oologah Lake	1	1OOLOKN0120	7/2/2018		1006	0.5	CHL A, FL, COR	EPA445.0		7.3	ug/l			1					
Oologah Lake	2	1OOLOKN0241	7/2/2018		0840	0.5	CHL A, FL, COR	EPA445.0		18.1	ug/l			1					
Oologah Lake	3	1OOLOKN0127	7/2/2018		0915	0.5	CHL A, FL, COR	EPA445.0		22.7	ug/l			1					
Oologah Lake	4	1OOLOKN0244	7/2/2018		1055	0.5	CHL A, FL, COR	EPA445.0		2.2	ug/l			1					
Oologah Lake	1	1OOLOKN0120	7/2/2018		0640	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-0.6	ug/l			1					
Oologah Lake	1	1OOLOKN0120	7/2/2018		1005	0.5	PHPHTN-A, FLR MTHD	EPA445.0		4.6	ug/l			1					
Oologah Lake	1	1OOLOKN0120	7/2/2018		1006	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.2	ug/l			1					
Oologah Lake	2	1OOLOKN0241	7/2/2018		0840	0.5	PHPHTN-A, FLR MTHD	EPA445.0		10.2	ug/l			1					
Oologah Lake	3	1OOLOKN0127	7/2/2018		0915	0.5	PHPHTN-A, FLR MTHD	EPA445.0		12.0	ug/l			1					
Oologah Lake	4	1OOLOKN0244	7/2/2018		1055	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.1	ug/l			1					
Oologah Lake	2	1OOLOKN0241	8/7/2018		0635	0.0	CHL A, FL, COR	EPA445.0		1.8	ug/l			1					
Oologah Lake	1	1OOLOKN0120	8/7/2018		1020	0.5	CHL A, FL, COR	EPA445.0		5.5	ug/l			1					
Oologah Lake	2	1OOLOKN0241	8/7/2018		0845	0.5	CHL A, FL, COR	EPA445.0		15.3	ug/l			1					
Oologah Lake	2	1OOLOKN0241	8/7/2018		0846	0.5	CHL A, FL, COR	EPA445.0		14.3	ug/l			1					
Oologah Lake	3	1OOLOKN0127	8/7/2018		0930	0.5	CHL A, FL, COR	EPA445.0		22.6	ug/l			1					
Oologah Lake	4	1OOLOKN0244	8/7/2018		1115	0.5	CHL A, FL, COR	EPA445.0		6.0	ug/l			1					
Oologah Lake	2	1OOLOKN0241	8/7/2018		0635	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-5.3	ug/l			1					
Oologah Lake	1	1OOLOKN0120	8/7/2018		1020	0.5	PHPHTN-A, FLR MTHD	EPA445.0		-3.0	ug/l			1					
Oologah Lake	2	1OOLOKN0241	8/7/2018		0845	0.5	PHPHTN-A, FLR MTHD	EPA445.0		7.2	ug/l			1					
Oologah Lake	2	1OOLOKN0241	8/7/2018		0846	0.5	PHPHTN-A, FLR MTHD	EPA445.0		2.5	ug/l			1					
Oologah Lake	3	1OOLOKN0127	8/7/2018		0930	0.5	PHPHTN-A, FLR MTHD	EPA445.0		13.8	ug/l			1					
Oologah Lake	4	1OOLOKN0244	8/7/2018		1115	0.5	PHPHTN-A, FLR MTHD	EPA445.0		-1.5	ug/l			1					
Oologah Lake	1	1OOLOKN0120	9/4/2018		0730	0.0	CHL A, FL, COR	EPA445.0		0.0	ug/l			1					
Oologah Lake	4	1OOLOKN0244	9/4/2018		1230	0.5	CHL A, FL, COR	EPA445.0		4.5	ug/l			1					
Oologah Lake	1	1OOLOKN0120	9/4/2018		1110	0.5	CHL A, FL, COR	EPA445.0		11.1	ug/l			1					
Oologah Lake	1	1OOLOKN0120	9/4/2018		1111	0.5	CHL A, FL, COR	EPA445.0		11.6	ug/l			1					

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
Oologah Lake	3	IOOLOKN0127	9/4/2018		0930	0.5	CHL A, FL, COR	EPA445.0		23.8	ug/l			1						
Oologah Lake	1	IOOLOKN0120	9/4/2018		0730	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-0.6	ug/l			1						
Oologah Lake	4	IOOLOKN0244	9/4/2018		1230	0.5	PHPHTN-A, FLR MTHD	EPA445.0		7.1	ug/l			1						
Oologah Lake	1	IOOLOKN0120	9/4/2018		1110	0.5	PHPHTN-A, FLR MTHD	EPA445.0		4.5	ug/l			1						
Oologah Lake	1	IOOLOKN0120	9/4/2018		1111	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.0	ug/l			1						
Oologah Lake	3	IOOLOKN0127	9/4/2018		0930	0.5	PHPHTN-A, FLR MTHD	EPA445.0		13.0	ug/l			1						