

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Total Alkalinity	EPA310.1	ND	<3.00	mg/L	3.00	10.0	1	1	1PATTXN0007	Aluminum	01105	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Ammonia as N	EPA350.2	ND	<0.0100	mg/L	0.0100	0.0400	1	2	1PATTXN0011	Ammonia as N	00610	EPA350.2
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Chloride	EPA300.0	ND	<0.200	mg/L	0.200	1.00	1	3	1PATTXN0009	Antimony	01097	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Hardness	6010Calc	ND	<0.265	mgeqCaCO3/l	0.265	1.32	2	4	1PATTXN0010	Arsenic	01002	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1			Barium	01007	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1			Beryllium	01012	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	ND	<0.0900	mg/L	0.0900	0.500	1			Boron	01022	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1			Cadmium	01027	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Silica, Diss.	EPA6010B	0.254	0.254	mg/L	0.0400	0.200	2			Calcium	00916	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Sulfate	EPA300.0	ND	<0.0250	mg/L	0.0250	0.100	1			CHL A, FL, COR	32209	EPA445.0
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Aluminum	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2			Chloride	00940	EPA300.0
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Calcium	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2			Chromium	01034	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Iron	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2			Cobalt	01037	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Magnesium	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2			Copper	01042	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Phosphorus	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2			Hardness	00900	6010Calc
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Potassium	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2			Iron	01045	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Silica, Total	SW846/6010	0.250	0.250	mg/L	0.0400	0.200	2			Lead	01051	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Sodium	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2			Magnesium	00927	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Antimony	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1			Manganese	01055	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Arsenic	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Mercury	71900	EPA7471A
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Barium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Molybdenum	01062	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Nickel	01067	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Nitrate/Nitrite as N	00630	EPA300.0
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Chromium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Orthophosphate as P	00671	EPA300.0
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Phosphorus	00665	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Copper	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			PHPHTN-A, FLR MTHD	32213	EPA445.0
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Potassium	00937	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Manganese	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Selenium	01147	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Silica, Diss.	00955	EPA6010B
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Nickel	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Silica, Total	00956	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Selenium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Silver	01077	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Sodium	00929	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Strontium	01082	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Vanadium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1			Sulfate	00945	EPA300.0
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Zinc	SW846/6010	0.0039	0.0039	mg/L	0.0002	0.0010	1			Thallium	01059	SW846/6010
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Total Organic Carbon	EPA9060	ND	<1.00	mg/L	1.00	2.00	1			Total Alkalinity	00410	EPA310.1
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Total Dissolved Solids	EPA160.1	ND	<0.500	mg/L	0.500	5.00	1			Total Dissolved Solids	70300	EPA160.1
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	3/19/2013	1:44:00 PM	1200	0	NEARSURF	Total Suspended Solids	EPA160.2	1.00	1.00	mg/L	0.250	5.00	1			Total Kjeldahl Nitrogen	00625	EPA351.4
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Total Alkalinity	EPA310.1	51.4	51.4	mg/L	3.00	10.0	1			Total Organic Carbon	00680	EPA9060
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0300	0.0300	mg/L	0.0100	0.0400	1			Total Suspended Solids	00530	EPA160.2
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Chloride	EPA300.0	6.63	6.63	mg/L	0.200	1.00	1			Vanadium	01087	SW846/6010
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Hardness	6010Calc	58.5	58.5	mgeqCaCO3/l	0.265	1.32	2			Zinc	01092	SW846/6010
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	0.0923	0.0923	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.520	0.520	mg/L	0.0900	0.500	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Silica, Diss.	EPA6010B	0.0530	0.0530	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Sulfate	EPA300.0	13.6	13.6	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Aluminum	SW846/6010	0.358	0.358	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Calcium	SW846/6010	19.5	19.5	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Iron	SW846/6010	0.344	0.344	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Magnesium	SW846/6010	2.40	2.40	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Phosphorus	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Potassium	SW846/6010	3.08	3.08	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Silica, Total	SW846/6010	0.893	0.893	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Sodium	SW846/6010	6.98	6.98	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Antimony	SW846/6010	0.0010	0.0010	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1056	0.5	NEARSURF	Arsenic	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1																				

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Silica, Diss.	EPA6010B	0.220	0.220	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Sulfate	EPA300.0	13.6	13.6	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Aluminum	SW846/6010	0.352	0.352	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Calcium	SW846/6010	19.5	19.5	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Iron	SW846/6010	0.347	0.347	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Magnesium	SW846/6010	2.39	2.39	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Phosphorus	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Potassium	SW846/6010	3.08	3.08	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Silica, Total	SW846/6010	0.875	0.875	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Sodium	SW846/6010	6.98	6.98	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Antimony	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Arsenic	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Barium	SW846/6010	0.0444	0.0444	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Chromium	SW846/6010	0.0007	0.0007	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Copper	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Manganese	SW846/6010	0.0334	0.0334	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Nickel	SW846/6010	0.0018	0.0018	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Selenium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Vanadium	SW846/6010	0.00065	0.00065	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Zinc	SW846/6010	0.0043	0.0043	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.50	5.50	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	104	104	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	0.5	NEARSURF	Total Suspended Solids	EPA160.2	10.0	10.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Total Alkalinity	EPA310.1	48.6	48.6	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Ammonia as N	EPA350.2	0.0300	0.0300	mg/L	0.0100	0.0400	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Chloride	EPA300.0	6.69	6.69	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Hardness	6010Calc	58.5	58.5	mgeqCaCO3/l	0.265	1.32	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	0.0774	0.0774	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	0.580	0.580	mg/L	0.0900	0.500	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Silica, Diss.	EPA6010B	0.171	0.171	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Sulfate	EPA300.0	13.9	13.9	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Aluminum	SW846/6010	0.498	0.498	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Calcium	SW846/6010	19.5	19.5	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Iron	SW846/6010	0.553	0.553	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Magnesium	SW846/6010	2.41	2.41	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Phosphorus	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Potassium	SW846/6010	3.17	3.17	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Silica, Total	SW846/6010	1.46	1.46	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Sodium	SW846/6010	6.99	6.99	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Antimony	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Arsenic	SW846/6010	0.0010	0.0010	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Barium	SW846/6010	0.0496	0.0496	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Chromium	SW846/6010	0.0008	0.0008	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Copper	SW846/6010	0.0006	0.0006	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Lead	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Manganese	SW846/6010	0.0867	0.0867	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Nickel	SW846/6010	0.0019	0.0019	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Selenium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	3/20/2013	1:44:00 PM	1055	11	NEARBOTM	Thallium	SW846/6010	ND	<0.0002									

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Arsenic	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Barium	SW846/6010	0.0445	0.0445	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Chromium	SW846/6010	0.0007	0.0007	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Copper	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Manganese	SW846/6010	0.0362	0.0362	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Nickel	SW846/6010	0.0017	0.0017	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Selenium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Vanadium	SW846/6010	0.0007	0.0007	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Zinc	SW846/6010	0.0046	0.0046	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.50	5.50	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	103	103	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	0.5	NEARSURF	Total Suspended Solids	EPA160.2	10.0	10.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Total Alkalinity	EPA310.1	52.4	52.4	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Ammonia as N	EPA350.2	0.0300	0.0300	mg/L	0.0100	0.0400	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Chloride	EPA300.0	6.57	6.57	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Hardness	6010Calc	57.7	57.7	mgeqCaCO3/l	0.265	1.32	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	0.0887	0.0887	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	0.600	0.600	mg/L	0.0900	0.500	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Silica, Diss.	EPA6010B	0.0489	0.0489	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Sulfate	EPA300.0	13.6	13.6	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Aluminum	SW846/6010	0.352	0.352	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Calcium	SW846/6010	19.2	19.2	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Iron	SW846/6010	0.383	0.383	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Magnesium	SW846/6010	2.36	2.36	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Phosphorus	SW846/6010	ND	<0.0400	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Potassium	SW846/6010	3.06	3.06	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Silica, Total	SW846/6010	0.876	0.876	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Sodium	SW846/6010	6.89	6.89	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Arsenic	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Barium	SW846/6010	0.0447	0.0447	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Chromium	SW846/6010	0.0007	0.0007	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Copper	SW846/6010	0.0006	0.0006	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Lead	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Manganese	SW846/6010	0.0399	0.0399	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Nickel	SW846/6010	0.0018	0.0018	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Selenium	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Vanadium	SW846/6010	0.0008	0.0008	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Zinc	SW846/6010	0.0046	0.0046	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Total Organic Carbon	EPA9060	5.60	5.60	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Total Dissolved Solids	EPA160.1	104	104	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	3/20/2013	1:44:00 PM	1025	7	NEARBOTM	Total Suspended Solids	EPA160.2	12.0	12.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Total Alkalinity	EPA310.1	47.9	47.9	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-3S	2	3PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0200	0.0200	mg/L	0.0100	0.0400	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Chloride	EPA300.0	6.76	6.76	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Hardness	6010Calc	59.6	59.6	mgeqCaCO3/l	0.265	1.32	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Lead	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Manganese	SW846/6010	0.0507	0.0507	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Nickel	SW846/6010	0.0021	0.0021	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Selenium	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Vanadium	SW846/6010	0.0012	0.0012	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Zinc	SW846/6010	0.0053	0.0053	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.90	5.90	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	109	109	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	3/20/2013	1:44:00 PM	0955	0.5	NEARSURF	Total Suspended Solids	EPA160.2	22.0	22.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Total Alkalinity	EPA310.1	56.8	56.8	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Ammonia as N	EPA350.2	0.220	0.220	mg/L	0.0100	0.0400	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Chloride	EPA300.0	7.57	7.57	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Hardness	6010Calc	81.7	81.7	mgeqCaCO3/l	0.265	1.32	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	1.64	1.64	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	1.70	1.70	mg/L	0.0900	0.500	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Silica, Diss.	EPA6010B	4.09	4.09	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Sulfate	EPA300.0	21.0	21.0	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Aluminum	SW846/6010	2.33	2.33	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Calcium	SW846/6010	27.8	27.8	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Iron	SW846/6010	1.89	1.89	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Magnesium	SW846/6010	3.00	3.00	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Phosphorus	SW846/6010	0.143	0.143	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Potassium	SW846/6010	5.14	5.14	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Silica, Total	SW846/6010	8.40	8.40	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Sodium	SW846/6010	8.64	8.64	mg/L	0.0400	0.200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Arsenic	SW846/6010	0.0023	0.0023	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Barium	SW846/6010	0.0764	0.0764	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Chromium	SW846/6010	0.0013	0.0013	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Cobalt	SW846/6010	0.0013	0.0013	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Copper	SW846/6010	0.0026	0.0026	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Lead	SW846/6010	0.0015	0.0015	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Manganese	SW846/6010	0.195	0.195	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Molybdenum	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Nickel	SW846/6010	0.0047	0.0047	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Selenium	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Vanadium	SW846/6010	0.0043	0.0043	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Zinc	SW846/6010	0.0078	0.0078	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Total Organic Carbon	EPA9060	12.0	12.0	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	189	189	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	3/20/2013	1:44:00 PM	0810	0.5	NEARSURF	Total Suspended Solids	EPA160.2	36.0	36.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Total Alkalinity	EPA310.1	ND	<3.00	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Ammonia as N	EPA350.2	ND	<0.0300	mg/L	0.0300	0.0300	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	ND	<0.200	mg/L	0.200	0.200	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Silica, Diss.	EPA6010B	0.241	0.241	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Sulfate	EPA300.0	ND	<0.0250	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Aluminum	SW846/6010	0.0081	0.0081	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Calcium	SW846/6010	0.0145	0.0145	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Iron	SW846/6010	ND	<0.0040	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Magnesium	SW846/6010	ND	<0.0040	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Phosphorus	SW846/6010	ND	<0.0040	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2																		

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	4/22/2013	12:15:00 PM	1215	0	NEARSURF	Total Suspended Solids	EPA160.2	ND	<0.250	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2S-DUP		1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Total Alkalinity	EPA310.1	52.5	52.5	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Ammonia as N	EPA350.2	ND	<0.0300	mg/L	0.0300	0.0300	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Chloride	EPA300.0	6.78	6.78	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	0.0542	0.0542	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.560	0.560	mg/L	0.200	0.200	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Silica, Diss.	EPA6010B	0.190	0.190	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Sulfate	EPA300.0	14.0	14.0	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Aluminum	SW846/6010	0.282	0.282	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Calcium	SW846/6010	19.4	19.4	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Iron	SW846/6010	0.355	0.355	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Magnesium	SW846/6010	2.35	2.35	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Phosphorus	SW846/6010	ND	<0.0040	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Potassium	SW846/6010	3.00	3.00	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Silica, Total	SW846/6010	0.769	0.769	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Sodium	SW846/6010	6.77	6.77	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Arsenic	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Barium	SW846/6010	0.0506	0.0506	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Chromium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Copper	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Manganese	SW846/6010	0.0340	0.0340	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Nickel	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Selenium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Vanadium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Zinc	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Total Organic Carbon	EPA9060	4.10	4.10	mg/L	1.00	1.00	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	109	109	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0901	0.5	NEARSURF	Total Suspended Solids	EPA160.2	7.00	7.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Total Alkalinity	EPA310.1	51.4	51.4	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Ammonia as N	EPA350.2	ND	<0.0300	mg/L	0.0300	0.0300	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Chloride	EPA300.0	6.84	6.84	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	0.0471	0.0471	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.530	0.530	mg/L	0.200	0.200	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Silica, Diss.	EPA6010B	0.109	0.109	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Sulfate	EPA300.0	13.9	13.9	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Aluminum	SW846/6010	0.246	0.246	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Calcium	SW846/6010	19.2	19.2	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Iron	SW846/6010	0.279	0.279	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Magnesium	SW846/6010	2.33	2.33	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Phosphorus	SW846/6010	ND	<0.0040	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Potassium	SW846/6010	2.98	2.98	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Silica, Total	SW846/6010	0.610	0.610	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Sodium	SW846/6010	6.75	6.75	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Arsenic	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Barium	SW846/6010	0.0487	0.0487	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Chromium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2																		

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Aluminum	SW846/6010	0.373	0.373	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Calcium	SW846/6010	19.1	19.1	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Iron	SW846/6010	0.418	0.418	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Magnesium	SW846/6010	2.32	2.32	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Phosphorus	SW846/6010	ND	<0.0040	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Potassium	SW846/6010	2.94	2.94	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Silica, Total	SW846/6010	1.74	1.74	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Sodium	SW846/6010	6.61	6.61	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Antimony	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Arsenic	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Barium	SW846/6010	0.0522	0.0522	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Beryllium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Cadmium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Chromium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Cobalt	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Copper	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Lead	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Manganese	SW846/6010	0.154	0.154	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Molybdenum	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Nickel	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Selenium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Silver	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Thallium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Vanadium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Zinc	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Total Organic Carbon	EPA9060	4.10	4.10	mg/L	1.00	1.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Total Dissolved Solids	EPA160.1	113	113	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	4/23/2013	10:10:00 AM	1010	11	NEARBOTM	Total Suspended Solids	EPA160.2	7.00	7.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Total Alkalinity	EPA310.1	50.0	50.0	mg/L			1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Ammonia as N	EPA350.2	ND	<0.0300	mg/L	0.0300	0.0300	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Chloride	EPA300.0	6.78	6.78	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	0.0524	0.0524	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.520	0.520	mg/L	0.200	0.200	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Silica, Diss.	EPA6010B	0.116	0.116	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Sulfate	EPA300.0	14.0	14.0	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Aluminum	SW846/6010	0.291	0.291	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Calcium	SW846/6010	19.4	19.4	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Iron	SW846/6010	0.360	0.360	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Magnesium	SW846/6010	2.34	2.34	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Phosphorus	SW846/6010	ND	<0.0040	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Potassium	SW846/6010	3.02	3.02	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Silica, Total	SW846/6010	0.753	0.753	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Sodium	SW846/6010	6.73	6.73	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Arsenic	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Barium	SW846/6010	0.0505	0.0505	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Chromium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Copper	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Manganese	SW846/6010	0.0338	0.0338	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Nickel	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Selenium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Vanadium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Zinc	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	0.5	NEARSURF	Total Organic Carbon	EPA9060	4.20	4.20	mg/L								

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Barium	SW846/6010	0.0495	0.0495	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Beryllium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Cadmium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Chromium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Cobalt	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Copper	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Lead	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Manganese	SW846/6010	0.0311	0.0311	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Molybdenum	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Nickel	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Selenium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Silver	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Thallium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Vanadium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Zinc	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Total Organic Carbon	EPA9060	4.20	4.20	mg/L	1.00	1.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Total Dissolved Solids	EPA160.1	106	106	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	4/23/2013	9:00:00 AM	0900	7	NEARBOTM	Total Suspended Solids	EPA160.2	9.00	9.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Total Alkalinity	EPA310.1	50.2	50.2	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Ammonia as N	EPA350.2	ND	<0.0300	mg/L	0.0300	0.0300	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Chloride	EPA300.0	6.84	6.84	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	1.00	1.00	mg/L	0.200	0.200	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Silica, Diss.	EPA6010B	0.207	0.207	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Sulfate	EPA300.0	14.2	14.2	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Aluminum	SW846/6010	0.210	0.210	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Calcium	SW846/6010	19.5	19.5	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Iron	SW846/6010	0.304	0.304	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Magnesium	SW846/6010	2.30	2.30	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Phosphorus	SW846/6010	ND	<0.0040	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Potassium	SW846/6010	3.03	3.03	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Silica, Total	SW846/6010	0.692	0.692	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Sodium	SW846/6010	6.81	6.81	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Arsenic	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Barium	SW846/6010	0.0484	0.0484	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Chromium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Copper	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Manganese	SW846/6010	0.0321	0.0321	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Nickel	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Selenium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Vanadium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Zinc	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Total Organic Carbon	EPA9060	4.50	4.50	mg/L	1.00	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	108	108	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	4/23/2013	9:30:00 AM	0930	0.5	NEARSURF	Total Suspended Solids	EPA160.2	11.0	11.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Total Alkalinity	EPA310.1	65.8	65.8	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Ammonia as N	EPA350.2	0.960	0.960	mg/L	0.0300	0.0300	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Chloride	EPA300.0	7.43	7.43	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Mercury	EPA7471A	0.00001	0.00001	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	2.51	2.51	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	4.30	4.30	mg/L	0.200	0.200	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Silica, Diss.	EPA6010B	3.40	3.40	mg/L	0.00400	0.0200	2					
Pat																						

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Selenium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Vanadium	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Zinc	SW846/6010	ND	<0.0080	mg/L	0.0080	0.0400	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Total Organic Carbon	EPA9060	11.0	11.0	mg/L	1.00	1.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	205	205	mg/L	0.833	8.33	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	4/23/2013	7:50:00 AM	0750	0.5	NEARSURF	Total Suspended Solids	EPA160.2	98.3	98.3	mg/L	0.417	8.33	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Total Alkalinity	EPA310.1	ND	<3.00	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Ammonia as N	EPA350.2	0.00677	0.00677	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Hardness	6010Calc	ND	<0.0132	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	ND	<0.0700	mg/L	0.0700	0.200	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Silica, Diss.	EPA6010B	0.225	0.225	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Sulfate	EPA300.0	ND	<0.0250	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Aluminum	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Calcium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Iron	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Magnesium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Phosphorus	SW846/6010	0.0023	0.0023	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Potassium	SW846/6010	0.0195	0.0195	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Silica, Total	SW846/6010	0.197	0.197	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Sodium	SW846/6010	0.0294	0.0294	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Arsenic	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Barium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Chromium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Copper	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Manganese	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Nickel	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Selenium	SW846/6010	0.0014	0.0014	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Vanadium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Zinc	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Total Organic Carbon	EPA9060	ND	<1.00	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Total Dissolved Solids	EPA160.1	ND	<0.500	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	5/20/2013	11:40:00 AM	1140	0	NEARSURF	Total Suspended Solids	EPA160.2	ND	<0.250	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Total Alkalinity	EPA310.1	46.7	46.7	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0794	0.0794	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Chloride	EPA300.0	6.68	6.68	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Hardness	6010Calc	58.3	58.3	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	0.180	0.180	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.540	0.540	mg/L	0.0700	0.200	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Silica, Diss.	EPA6010B	1.19	1.19	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Sulfate	EPA300.0	14.0	14.0	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Aluminum	SW846/6010	0.141	0.141	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Calcium	SW846/6010	19.5	19.5	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Iron	SW846/6010	0.247	0.247	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Magnesium	SW846/6010	2.30	2.30	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Phosphorus	SW846/6010	0.0251	0.0251	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Potassium	SW846/6010	3.20	3.20	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Silica, Total	SW846/6010	1.47	1.47	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Sodium	SW846/6010	6.85	6.85	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.5	NEARSURF	Antimony	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0836	0.														

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Chloride	EPA300.0	7.03	7.03	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Hardness	6010Calc	56.7	56.7	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.470	0.470	mg/L	0.0700	0.200	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Silica, Diss.	EPA6010B	0.456	0.456	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Sulfate	EPA300.0	14.2	14.2	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Aluminum	SW846/6010	0.0706	0.0706	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Calcium	SW846/6010	19.0	19.0	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Iron	SW846/6010	0.130	0.130	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Magnesium	SW846/6010	2.27	2.27	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Phosphorus	SW846/6010	0.0163	0.0163	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Potassium	SW846/6010	3.02	3.02	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Silica, Total	SW846/6010	0.652	0.652	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Sodium	SW846/6010	7.03	7.03	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Antimony	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Arsenic	SW846/6010	0.0014	0.0014	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Barium	SW846/6010	0.0415	0.0415	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Chromium	SW846/6010	0.0010	0.0010	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Copper	SW846/6010	0.0006	0.0006	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Manganese	SW846/6010	0.0536	0.0536	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Nickel	SW846/6010	0.0018	0.0018	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Selenium	SW846/6010	0.0021	0.0021	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Vanadium	SW846/6010	0.00063	0.00063	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Zinc	SW846/6010	0.0010	0.0010	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.50	5.50	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	101	101	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	0.5	NEARSURF	Total Suspended Solids	EPA160.2	4.00	4.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Total Alkalinity	EPA310.1	48.0	48.0	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Ammonia as N	EPA350.2	0.0299	0.0299	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Chloride	EPA300.0	7.03	7.03	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Hardness	6010Calc	59.8	59.8	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	0.151	0.151	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	0.430	0.430	mg/L	0.0700	0.200	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Silica, Diss.	EPA6010B	1.97	1.97	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Sulfate	EPA300.0	13.9	13.9	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Aluminum	SW846/6010	0.150	0.150	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Calcium	SW846/6010	20.0	20.0	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Iron	SW846/6010	0.538	0.538	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Magnesium	SW846/6010	2.40	2.40	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Phosphorus	SW846/6010	0.0323	0.0323	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Potassium	SW846/6010	3.06	3.06	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Silica, Total	SW846/6010	2.36	2.36	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Sodium	SW846/6010	7.00	7.00	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Arsenic	SW846/6010	0.0021	0.0021	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Barium	SW846/6010	0.0513	0.0513	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Chromium	SW846/6010	0.0012	0.0012	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Cobalt	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Copper	SW846/6010	0.0008	0.0008	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	5/21/2013	9:35:00 AM	0935	12	NEARBOTM	Lead	SW846/6010											

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Aluminum	SW846/6010	0.0798	0.0798	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Calcium	SW846/6010	19.1	19.1	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Iron	SW846/6010	0.120	0.120	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Magnesium	SW846/6010	2.29	2.29	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Phosphorus	SW846/6010	0.0156	0.0156	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Potassium	SW846/6010	3.05	3.05	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Silica, Total	SW846/6010	0.662	0.662	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Sodium	SW846/6010	7.09	7.09	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Arsenic	SW846/6010	0.0013	0.0013	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Barium	SW846/6010	0.0409	0.0409	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Chromium	SW846/6010	0.00096	0.00096	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Copper	SW846/6010	0.0006	0.0006	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Manganese	SW846/6010	0.0426	0.0426	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Nickel	SW846/6010	0.0020	0.0020	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Selenium	SW846/6010	0.0019	0.0019	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Vanadium	SW846/6010	0.0006	0.0006	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Zinc	SW846/6010	0.0012	0.0012	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.40	5.40	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	99.0	99.0	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	0.5	NEARSURF	Total Suspended Solids	EPA160.2	2.00	2.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Total Alkalinity	EPA310.1	47.7	47.7	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Ammonia as N	EPA350.2	0.0308	0.0308	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Chloride	EPA300.0	7.01	7.01	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Hardness	6010Calc	57.6	57.6	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	0.510	0.510	mg/L	0.160	0.200	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Silica, Diss.	EPA6010B	0.639	0.639	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Sulfate	EPA300.0	14.2	14.2	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Aluminum	SW846/6010	0.0997	0.0997	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Calcium	SW846/6010	19.3	19.3	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Iron	SW846/6010	0.165	0.165	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Magnesium	SW846/6010	2.30	2.30	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Phosphorus	SW846/6010	0.0135	0.0135	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Potassium	SW846/6010	3.18	3.18	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Silica, Total	SW846/6010	0.853	0.853	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Sodium	SW846/6010	7.00	7.00	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Arsenic	SW846/6010	0.0014	0.0014	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Barium	SW846/6010	0.0417	0.0417	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Chromium	SW846/6010	0.0010	0.0010	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Copper	SW846/6010	0.0008	0.0008	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Manganese	SW846/6010	0.0549	0.0549	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Nickel	SW846/6010	0.0019	0.0019	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Selenium	SW846/6010	0.0021	0.0021	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Vanadium	SW846/6010	0.0007	0.0007	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	5/21/2013	9:00:00 AM	0900	8	NEARBOTM	Zinc	SW846/6010	0.0015	0.0015	mg								

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Arsenic	SW846/6010	0.0014	0.0014	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Barium	SW846/6010	0.0448	0.0448	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Chromium	SW846/6010	0.00099	0.00099	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Cobalt	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Copper	SW846/6010	0.0007	0.0007	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Manganese	SW846/6010	0.0569	0.0569	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Nickel	SW846/6010	0.0020	0.0020	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Selenium	SW846/6010	0.0020	0.0020	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Vanadium	SW846/6010	0.0011	0.0011	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Zinc	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.50	5.50	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	105	105	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	5/21/2013	8:35:00 AM	0835	0.5	NEARSURF	Total Suspended Solids	EPA160.2	8.00	8.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Total Alkalinity	EPA310.1	64.2	64.2	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Ammonia as N	EPA350.2	0.305	0.305	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Chloride	EPA300.0	5.04	5.04	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Hardness	6010Calc	79.0	79.0	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Mercury	EPA7471A	0.000011	0.000011	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	1.36	1.36	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	1.50	1.50	mg/L	0.160	0.200	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Orthophosphate as P	EPA300.0	0.0937	0.0937	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Silica, Diss.	EPA6010B	5.03	5.03	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Sulfate	EPA300.0	16.4	16.4	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Aluminum	SW846/6010	0.380	0.380	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Calcium	SW846/6010	27.4	27.4	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Iron	SW846/6010	0.767	0.767	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Magnesium	SW846/6010	2.58	2.58	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Phosphorus	SW846/6010	0.175	0.175	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Potassium	SW846/6010	5.30	5.30	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Silica, Total	SW846/6010	5.81	5.81	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Sodium	SW846/6010	7.14	7.14	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Arsenic	SW846/6010	0.0031	0.0031	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Barium	SW846/6010	0.0687	0.0687	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Chromium	SW846/6010	0.0015	0.0015	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Cobalt	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Copper	SW846/6010	0.0036	0.0036	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Lead	SW846/6010	0.0008	0.0008	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Manganese	SW846/6010	0.0927	0.0927	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Molybdenum	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Nickel	SW846/6010	0.0042	0.0042	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Selenium	SW846/6010	0.0022	0.0022	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Vanadium	SW846/6010	0.0043	0.0043	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Zinc	SW846/6010	0.0037	0.0037	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Total Organic Carbon	EPA9060	10.0	10.0	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	175	175	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	5/21/2013	7:40:00 AM	0740	0.5	NEARSURF	Total Suspended Solids	EPA160.2	16.0	16.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Total Alkalinity	EPA310.1	4.07	4.07	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Chloride	EPA300.0	ND	<0.200	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0														

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Molybdenum	SW846/6010	0.00001	0.00001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Nickel	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Selenium	SW846/6010	0.0012	0.0012	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Silver	SW846/6010	0.00004	0.00004	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Thallium	SW846/6010	0.00001	0.00001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Vanadium	SW846/6010	5.0E-6	5.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Zinc	SW846/6010	0.00002	0.00002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Total Organic Carbon	EPA9060	ND	<1.00	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Total Dissolved Solids	EPA160.1	ND	<0.500	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	6/17/2013	11:00:00 AM	1100	0	NEARSURF	Total Suspended Solids	EPA160.2	ND	<0.250	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Total Alkalinity	EPA310.1	52.3	52.3	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Ammonia as N	EPA350.2	0.00531	0.00531	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Chloride	EPA300.0	6.92	6.92	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.640	0.640	mg/L	0.0800	0.500	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Silica, Diss.	EPA6010B	1.12	1.12	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Sulfate	EPA300.0	13.6	13.6	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Aluminum	SW846/6010	0.0081	0.0081	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Calcium	SW846/6010	19.3	19.3	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Iron	SW846/6010	0.0581	0.0581	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Magnesium	SW846/6010	2.29	2.29	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Phosphorus	SW846/6010	0.0173	0.0173	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Potassium	SW846/6010	3.26	3.26	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Silica, Total	SW846/6010	1.17	1.17	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Sodium	SW846/6010	6.82	6.82	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Antimony	SW846/6010	0.0035	0.0035	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Arsenic	SW846/6010	0.0009	0.0009	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Barium	SW846/6010	0.0357	0.0357	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Beryllium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Cadmium	SW846/6010	0.00002	0.00002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Chromium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Cobalt	SW846/6010	0.0001	0.0001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Copper	SW846/6010	0.0005	0.0005	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Lead	SW846/6010	0.00004	0.00004	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Manganese	SW846/6010	0.0355	0.0355	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Molybdenum	SW846/6010	0.00075	0.00075	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Nickel	SW846/6010	0.0010	0.0010	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Selenium	SW846/6010	0.0028	0.0028	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Silver	SW846/6010	0.0002	0.0002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Thallium	SW846/6010	0.0001	0.0001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Vanadium	SW846/6010	0.0005	0.0005	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Zinc	SW846/6010	0.00037	0.00037	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.80	5.80	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	135	135	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1016	0.5	NEARSURF	Total Suspended Solids	EPA160.2	2.00	2.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Total Alkalinity	EPA310.1	51.8	51.8	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Ammonia as N	EPA350.2	0.00414	0.00414	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Chloride	EPA300.0	6.92	6.92	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.520	0.520	mg/L	0.0800	0.500	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Silica, Diss.	EPA6010B	1.11	1.11	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Sulfate	EPA300.0	13.8	13.8	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Aluminum	SW846/6010	0.0066	0.0066	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Calcium	SW846/6010	19.5	19.5	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Iron	SW846/6010	0.0553	0.0553	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Magnesium	SW846/6010	2.32	2.32	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Phosphorus	SW846/6010	0.0100	0.0100	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	0.5	NEARSURF	Potassium	SW846/6010	3.										

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Total Alkalinity	EPA310.1	57.2	57.2	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Ammonia as N	EPA350.2	0.289	0.289	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Chloride	EPA300.0	7.00	7.00	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	0.890	0.890	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Silica, Diss.	EPA6010B	3.06	3.06	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Sulfate	EPA300.0	12.5	12.5	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Aluminum	SW846/6010	0.0922	0.0922	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Calcium	SW846/6010	20.6	20.6	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Iron	SW846/6010	0.985	0.985	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Magnesium	SW846/6010	2.44	2.44	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Phosphorus	SW846/6010	0.0908	0.0908	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Potassium	SW846/6010	3.09	3.09	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Silica, Total	SW846/6010	3.25	3.25	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Sodium	SW846/6010	6.92	6.92	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Antimony	SW846/6010	0.0008	0.0008	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Arsenic	SW846/6010	0.0060	0.0060	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Barium	SW846/6010	0.0607	0.0607	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Beryllium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Cadmium	SW846/6010	5.0E-6	5.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Chromium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Cobalt	SW846/6010	0.0007	0.0007	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Copper	SW846/6010	0.00047	0.00047	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Lead	SW846/6010	0.0002	0.0002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Manganese	SW846/6010	2.10	2.10	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Molybdenum	SW846/6010	0.0004	0.0004	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Nickel	SW846/6010	0.0018	0.0018	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Selenium	SW846/6010	0.0033	0.0033	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Silver	SW846/6010	0.00003	0.00003	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Thallium	SW846/6010	0.00001	0.00001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Vanadium	SW846/6010	0.0007	0.0007	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Zinc	SW846/6010	0.0020	0.0020	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Total Organic Carbon	EPA9060	5.50	5.50	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Total Dissolved Solids	EPA160.1	134	134	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	6/18/2013	10:15:00 AM	1015	12	NEARBOTM	Total Suspended Solids	EPA160.2	15.0	15.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Total Alkalinity	EPA310.1	51.6	51.6	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0154	0.0154	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Chloride	EPA300.0	6.92	6.92	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.630	0.630	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Silica, Diss.	EPA6010B	1.16	1.16	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Sulfate	EPA300.0	13.7	13.7	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Aluminum	SW846/6010	0.0116	0.0116	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Calcium	SW846/6010	19.3	19.3	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Iron	SW846/6010	0.0663	0.0663	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Magnesium	SW846/6010	2.27	2.27	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Phosphorus	SW846/6010	0.0094	0.0094	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Potassium	SW846/6010	3.26	3.26	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Silica, Total	SW846/6010	1.26	1.26	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Sodium	SW846/6010	6.79	6.79	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Antimony	SW846/6010	0.0006	0.0006	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Arsenic	SW846/6010	0.0009	0.0009	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Barium	SW846/6010	0.0350	0.0350	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Beryllium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Cadmium	SW846/6010	6.0E-6	6.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Chromium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Cobalt	SW846/6010	0.0001	0.0001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	0.5	NEARSURF	Copper	SW846/6010	0.0005	0.0005	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935															

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Calcium	SW846/6010	19.8	19.8	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Iron	SW846/6010	0.329	0.329	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Magnesium	SW846/6010	2.34	2.34	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Phosphorus	SW846/6010	0.0260	0.0260	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Potassium	SW846/6010	3.11	3.11	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Silica, Total	SW846/6010	2.14	2.14	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Sodium	SW846/6010	6.81	6.81	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Antimony	SW846/6010	0.0004	0.0004	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Arsenic	SW846/6010	0.0017	0.0017	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Barium	SW846/6010	0.0440	0.0440	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Beryllium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Cadmium	SW846/6010	4.0E-6	4.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Chromium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Cobalt	SW846/6010	0.0002	0.0002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Copper	SW846/6010	0.0007	0.0007	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Lead	SW846/6010	0.0001	0.0001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Manganese	SW846/6010	0.502	0.502	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Molybdenum	SW846/6010	0.0003	0.0003	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Nickel	SW846/6010	0.0011	0.0011	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Selenium	SW846/6010	0.0034	0.0034	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Silver	SW846/6010	0.00001	0.00001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Thallium	SW846/6010	6.0E-6	6.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Vanadium	SW846/6010	0.0005	0.0005	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Zinc	SW846/6010	0.0011	0.0011	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Total Organic Carbon	EPA9060	5.30	5.30	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Total Dissolved Solids	EPA160.1	123	123	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	6/18/2013	9:35:00 AM	0935	8	NEARBOTM	Total Suspended Solids	EPA160.2	9.00	9.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Total Alkalinity	EPA310.1	53.3	53.3	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Ammonia as N	EPA350.2	ND	<0.00300	mg/L	0.00300	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Chloride	EPA300.0	6.93	6.93	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.670	0.670	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Silica, Diss.	EPA6010B	1.44	1.44	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Sulfate	EPA300.0	13.4	13.4	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Aluminum	SW846/6010	0.0366	0.0366	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Calcium	SW846/6010	19.7	19.7	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Iron	SW846/6010	0.170	0.170	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Magnesium	SW846/6010	2.28	2.28	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Phosphorus	SW846/6010	0.0160	0.0160	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Potassium	SW846/6010	3.33	3.33	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Silica, Total	SW846/6010	1.56	1.56	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Sodium	SW846/6010	6.82	6.82	mg/L	0.0040	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Antimony	SW846/6010	0.0003	0.0003	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Arsenic	SW846/6010	0.0011	0.0011	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Barium	SW846/6010	0.0359	0.0359	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Beryllium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Cadmium	SW846/6010	5.0E-6	5.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Chromium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Cobalt	SW846/6010	0.0002	0.0002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Copper	SW846/6010	0.0005	0.0005	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Lead	SW846/6010	0.00009	0.00009	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Manganese	SW846/6010	0.0697	0.0697	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Molybdenum	SW846/6010	0.0002	0.0002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Nickel	SW846/6010	0.0011	0.0011	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Selenium	SW846/6010	0.0035	0.0035	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Silver	SW846/6010	9.0E-6	9.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Thallium	SW846/6010	4.0E-6	4.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Vanadium	SW846/6010	0.0007	0.0007	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Zinc	SW846/6010	0.0010	0.0010	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.70	5.70	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	6/18/2013	8:55:00 AM	0855	0.5	NEARSURF	Total Dissolved Solids	E											

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Beryllium	SW846/6010	ND	<2.0E-6	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Cadmium	SW846/6010	0.0001	0.0001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Chromium	SW846/6010	0.0006	0.0006	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Cobalt	SW846/6010	0.0066	0.0066	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Copper	SW846/6010	0.0062	0.0062	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Lead	SW846/6010	0.0064	0.0064	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Manganese	SW846/6010	0.431	0.431	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Molybdenum	SW846/6010	0.0001	0.0001	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Nickel	SW846/6010	0.0058	0.0058	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Selenium	SW846/6010	0.0035	0.0035	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Silver	SW846/6010	0.00002	0.00002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Thallium	SW846/6010	0.00002	0.00002	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Vanadium	SW846/6010	0.0138	0.0138	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Zinc	SW846/6010	0.0137	0.0137	mg/L	2.0E-6	1.0E-5	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Total Organic Carbon	EPA9060	10.3	10.3	mg/L	1.00	2.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	300	300	mg/L	5.00	50.0	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	6/18/2013	7:30:00 AM	0730	0.5	NEARSURF	Total Suspended Solids	EPA160.2	970	970	mg/L	2.50	50.0	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Total Alkalinity	EPA310.1	ND	<3.00	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Ammonia as N	EPA350.2	0.0160	0.0160	mg/L	0.00100	0.0100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Chloride	EPA300.0	ND	<0.200	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Hardness	6010Calc	ND	<0.0132	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	ND	<0.0700	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Silica, Diss.	EPA6010B	0.242	0.242	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Silica, Total	SW846/6010	0.242	0.242	mg/L	0.00500	0.0500	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Sulfate	EPA300.0	ND	<0.0250	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Aluminum	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Calcium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Iron	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Magnesium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Phosphorus	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Potassium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Sodium	SW846/6010	0.0047	0.0047	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Antimony	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Arsenic	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Barium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Beryllium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Cadmium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Chromium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Cobalt	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Copper	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Lead	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Manganese	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Molybdenum	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Nickel	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Selenium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Silver	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Strontium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Thallium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Vanadium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Zinc	SW846/6010	0.0005	0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Total Organic Carbon	EPA9060	ND	<0.430	mg/L	0.430	1.00	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Total Dissolved Solids	EPA160.1	ND	<0.500	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2S-BLANK	2	1PATTXN0011	2	7/22/2013	12:00:00 PM	1200	0	NEARSURF	Total Suspended Solids	EPA160.2	ND	<0.250	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Total Alkalinity	EPA310.1	51.9	51.9	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0225	0.0225	mg/L	0.00100	0.0100	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Chloride	EPA300.0	6.87	6.87	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Hardness	6010Calc	57.4	57.4	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2S-DUP	2																				

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Nickel	SW846/6010	0.0012	0.0012	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Selenium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Strontium	SW846/6010	0.115	0.115	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Vanadium	SW846/6010	0.0011	0.0011	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Zinc	SW846/6010	0.0023	0.0023	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.30	5.30	mg/L	0.430	1.00	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	115	115	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2S-DUP	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0826	0.5	NEARSURF	Total Suspended Solids	EPA160.2	6.00	6.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Total Alkalinity	EPA310.1	52.7	52.7	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0272	0.0272	mg/L	0.00100	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Chloride	EPA300.0	6.86	6.86	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Hardness	6010Calc	57.1	57.1	mgeq/CaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.550	0.550	mg/L	0.150	0.500	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Silica, Diss.	EPA6010B	1.87	1.87	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Silica, Total	SW846/6010	2.00	2.00	mg/L	0.00500	0.0500	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Sulfate	EPA300.0	12.9	12.9	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Aluminum	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Calcium	SW846/6010	19.1	19.1	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Iron	SW846/6010	0.0525	0.0525	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Magnesium	SW846/6010	2.28	2.28	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Phosphorus	SW846/6010	0.0235	0.0235	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Potassium	SW846/6010	3.41	3.41	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Sodium	SW846/6010	6.84	6.84	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Antimony	SW846/6010	0.0011	0.0011	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Arsenic	SW846/6010	0.0022	0.0022	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Barium	SW846/6010	0.0290	0.0290	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Chromium	SW846/6010	0.0008	0.0008	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Copper	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Manganese	SW846/6010	0.0630	0.0630	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Nickel	SW846/6010	0.0011	0.0011	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Selenium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Strontium	SW846/6010	0.122	0.122	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Vanadium	SW846/6010	0.0009	0.0009	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Zinc	SW846/6010	0.0011	0.0011	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.30	5.30	mg/L	0.430	1.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	112	112	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	0.5	NEARSURF	Total Suspended Solids	EPA160.2	5.00	5.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Total Alkalinity	EPA310.1	67.9	67.9	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Ammonia as N	EPA350.2	0.725	0.725	mg/L	0.00100	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Chloride	EPA300.0	6.83	6.83	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Hardness	6010Calc	62.5	62.5	mgeq/CaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	0.710	0.710	mg/L	0.150	0.500	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Silica, Diss.	EPA6010B	4.44	4.44	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Silica, Total	SW846/6010	4.83	4.83	mg/L	0.00500	0.0500	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Sulfate	EPA300.0	7.33	7.33	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Aluminum	SW846/6010	0.0445	0.0445	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Calcium	SW846/6010</											

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Vanadium	SW846/6010	0.0013	0.0013	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Zinc	SW846/6010	0.0035	0.0035	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Total Organic Carbon	EPA9060	5.10	5.10	mg/L	0.430	1.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Total Dissolved Solids	EPA160.1	121	121	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	7/23/2013	9:20:00 AM	0920	12	NEARBOTM	Total Suspended Solids	EPA160.2	14.0	14.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Total Alkalinity	EPA310.1	53.5	53.5	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0277	0.0277	mg/L	0.00100	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Chloride	EPA300.0	6.90	6.90	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Hardness	6010Calc	56.9	56.9	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.360	0.360	mg/L	0.150	0.500	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Silica, Diss.	EPA6010B	2.11	2.11	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Silica, Total	SW846/6010	2.16	2.16	mg/L	0.00500	0.0500	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Sulfate	EPA300.0	12.8	12.8	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Aluminum	SW846/6010	0.0052	0.0052	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Calcium	SW846/6010	19.1	19.1	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Iron	SW846/6010	0.0837	0.0837	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Magnesium	SW846/6010	2.25	2.25	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Phosphorus	SW846/6010	0.0220	0.0220	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Potassium	SW846/6010	3.39	3.39	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Sodium	SW846/6010	6.81	6.81	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Arsenic	SW846/6010	0.0025	0.0025	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Barium	SW846/6010	0.0313	0.0313	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Chromium	SW846/6010	0.0007	0.0007	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Copper	SW846/6010	0.0005	0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Manganese	SW846/6010	0.0663	0.0663	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Nickel	SW846/6010	0.0012	0.0012	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Selenium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Strontium	SW846/6010	0.116	0.116	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Vanadium	SW846/6010	0.0010	0.0010	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Zinc	SW846/6010	0.0014	0.0014	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.10	5.10	mg/L	0.430	1.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	113	113	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	0.5	NEARSURF	Total Suspended Solids	EPA160.2	6.00	6.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Total Alkalinity	EPA310.1	56.2	56.2	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Ammonia as N	EPA350.2	0.0505	0.0505	mg/L	0.00100	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Chloride	EPA300.0	6.86	6.86	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Hardness	6010Calc	57.5	57.5	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	0.360	0.360	mg/L	0.150	0.500	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Silica, Diss.	EPA6010B	2.33	2.33	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Silica, Total	SW846/6010	2.43	2.43	mg/L	0.00500	0.0500	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Sulfate	EPA300.0	12.4	12.4	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Aluminum	SW846/6010	0.0345	0.0345	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Calcium	SW846/6010	19.3	19.3	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Iron	SW846/6010	0.230	0.230	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Magnesium	SW846/6010	2.27	2.27	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Phosphorus	SW846/6010	0.0304	0.0304	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Potassium	SW846/6010	3.35	3.35	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Sodium	SW846/6010	6.77	6.77	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	7/23/2013	8:25:00 AM	0825	7	NEARBOTM	Antimony	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0175	0.0175	mg/L	0.00100	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Chloride	EPA300.0	6.89	6.89	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Hardness	6010Calc	56.9	56.9	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	0.0226	0.0226	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.670	0.670	mg/L	0.150	0.500	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Silica, Diss.	EPA6010B	2.25	2.25	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Silica, Total	SW846/6010	2.36	2.36	mg/L	0.00500	0.0500	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Sulfate	EPA300.0	12.7	12.7	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Aluminum	SW846/6010	0.0166	0.0166	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Calcium	SW846/6010	19.1	19.1	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Iron	SW846/6010	0.131	0.131	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Magnesium	SW846/6010	2.26	2.26	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Phosphorus	SW846/6010	0.0276	0.0276	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Potassium	SW846/6010	3.38	3.38	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Sodium	SW846/6010	6.79	6.79	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Arsenic	SW846/6010	0.0028	0.0028	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Barium	SW846/6010	0.0376	0.0376	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Chromium	SW846/6010	0.0008	0.0008	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Copper	SW846/6010	0.0005	0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Manganese	SW846/6010	0.116	0.116	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Molybdenum	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Nickel	SW846/6010	0.0012	0.0012	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Selenium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Strontium	SW846/6010	0.122	0.122	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Vanadium	SW846/6010	0.0011	0.0011	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Zinc	SW846/6010	0.0018	0.0018	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Organic Carbon	EPA9060	5.00	5.00	mg/L	0.430	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	112	112	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	7/23/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Suspended Solids	EPA160.2	6.00	6.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Total Alkalinity	EPA310.1	105	105	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Ammonia as N	EPA350.2	0.151	0.151	mg/L	0.00100	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Chloride	EPA300.0	7.61	7.61	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Hardness	6010Calc	104	104	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	0.0251	0.0251	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	1.20	1.20	mg/L	0.0800	0.500	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Silica, Diss.	EPA6010B	4.52	4.52	mg/L	0.00400	0.0200	2					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Silica, Total	SW846/6010	5.37	5.37	mg/L	0.00500	0.0500	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Sulfate	EPA300.0	11.2	11.2	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Aluminum	SW846/6010	0.293	0.293	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Calcium	SW846/6010	36.6	36.6	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Iron	SW846/6010	0.726	0.726	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Magnesium	SW846/6010	3.10	3.10	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Phosphorus	SW846/6010	0.0667	0.0667	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Potassium	SW846/6010	5.91	5.91	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Sodium	SW846/6010	7.68	7.68	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Arsenic	SW846/6010	0.0046	0.0046	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Barium	SW846/6010	0.0731	0.0731	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0005	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Chromium	SW846/6010	0.0021	0.0021	mg/L	0.0005	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	7/23/2013	7:20:00 AM	0720	0.5	NEARSURF	Cobalt												

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Silica, Diss.	EPA6010B	0.259	0.259	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Sulfate	EPA300.0	ND	<0.0250	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Aluminum	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Calcium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Iron	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Magnesium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Phosphorus	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Potassium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Silica, Total	SW846/6010	0.245	0.245	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Sodium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Arsenic	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Barium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Chromium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Copper	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Manganese	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Nickel	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Selenium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Vanadium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Zinc	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Total Organic Carbon	EPA9060	ND	<0.200	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Total Dissolved Solids	EPA160.1	30.0	30.0	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-3S-BLANK	3	1PATTXN0009	2	8/19/2013	12:00:00 PM	1200	0	NEARSURF	Total Suspended Solids	EPA160.2	ND	<0.250	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Total Alkalinity	EPA310.1	54.4	54.4	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0292	0.0292	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Chloride	EPA300.0	7.30	7.30	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Hardness	6010Calc	59.2	59.2	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	1.50	1.50	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Silica, Diss.	EPA6010B	2.98	2.98	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Sulfate	EPA300.0	12.5	12.5	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Aluminum	SW846/6010	0.0577	0.0577	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Calcium	SW846/6010	19.9	19.9	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Iron	SW846/6010	0.204	0.204	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Magnesium	SW846/6010	2.33	2.33	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Phosphorus	SW846/6010	0.0346	0.0346	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Potassium	SW846/6010	3.54	3.54	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Silica, Total	SW846/6010	3.16	3.16	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Sodium	SW846/6010	7.31	7.31	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Antimony	SW846/6010	0.00036	0.00036	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Arsenic	SW846/6010	0.0048	0.0048	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Barium	SW846/6010	0.0326	0.0326	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Chromium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Copper	SW846/6010	0.00062	0.00062	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Manganese	SW846/6010	0.0793	0.0793	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Molybdenum	SW846/6010	0.00024	0.00024	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Nickel	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S-DUP	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0911	0.5	NEARSURF	Selenium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1	</				

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Potassium	SW846/6010	3.49	3.49	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Silica, Total	SW846/6010	2.90	2.90	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Sodium	SW846/6010	7.21	7.21	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Arsenic	SW846/6010	0.0049	0.0049	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Barium	SW846/6010	0.0389	0.0389	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Chromium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Copper	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Manganese	SW846/6010	0.116	0.116	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Molybdenum	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Nickel	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Selenium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Vanadium	SW846/6010	0.0008	0.0008	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Zinc	SW846/6010	0.0013	0.0013	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Total Organic Carbon	EPA9060	6.00	6.00	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	148	148	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	0.5	NEARSURF	Total Suspended Solids	EPA160.2	12.0	12.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Total Alkalinity	EPA310.1	ND	<3.00	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Ammonia as N	EPA350.2	1.13	1.13	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Chloride	EPA300.0	6.97	6.97	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Hardness	6010Calc	65.7	65.7	mgeq/CaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Mercury	EPA7471A	0.000011	0.000011	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	2.00	2.00	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Silica, Diss.	EPA6010B	4.63	4.63	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Sulfate	EPA300.0	6.17	6.17	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Aluminum	SW846/6010	0.0123	0.0123	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Calcium	SW846/6010	22.0	22.0	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Iron	SW846/6010	3.28	3.28	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Magnesium	SW846/6010	2.58	2.58	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Phosphorus	SW846/6010	0.387	0.387	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Potassium	SW846/6010	3.39	3.39	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Silica, Total	SW846/6010	5.28	5.28	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Sodium	SW846/6010	7.11	7.11	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Arsenic	SW846/6010	0.0206	0.0206	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Barium	SW846/6010	0.0866	0.0866	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Chromium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Cobalt	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Copper	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Manganese	SW846/6010	3.56	3.56	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Molybdenum	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Nickel	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Selenium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Vanadium	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Zinc	SW846/6010	0.0035	0.0035	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	8/20/2013	10:55:00 AM	1055	12	NEARBOTM	Total Organic Carbon	EPA9060	6.30	6.30	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Total Alkalinity	EPA310.1	55.5	55.5	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0225	0.0225	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Chloride	EPA300.0	7.14	7.14	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5														

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Copper	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Manganese	SW846/6010	0.124	0.124	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Molybdenum	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Nickel	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Selenium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Vanadium	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Zinc	SW846/6010	0.0011	0.0011	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Total Organic Carbon	EPA9060	6.30	6.30	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	143	143	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	0.5	NEARSURF	Total Suspended Solids	EPA160.2	10.0	10.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Total Alkalinity	EPA310.1	56.1	56.1	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Ammonia as N	EPA350.2	0.0137	0.0137	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Chloride	EPA300.0	7.13	7.13	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Hardness	6010Calc	60.4	60.4	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Total Kjeldahl Nitrogen	EPA351.4	0.920	0.920	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Silica, Diss.	EPA6010B	2.85	2.85	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Sulfate	EPA300.0	11.9	11.9	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Aluminum	SW846/6010	0.0088	0.0088	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Calcium	SW846/6010	20.2	20.2	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Iron	SW846/6010	0.111	0.111	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Magnesium	SW846/6010	2.42	2.42	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Phosphorus	SW846/6010	0.0218	0.0218	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Potassium	SW846/6010	3.55	3.55	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Silica, Total	SW846/6010	2.98	2.98	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Sodium	SW846/6010	7.29	7.29	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Arsenic	SW846/6010	0.0050	0.0050	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Barium	SW846/6010	0.0377	0.0377	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Chromium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Copper	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Manganese	SW846/6010	0.189	0.189	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Molybdenum	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Nickel	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Selenium	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Vanadium	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Zinc	SW846/6010	0.0015	0.0015	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Total Organic Carbon	EPA9060	6.20	6.20	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Total Dissolved Solids	EPA160.1	131	131	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	8/20/2013	9:55:00 AM	0955	7	NEARBOTM	Total Suspended Solids	EPA160.2	8.00	8.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Total Alkalinity	EPA310.1	54.9	54.9	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0274	0.0274	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Chloride	EPA300.0	7.28	7.28	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Hardness	6010Calc	59.3	59.3	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Mercury	EPA7471A	0.00001	0.00001	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	1.20	1.20	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Silica, Diss.	EPA6010B	3.00	3.00	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Sulfate	EPA300.0	12.5	12.5	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Aluminum	SW846/6010	0.0639	0.0639	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Calcium	SW846/6010	19.9	19.9									

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Vanadium	SW846/6010	0.0022	0.0022	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Zinc	SW846/6010	0.0015	0.0015	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Total Organic Carbon	EPA9060	6.60	6.60	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	138	138	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	8/20/2013	9:10:00 AM	0910	0.5	NEARSURF	Total Suspended Solids	EPA160.2	18.0	18.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Total Alkalinity	EPA310.1	121	121	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0912	0.0912	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Chloride	EPA300.0	7.58	7.58	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Hardness	6010Calc	119	119	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Mercury	EPA7471A	0.000013	0.000013	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.800	0.800	mg/L	0.0700	0.500	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Silica, Diss.	EPA6010B	4.91	4.91	mg/L	0.00200	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Sulfate	EPA300.0	7.22	7.22	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Aluminum	SW846/6010	0.242	0.242	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Calcium	SW846/6010	41.9	41.9	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Iron	SW846/6010	0.832	0.832	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Magnesium	SW846/6010	3.57	3.57	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Phosphorus	SW846/6010	0.0623	0.0623	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Potassium	SW846/6010	6.16	6.16	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Silica, Total	SW846/6010	5.41	5.41	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Sodium	SW846/6010	8.20	8.20	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Arsenic	SW846/6010	0.0088	0.0088	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Barium	SW846/6010	0.103	0.103	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Chromium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Cobalt	SW846/6010	0.0021	0.0021	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Copper	SW846/6010	0.0014	0.0014	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Lead	SW846/6010	0.0014	0.0014	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Manganese	SW846/6010	0.641	0.641	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Molybdenum	SW846/6010	0.00044	0.00044	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Nickel	SW846/6010	0.0030	0.0030	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Selenium	SW846/6010	0.0006	0.0006	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Vanadium	SW846/6010	0.0034	0.0034	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Zinc	SW846/6010	0.0062	0.0062	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Total Organic Carbon	EPA9060	9.30	9.30	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	209	209	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	8/20/2013	8:05:00 AM	0805	0.5	NEARSURF	Total Suspended Solids	EPA160.2	30.0	30.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Total Alkalinity	EPA310.1	ND	<3.00	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Ammonia as N	EPA350.2	0.0182	0.0182	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Chloride	EPA300.0	ND	<0.200	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Hardness	6010Calc	ND	<0.0132	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	ND	<0.320	mg/L	0.320	1.00	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Silica, Diss.	EPA6010B	0.241	0.241	mg/L	0.0100	0.0500	2					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Sulfate	EPA300.0	ND	<0.0250	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Aluminum	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Calcium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Iron	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Magnesium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Phosphorus	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Potassium	SW846/6010	0.0109	0.0109	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Silica, Total	SW846/6010	0.223	0.223	mg/L	0.0070	0.0200	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Sodium	SW846/6010	ND	<0.0020	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-BLANK	1	1PATTXN0007	2	9/16/2013	11:40:00 AM	1140	0</														

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Hardness	6010Calc	61.0	61.0	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.880	0.880	mg/L	0.320	1.00	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Silica, Diss.	EPA6010B	3.19	3.19	mg/L	0.0100	0.0500	2					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Sulfate	EPA300.0	11.1	11.1	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Aluminum	SW846/6010	0.0036	0.0036	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Calcium	SW846/6010	20.5	20.5	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Iron	SW846/6010	0.0890	0.0890	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Magnesium	SW846/6010	2.41	2.41	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Phosphorus	SW846/6010	0.0261	0.0261	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Potassium	SW846/6010	3.56	3.56	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Silica, Total	SW846/6010	3.31	3.31	mg/L	0.0070	0.0200	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Sodium	SW846/6010	7.33	7.33	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Antimony	SW846/6010	0.0008	0.0008	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Arsenic	SW846/6010	0.0054	0.0054	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Barium	SW846/6010	0.0405	0.0405	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Chromium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Copper	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Manganese	SW846/6010	0.189	0.189	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Molybdenum	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Nickel	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Selenium	SW846/6010	0.00048	0.00048	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Vanadium	SW846/6010	0.0007	0.0007	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Zinc	SW846/6010	0.0017	0.0017	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Total Organic Carbon	EPA9060	6.10	6.10	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	111	111	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-1S-DUP	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1001	0.5	NEARSURF	Total Suspended Solids	EPA160.2	8.00	8.00	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Total Alkalinity	EPA310.1	58.8	58.8	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Ammonia as N	EPA350.2	0.184	0.184	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Chloride	EPA300.0	7.35	7.35	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Hardness	6010Calc	60.8	60.8	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.840	0.840	mg/L	0.320	1.00	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Silica, Diss.	EPA6010B	3.12	3.12	mg/L	0.0100	0.0500	2					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Sulfate	EPA300.0	11.1	11.1	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Aluminum	SW846/6010	0.0028	0.0028	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Calcium	SW846/6010	20.4	20.4	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Iron	SW846/6010	0.0788	0.0788	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Magnesium	SW846/6010	2.41	2.41	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Phosphorus	SW846/6010	0.0266	0.0266	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Potassium	SW846/6010	3.54	3.54	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Silica, Total	SW846/6010	3.26	3.26	mg/L	0.0070	0.0200	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Sodium	SW846/6010	7.27	7.27	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Antimony	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Arsenic	SW846/6010	0.0054	0.0054	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Barium	SW846/6010	0.0421	0.0421	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Chromium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Copper	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1S	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002</							

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Calcium	SW846/6010	24.8	24.8	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Iron	SW846/6010	7.37	7.37	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Magnesium	SW846/6010	2.77	2.77	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Phosphorus	SW846/6010	0.888	0.888	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Potassium	SW846/6010	3.55	3.55	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Silica, Total	SW846/6010	7.34	7.34	mg/L	0.0070	0.0200	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Sodium	SW846/6010	7.04	7.04	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Arsenic	SW846/6010	0.0337	0.0337	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Barium	SW846/6010	0.122	0.122	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Chromium	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Cobalt	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Copper	SW846/6010	0.00057	0.00057	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Manganese	SW846/6010	5.93	5.93	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Molybdenum	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Nickel	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Selenium	SW846/6010	0.0006	0.0006	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Vanadium	SW846/6010	0.0014	0.0014	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Zinc	SW846/6010	0.0073	0.0073	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Total Organic Carbon	EPA9060	7.40	7.40	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Total Dissolved Solids	EPA160.1	146	146	mg/L	0.962	9.62	1					
Pat Mayse Lake	PAT-1B	1	1PATTXN0007	2	9/17/2013	10:00:00 AM	1000	12	NEARBOTM	Total Suspended Solids	EPA160.2	30.8	30.8	mg/L	0.481	9.62	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Total Alkalinity	EPA310.1	57.5	57.5	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0354	0.0354	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Chloride	EPA300.0	7.38	7.38	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Hardness	6010Calc	60.8	60.8	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	0.870	0.870	mg/L	0.320	1.00	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Silica, Diss.	EPA6010B	3.14	3.14	mg/L	0.0100	0.0500	2					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Sulfate	EPA300.0	11.4	11.4	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Aluminum	SW846/6010	0.0240	0.0240	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Calcium	SW846/6010	20.3	20.3	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Iron	SW846/6010	0.121	0.121	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Magnesium	SW846/6010	2.43	2.43	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Phosphorus	SW846/6010	0.0283	0.0283	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Potassium	SW846/6010	3.54	3.54	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Silica, Total	SW846/6010	3.27	3.27	mg/L	0.0070	0.0200	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Sodium	SW846/6010	7.30	7.30	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Arsenic	SW846/6010	0.0051	0.0051	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Barium	SW846/6010	0.0317	0.0317	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Chromium	SW846/6010	0.00031	0.00031	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Copper	SW846/6010	0.0002	0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Manganese	SW846/6010	0.118	0.118	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Molybdenum	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Nickel	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Selenium	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Vanadium	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5	NEARSURF	Zinc	SW846/6010	0.0012	0.0012	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2S	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	0.5														

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Arsenic	SW846/6010	0.0051	0.0051	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Barium	SW846/6010	0.0331	0.0331	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Chromium	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Copper	SW846/6010	0.00025	0.00025	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Manganese	SW846/6010	0.108	0.108	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Molybdenum	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Nickel	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Selenium	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Vanadium	SW846/6010	0.0009	0.0009	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Zinc	SW846/6010	0.0012	0.0012	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Total Organic Carbon	EPA9060	6.70	6.70	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Total Dissolved Solids	EPA160.1	121	121	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-2B	2	1PATTXN0011	2	9/17/2013	8:20:00 AM	0820	7	NEARBOTM	Total Suspended Solids	EPA160.2	10.0	10.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Alkalinity	EPA310.1	55.0	55.0	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0338	0.0338	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Chloride	EPA300.0	7.61	7.61	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Hardness	6010Calc	60.9	60.9	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.0200	0.0200	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Kjeldahl Nitrogen	EPA351.4	1.20	1.20	mg/L	0.320	1.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Orthophosphate as P	EPA300.0	ND	<0.0500	mg/L	0.0500	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Silica, Diss.	EPA6010B	3.20	3.20	mg/L	0.0100	0.0500	2					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Sulfate	EPA300.0	12.2	12.2	mg/L	0.0250	0.100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Aluminum	SW846/6010	0.118	0.118	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Calcium	SW846/6010	20.4	20.4	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Iron	SW846/6010	0.254	0.254	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Magnesium	SW846/6010	2.41	2.41	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Phosphorus	SW846/6010	0.0403	0.0403	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Potassium	SW846/6010	3.62	3.62	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Silica, Total	SW846/6010	3.69	3.69	mg/L	0.0070	0.0200	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Sodium	SW846/6010	7.51	7.51	mg/L	0.0020	0.0100	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Antimony	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Arsenic	SW846/6010	0.0049	0.0049	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Barium	SW846/6010	0.0351	0.0351	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Beryllium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Cadmium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Chromium	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Cobalt	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Copper	SW846/6010	0.0004	0.0004	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Lead	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Manganese	SW846/6010	0.0785	0.0785	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Molybdenum	SW846/6010	0.0003	0.0003	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Nickel	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Selenium	SW846/6010	0.0005	0.0005	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Vanadium	SW846/6010	0.0023	0.0023	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Zinc	SW846/6010	0.0017	0.0017	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Organic Carbon	EPA9060	6.80	6.80	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	130	130	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-3S	3	1PATTXN0009	2	9/17/2013	8:00:00 AM	0800	0.5	NEARSURF	Total Suspended Solids	EPA160.2	22.0	22.0	mg/L	0.250	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Total Alkalinity	EPA310.1	132	132	mg/L	3.00	10.0	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Ammonia as N	EPA350.2	0.0399	0.0399	mg/L	0.00100	0.00300	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Chloride	EPA300.0	8.15	8.15	mg/L	0.200	1.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Hardness	6010Calc	132	132	mgeqCaCO3/l	0.0132	0.0661	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Mercury	EPA7471A	ND	<0.000005	mg/L	0.000005	0.00001	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Nitrate/Nitrite as N	EPA300.0	ND	<0.0200	mg/L	0.							

Reservoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Manganese	SW846/6010	0.446	0.446	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Molybdenum	SW846/6010	0.00083	0.00083	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Nickel	SW846/6010	0.0023	0.0023	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Selenium	SW846/6010	0.0007	0.0007	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Silver	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Thallium	SW846/6010	ND	<0.0002	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Vanadium	SW846/6010	0.0027	0.0027	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Zinc	SW846/6010	0.0054	0.0054	mg/L	0.0002	0.0010	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Total Organic Carbon	EPA9060	9.60	9.60	mg/L	0.200	2.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Total Dissolved Solids	EPA160.1	210	210	mg/L	0.500	5.00	1					
Pat Mayse Lake	PAT-4S	4	1PATTXN0010	2	9/17/2013	7:10:00 AM	0710	0.5	NEARSURF	Total Suspended Solids	EPA160.2	31.0	31.0	mg/L	0.250	5.00	1					
		1	1PATTXN0007	2	3/19/2013	20130319	1200	0.0		CHL A, FL, COR	EPA445.0		0	0.0 ug/l			1					
		1	1PATTXN0007	2	3/20/2013	20130320	1055	0.5		CHL A, FL, COR	EPA445.0	21.56708015	21.6	ug/l			1					
		1	1PATTXN0007	2	3/20/2013	20130320	1056	0.5		CHL A, FL, COR	EPA445.0	18.20801527	18.2	ug/l			1					
		2	1PATTXN0011	2	3/20/2013	20130320	1025	0.5		CHL A, FL, COR	EPA445.0	19.58931298	19.6	ug/l			2					
		3	1PATTXN0009	2	3/20/2013	20130320	0955	0.5		CHL A, FL, COR	EPA445.0	32.64885496	32.6	ug/l			1					
		4	1PATTXN0010	2	3/20/2013	20130320	0810	0.5		CHL A, FL, COR	EPA445.0	18.7730916		ug/l			1					
		1	1PATTXN0007	2	3/19/2013	20130319	1200	0.0		PHPHTN-A, FLR MTHD	EPA445.0	0.658	0.7	ug/l			1					
		1	1PATTXN0007	2	3/20/2013	20130320	1055	0.5		PHPHTN-A, FLR MTHD	EPA445.0	3.239519847	3.2	ug/l			1					
		1	1PATTXN0007	2	3/20/2013	20130320	1056	0.5		PHPHTN-A, FLR MTHD	EPA445.0	3.374384733	3.4	ug/l			1					
		2	1PATTXN0011	2	3/20/2013	20130320	1025	0.5		PHPHTN-A, FLR MTHD	EPA445.0	8.836287023	8.8	ug/l			2					
		3	1PATTXN0009	2	3/20/2013	20130320	0955	0.5		PHPHTN-A, FLR MTHD	EPA445.0	6.436345038	6.4	ug/l			1					
		4	1PATTXN0010	2	3/20/2013	20130320	0810	0.5		PHPHTN-A, FLR MTHD	EPA445.0	6.494108397	6.5	ug/l			1					
		2	1PATTXN0011	2	4/22/2013	20130422	1215	0.0		CHL A, FL, COR	EPA445.0	-0.263621795	-0.3	ug/l			1					
		1	1PATTXN0007	2	4/23/2013	20130423	1010	0.5		CHL A, FL, COR	EPA445.0	20.72067308	20.7	ug/l			1					
		2	1PATTXN0011	2	4/23/2013	20130423	0900	0.5		CHL A, FL, COR	EPA445.0	20.24615385	20.2	ug/l			1					
		2	1PATTXN0011	2	4/23/2013	20130423	0901	0.5		CHL A, FL, COR	EPA445.0	20.82612179	20.8	ug/l			1					
		3	1PATTXN0009	2	4/23/2013	20130423	0930	0.5		CHL A, FL, COR	EPA445.0	16.29182692	16.3	ug/l			1					
		4	1PATTXN0010	2	4/23/2013	20130423	0750	0.5		CHL A, FL, COR	EPA445.0	5.694230769	5.7	ug/l			1					
		2	1PATTXN0011	2	4/22/2013	20130422	1215	0.0		PHPHTN-A, FLR MTHD	EPA445.0	-1.629903385	-1.6	ug/l			1					
		1	1PATTXN0007	2	4/23/2013	20130423	1010	0.5		PHPHTN-A, FLR MTHD	EPA445.0	4.960262175	5.0	ug/l			1					
		2	1PATTXN0011	2	4/23/2013	20130423	0900	0.5		PHPHTN-A, FLR MTHD	EPA445.0	5.434781406	5.4	ug/l			1					
		2	1PATTXN0011	2	4/23/2013	20130423	0901	0.5		PHPHTN-A, FLR MTHD	EPA445.0	5.209849428	5.2	ug/l			1					
		3	1PATTXN0009	2	4/23/2013	20130423	0930	0.5		PHPHTN-A, FLR MTHD	EPA445.0	9.152417681	9.2	ug/l			1					
		4	1PATTXN0010	2	4/23/2013	20130423	0750	0.5		PHPHTN-A, FLR MTHD	EPA445.0	5.903610957	5.9	ug/l			1					
		3	1PATTXN0009	2	5/20/2013	20130520	1140	0.0		CHL A, FL, COR	EPA445.0	0.152033272	0.2	ug/l			1					
		1	1PATTXN0007	2	5/21/2013	20130521	0935	0.5		CHL A, FL, COR	EPA445.0	13.10526802	13.1	ug/l			1					
		2	1PATTXN0011	2	5/21/2013	20130521	0900	0.5		CHL A, FL, COR	EPA445.0	9.274029575	9.3	ug/l			1					
		3	1PATTXN0009	2	5/21/2013	20130521	0835	0.5		CHL A, FL, COR	EPA445.0	10.49029575	10.5	ug/l			1					
		3	1PATTXN0009	2	5/21/2013	20130521	0836	0.5		CHL A, FL, COR	EPA445.0	9.790942699	9.8	ug/l			1					
		4	1PATTXN0010	2	5/21/2013	20130521	0740	0.5		CHL A, FL, COR	EPA445.0	5.047504621	5.0	ug/l			1					
		3	1PATTXN0009	2	5/20/2013	20130520	1140	0.0		PHPHTN-A, FLR MTHD	EPA445.0	-0.41108839	-0.4	ug/l			1					
		1	1PATTXN0007	2	5/21/2013	20130521	0935	0.5		PHPHTN-A, FLR MTHD	EPA445.0	3.862842214	3.9	ug/l			1					
		2	1PATTXN0011	2	5/21/2013	20130521	0900	0.5		PHPHTN-A, FLR MTHD	EPA445.0	3.225379874	3.2	ug/l			1					
		3	1PATTXN0009	2	5/21/2013	20130521	0835	0.5		PHPHTN-A, FLR MTHD	EPA445.0	4.79395622	4.8	ug/l			1					
		3	1PATTXN0009	2	5/21/2013	20130521	0836	0.5		PHPHTN-A, FLR MTHD	EPA445.0	5.49330927	5.5	ug/l			1					
		4	1PATTXN0010	2	5/21/2013	20130521	0740	0.5		PHPHTN-A, FLR MTHD	EPA445.0	4.667062308	4.7	ug/l			1					
		1	1PATTXN0007	2	6/17/2013	20130617	1100	0.0		CHL A, FL, COR	EPA445.0	0.232298137	0.2	ug/l			1					
		1	1PATTXN0007	2	6/18/2013	20130618	1015	0.5		CHL A, FL, COR	EPA445.0	10.64699793	10.6	ug/l			1					
		1	1PATTXN0007	2	6/18/2013	20130618	1016	0.5		CHL A, FL, COR	EPA445.0	11.26645963	11.3	ug/l			1					
		2	1PATTXN0011	2	6/18/2013	20130618	0935	0.5		CHL A, FL, COR	EPA445.0	6.620496894	6.6	ug/l			1					
		3	1PATTXN0009	2	6/18/2013	20130618	0855	0.5		CHL A, FL, COR	EPA445.0	14.36376812	14.4	ug/l			1					
		4	1PATTXN0010	2	6/18/2013	20130618	0730	0.5		CHL A, FL, COR	EPA445.0	6.891511387	6.9	ug/l			1					
		1	1PATTXN0007	2	6/17/2013	20130617	1100	0.0		PHPHTN-A, FLR MTHD	EPA445.0	-1.048892023	-1.0	ug/l			1					
		1	1PATTXN0007	2	6/18/2013	20130618	1015	0.5		PHPHTN-A, FLR MTHD	EPA445.0	4.133351415	4.1	ug/l			1					
		1	1PATTXN0007	2	6/18/2013	20130618	1016	0.5		PHPHTN-A, FLR MTHD	EPA445.0	3.595549106	3.6	ug/l			1					
		2	1PATTXN0011	2	6/18/2013	20130618	0935	0.5		PHPHTN-A, FLR MTHD	EPA445.0	2.688673411	2.7	ug/l			1					
		3	1PATTXN0009	2	6/18/2013	20130618	0855	0.5		PHPHTN-A, FLR MTHD	EPA445.0	6.296057212	6.3	ug/l			1					
		4	1PATTXN0010	2	6/18/2013	20130618	0730	0.5		PHPHTN-A, FLR MTHD	EPA445.0	18.09626154	18.1	ug/l			1					
		2	1PATTXN0011	2	7/22/2013	20130722	1200	0.0		CHL A, FL, COR	EPA445.0	0.552437223	0.6	ug/l			1					
		1	1PATTXN0007	2	7/23/2013	20130723	0920	0.5		CHL A, FL, COR	EPA445.0	28.56100443	28.6	ug/l			2					
		2	1PATTXN0011	2	7/23/2013	20130723	0825	0.5		CHL A, FL, COR	EPA445.0	32.48330871	32.5	ug/l			2					
		2	1PATTXN0011	2	7/23/2013	20130723	0826	0.5		CHL A, FL, COR	EPA445.0	30.16307238	30.2	ug/l			2					
		3	1PATTXN0009	2	7/23/2013	20130723	0800	0.5		CHL A, FL, COR	EPA445.0	16.95982275	17.0	ug/l			1					
		4	1PATTXN0010	2	7/23/2013	20130723	0720	0.5		CHL A, FL, COR	EPA445.0	25.63308715	25.6	ug/l			1					
		2	1PATTXN0011	2	7/22/2013	20130722	1200	0.0		PHPHTN-A, FLR MTHD	EPA445.0	-1.131384591	-1.1	ug/l			1					
		1	1PATTXN0007	2	7/23/2013	20130723	0920	0.5		PHPHTN-A, FLR MTHD	EPA445.0	7.102153463	7.1	ug/l			2					
		2	1PATTXN0011	2	7/23/2013	20130723	0825	0.5		PHPHTN-A, FLR MTHD	EPA445.0	5.148270232	5.1	ug/l			2					
		2	1PATTXN0011	2	7/23/																	

Resrvoir	Secondary_Station_Code	Site#	Primary_Station	Source_Code	Date_Collected	Time_Collected	TXT_Time	Depth	Sample_Type	Parameter	Test_Method	Result	Result_Value	Units	Detection_Limits	Reportable_Limits	Dilution	site#	PSC	Parameter	Code	Method
		1	1PATTXN0007	2	9/17/2013	20130917	1000	0.5		CHL A, FL, COR	EPA445.0	32.87912088	32.9	ug/l			1					
		1	1PATTXN0007	2	9/17/2013	20130917	1001	0.5		CHL A, FL, COR	EPA445.0	32.26263736	32.3	ug/l			1					
		2	1PATTXN0011	2	9/17/2013	20130917	0820	0.5		CHL A, FL, COR	EPA445.0	42.33186813	42.3	ug/l			1					
		3	1PATTXN0009	2	9/17/2013	20130917	0800	0.5		CHL A, FL, COR	EPA445.0	45.72252747	45.7	ug/l			1					
		4	1PATTXN0010	2	9/17/2013	20130917	0710	0.5		CHL A, FL, COR	EPA445.0	27.63901099	27.6	ug/l			1					
		1	1PATTXN0007	2	9/16/2013	20130916	1140	0.0		PHPHTN-A, FLR MTHD	EPA445.0	-0.336497253	-0.3	ug/l			1					
		1	1PATTXN0007	2	9/17/2013	20130917	1000	0.5		PHPHTN-A, FLR MTHD	EPA445.0	6.390879121	6.4	ug/l			1					
		1	1PATTXN0007	2	9/17/2013	20130917	1001	0.5		PHPHTN-A, FLR MTHD	EPA445.0	5.604862637	5.6	ug/l			1					
		2	1PATTXN0011	2	9/17/2013	20130917	0820	0.5		PHPHTN-A, FLR MTHD	EPA445.0	7.690631868	7.7	ug/l			1					
		3	1PATTXN0009	2	9/17/2013	20130917	0800	0.5		PHPHTN-A, FLR MTHD	EPA445.0	12.01372253	12.0	ug/l			1					
		4	1PATTXN0010	2	9/17/2013	20130917	0710	0.5		PHPHTN-A, FLR MTHD	EPA445.0	45.29098901	45.3	ug/l			1					