

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1	1	1PCROKS0147	Alkalinity	00410	ERDC-ECB	EPA310.1
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.0100	1	2	1PCROKS0146	Ammonia	00610	ERDC-ECB	EPA350.1
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1	3	1PCROKS0145	Arsenic	01002	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Hardness	SM2340B	0.0423	0.0423	mgeqCaCO3/l	0.0265	0.132	1	4	1PCROKS0171	Barium	01007	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1			Cadmium	01027	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2			Calcium	00916	ERDC-ECB	EPA6010
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1			CHL A, FL, COR	32209	SWTPEE	EPA445.0
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1			Chloride	00940	ERDC-ECB	EPA300.0
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1			Chromium	01034	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Silica, Diss.	EPA6010B	0.0739	0.0739	mg/l	0.005	0.0500	1			Copper	01042	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Silica, Tot.	EPA6010B	0.0631	0.0631	mg/l	0.005	0.0500	1			Dissolved Solids	70300	ERDC-ECB	EPA160.1
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1			Hardness	00900	ERDC-ECB	SM2340B
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Calcium	EPA6010	0.0048	0.0048	mg/l	0.004	0.0200	1			Iron	01045	ERDC-ECB	EPA6010
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1			Lead	01051	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Magnesium	EPA6010	0.0074	0.0074	mg/l	0.004	0.0200	1			Magnesium	00927	ERDC-ECB	EPA6010
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Manganese	01055	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Mercury	71900	ERDC-ECB	SW846/7474
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Nickel	01067	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Nitrate+Nitrite	00630	ERDC-ECB	EPA300.0
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Ortho-Phosphorus, Dissolve	00671	ERDC-ECB	EPA300.0
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Phosphorus, Total	00665	ERDC-ECB	EPA6010B
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			PHPHTN-A, FLR MTHD	32213	SWTPEE	EPA445.0
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Zinc	SW846/6020	0.0061	0.0061	mg/l	0.0002	0.0010	1			Potassium	00937	ERDC-ECB	SW846/6010
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1			Selenium	01147	ERDC-ECB	EPA7740
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1			Silica, Diss.	00955	ERDC-ECB	EPA6010B
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1			Silica, Tot.	00956	ERDC-ECB	EPA6010B
Pine Creek Lake		1	1PCROKS0147	4/23/2018	11:40:00 AM	1140	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1			Silver	01077	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Alkalinity	EPA310.1	6.98	6.98	mg/l	5	10.0	1			Sodium	00929	ERDC-ECB	SW846/6010
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Ammonia	EPA350.1	0.0266	0.0266	mg/l	0.005	0.0100	1			Sulfate	00945	ERDC-ECB	EPA300.0
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Chloride	EPA300.0	1.92	1.92	mg/l	0.1	0.300	1			Total Kjeldahl Nitrogen	00625	USGS-NWQL	I-4515-91
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Hardness	SM2340B	9.90	9.90	mgeqCaCO3/l	0.0265	0.132	1			Total Organic Carbon	00680	USGS-NWQL	EPA9060
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.44	0.44	mg/l	0.07	0.14	1			Total Solids	00500	ERDC-ECB	EPA160.3
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Mercury	SW846/7474	0.000012	0.000012	mg/l	0.00001	0.00002	2			Total Suspended Solids	00530	ERDC-ECB	EPA160.2
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Nitrite+Nitrate	EPA300.0	0.0629	0.0629	mg/l	0.006	0.0200	1			Zinc	01092	ERDC-ECB	SW846/6020
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Phosphorus, Total	EPA6010B	0.008	0.008	mg/l	0.004	0.020	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Silica, Diss.	EPA6010B	3.82	3.82	mg/l	0.005	0.0500	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Silica, Tot.	EPA6010B	3.85	3.85	mg/l	0.005	0.0500	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Sulfate	EPA300.0	3.39	3.39	mg/l	0.1	0.300	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Calcium	EPA6010	2.13	2.13	mg/l	0.004	0.0200	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Iron	EPA6010	0.749	0.749	mg/l	0.004	0.0200	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Magnesium	EPA6010	1.12	1.12	mg/l	0.004	0.0200	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Manganese	SW846/6020	0.0984	0.0984	mg/l	0.0002	0.0010	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Zinc	SW846/6020	0.0059	0.0059	mg/l	0.0002	0.0010	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Total Organic Carbon	EPA9060	8.33	8.33	mg/l	0.5	1.00	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Dissolved Solids	EPA160.1	61.3	61.3	mg/l	5.21	16.1	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Total Solids	EPA160.3	74.0	74.0	mg/l	4	10.0	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0951	0.5	Total Suspended Solids	EPA160.2	12.7	12.7	mg/l	1.21	6.06	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Ammonia	EPA350.1	0.0344	0.0344	mg/l	0.005	0.0100	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Chloride	EPA300.0	1.92	1.92	mg/l	0.1	0.300	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Hardness	SM2340B	10.1	10.1	mgeqCaCO3/l	0.0265	0.132	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.42	0.42	mg/l	0.07	0.14	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Mercury	SW846/7474	0.000014	0.000014	mg/l	0.00001	0.00002	2						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Nitrite+Nitrate	EPA300.0	0.0618	0.0618	mg/l	0.006	0.0200	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Phosphorus, Total	EPA6010B	0.014	0.014	mg/l	0.004	0.020	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Silica, Diss.	EPA6010B	3.74	3.74	mg/l	0.005	0.0500	1						
Pine Creek Lake		1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Silica, Tot.	EPA6010B	3.94	3.94	mg/l	0.005	0.0500	1			</			

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Manganese	SW846/6020	0.107	0.107	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Zinc	SW846/6020	0.0080	0.0080	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Total Organic Carbon	EPA9060	8.70	8.70	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Dissolved Solids	EPA160.1	61.3	61.3	mg/l	5.33	16.7	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Total Solids	EPA160.3	72.0	72.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	0.5	Total Suspended Solids	EPA160.2	10.7	10.7	mg/l	1.33	6.67	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Alkalinity	EPA310.1	6.95	6.95	mg/l	5	10.0	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Ammonia	EPA350.1	0.0718	0.0718	mg/l	0.005	0.0100	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Chloride	EPA300.0	1.97	1.97	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Hardness	SM2340B	10.5	10.5	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Total Kjeldahl Nitrogen	I-4515-91	0.5	0.5	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Mercury	SW846/7474	0.000012	0.000012	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Nitrite+Nitrate	EPA300.0	0.0543	0.0543	mg/l	0.006	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Phosphorus, Total	EPA6010B	0.021	0.021	mg/l	0.004	0.020	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Silica, Diss.	EPA6010B	3.50	3.50	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Silica, Tot.	EPA6010B	3.89	3.89	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Sulfate	EPA300.0	3.26	3.26	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Calcium	EPA6010	2.33	2.33	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Iron	EPA6010	1.14	1.14	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Magnesium	EPA6010	1.14	1.14	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Arsenic	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Lead	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Manganese	SW846/6020	0.198	0.198	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Zinc	SW846/6020	0.0085	0.0085	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Total Organic Carbon	EPA9060	8.82	8.82	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Dissolved Solids	EPA160.1	69.0	69.0	mg/l	6	20.0	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Total Solids	EPA160.3	84.0	84.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	4/24/2018	9:50:00 AM	0950	10	Total Suspended Solids	EPA160.2	15.0	15.0	mg/l	2	10.0	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Alkalinity	EPA310.1	6.54	6.54	mg/l	5	10.0	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Ammonia	EPA350.1	0.0744	0.0744	mg/l	0.005	0.0100	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Chloride	EPA300.0	2.16	2.16	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Hardness	SM2340B	10.1	10.1	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.45	0.45	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Mercury	SW846/7474	0.000015	0.000015	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Nitrite+Nitrate	EPA300.0	0.0563	0.0563	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Phosphorus, Total	EPA6010B	0.006	0.006	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Silica, Diss.	EPA6010B	4.16	4.16	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Silica, Tot.	EPA6010B	4.12	4.12	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Sulfate	EPA300.0	3.81	3.81	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Calcium	EPA6010	2.10	2.10	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Iron	EPA6010	0.879	0.879	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Magnesium	EPA6010	1.18	1.18	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Manganese	SW846/6020	0.116	0.116	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Zinc	SW846/6020	0.0073	0.0073	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Total Organic Carbon	EPA9060	6.70	6.70	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Dissolved Solids	EPA160.1	62.0	62.0	mg/l	5.33	16.7	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Total Solids	EPA160.3	76.0	76.0	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	0.5	Total Suspended Solids	EPA160.2	14.0	14.0	mg/l	1.33	6.67	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Alkalinity	EPA310.1	5.44	5.44	mg/l	5	10.0	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Ammonia	EPA350.1	0.157	0.157	mg/l	0.005	0.0100	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Chloride	EPA300.0	1.88	1.88	mg/l	0.1	0.300	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Hardness	SM2340B	10.2	10.2	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Total Kjeldahl Nitrogen	I-4515-91	0.52	0.52	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Mercury	SW846/7474	0.000012	0.000012	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Nitrite+Nitrate	EPA300.0	0.0725	0.0725	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Phosphorus, Total	EPA6010B	0.027	0.027	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Silica, Diss.	EPA6010B	4.16	4.16	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Silica, Tot.	EPA6010B	4.30	4.30	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Sulfate	EPA300.0	3.51	3.51	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Calcium	EPA6010	2.16	2.16	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Iron	EPA6010	1.23	1.23	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Magnesium	EPA6010	1.17	1.17	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Lead	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Manganese	SW846/6020	0.198	0.198	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Zinc	SW846/6020	0.0059	0.0059	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Total Organic Carbon	EPA9060	7.56	7.56	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Dissolved Solids	EPA160.1	62.0	62.0	mg/l	5.33	16.7	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Total Solids	EPA160.3	80.0	80.0	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	4/24/2018	9:20:00 AM	0920	11	Total Suspended Solids	EPA160.2	18.0	18.0	mg/l	1.33	6.67	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Alkalinity	EPA310.1	7.24	7.24	mg/l	5	10.0	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Ammonia	EPA350.1	0.102	0.102	mg/l	0.005	0.0100	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Chloride	EPA300.0	2.63	2.63	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Hardness	SM2340B	10.8	10.8	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.41	0.41	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Nitrite+Nitrate	EPA300.0	0.0463	0.0463	mg/l	0.006	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Phosphorus, Total	EPA6010B	0.009	0.009	mg/l	0.004	0.020	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Silica, Diss.	EPA6010B	4.07	4.07	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Silica, Tot.	EPA6010B	4.32	4.32	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Sulfate	EPA300.0	4.17	4.17	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Calcium	EPA6010	2.22	2.22	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Iron	EPA6010	1.00	1.00	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Magnesium	EPA6010	1.28	1.28	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Manganese	SW846/6020	0.136	0.136	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Zinc	SW846/6020	0.0048	0.0048	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Total Organic Carbon	EPA9060	5.39	5.39	mg/l	0.5	1.00	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Dissolved Solids	EPA160.1	57.8	57.8	mg/l	5.25	16.2	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Total Solids	EPA160.3	74.0	74.0	mg/l	4	10.0	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	0.5	Total Suspended Solids	EPA160.2	16.2	16.2	mg/l	1.25	6.25	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Ammonia	EPA350.1	0.146	0.146	mg/l	0.005	0.0100	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Chloride	EPA300.0	1.97	1.97	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Hardness	SM2340B	10.3	10.3	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Total Kjeldahl Nitrogen	I-4515-91	0.5	0.5	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Nitrite+Nitrate	EPA300.0	0.0615	0.0615	mg/l	0.006	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.020	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Silica, Diss.	EPA6010B	4.01	4.01	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Silica, Tot.	EPA6010B	4.45	4.45	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Sulfate	EPA300.0	3.60	3.60	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Calcium	EPA6010	2.18	2.18	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Iron	EPA6010	1.07	1.07	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Magnesium	EPA6010	1.19	1.19	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Lead	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Manganese	SW846/6020	0.168	0.168	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Zinc	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Total Organic Carbon	EPA9060	7.17	7.17	mg/l	0.5	1.00	1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Dissolved Solids	EPA160.1	64.0	64.0	mg/l	5.33	16.7	1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Total Solids	EPA160.3	78.0	78.0	mg/l	4	10.0	1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018	8:50:00 AM	0850	8	Total Suspended Solids	EPA160.2	14.0	14.0	mg/l	1.33	6.67	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Alkalinity	EPA310.1	7.88	7.88	mg/l	5	10.0	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Ammonia	EPA350.1	0.0558	0.0558	mg/l	0.005	0.0100	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Chloride	EPA300.0	1.93	1.93	mg/l	0.1	0.300	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Hardness	SM2340B	10.3	10.3	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.47	0.47	mg/l	0.07	0.14	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Mercury	SW846/7474	0.000011	0.000011	mg/l	0.00001	0.00002	2							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Nitrite+Nitrate	EPA300.0	0.0912	0.0912	mg/l	0.006	0.0200	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Phosphorus, Total	EPA6010B	0.019	0.019	mg/l	0.004	0.020	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Silica, Diss.	EPA6010B	3.67	3.67	mg/l	0.005	0.0500	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Silica, Tot.	EPA6010B	4.04	4.04	mg/l	0.005	0.0500	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Sulfate	EPA300.0	3.43	3.43	mg/l	0.1	0.300	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Calcium	EPA6010	2.22	2.22	mg/l	0.004	0.0200	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Iron	EPA6010	0.912	0.912	mg/l	0.004	0.0200	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Magnesium	EPA6010	1.16	1.16	mg/l	0.004	0.0200	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Chromium	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Lead	SW846/6020	0.00077	0.00077	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Manganese	SW846/6020	0.0882	0.0882	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Zinc	SW846/6020	0.0078	0.0078	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Total Organic Carbon	EPA9060	7.99	7.99	mg/l	0.5	1.00	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Dissolved Solids	EPA160.1	59.0	59.0	mg/l	6	20.0	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Total Solids	EPA160.3	72.0	72.0	mg/l	4	10.0	1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018	10:40:00 AM	1040	0.5	Total Suspended Solids	EPA160.2	13.0	13.0	mg/l	2	10.0	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.0100	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Silica, Diss.	EPA6010B	0.0543	0.0543	mg/l	0.005	0.0200	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Silica, Tot.	EPA6010B	0.0460	0.0460	mg/l	0.005	0.0200	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Calcium	EPA6010	0.0133	0.0133	mg/l	0.004	0.0200	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Zinc	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018	11:30:00 AM	1130	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Alkalinity	EPA310.1	9.32	9.32	mg/l	5	10.0	1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Ammonia	EPA350.1	0.0190	0.0190	mg/l	0.005	0.0100	1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Chloride	EPA300.0	2.24	2.24	mg/l	0.1	0.300	1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Hardness	SM2340B	9.40	9.40	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.33	0.33	mg/l	0.07	0.14	1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Phosphorus, Total	EPA6010B	0.016	0.016	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Silica, Diss.	EPA6010B	2.66	2.66	mg/l	0.005	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Silica, Tot.	EPA6010B	2.69	2.69	mg/l	0.005	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Sulfate	EPA300.0	3.66	3.66	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Calcium	EPA6010	2.00	2.00	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Iron	EPA6010	0.424	0.424	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Magnesium	EPA6010	1.07	1.07	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Arsenic	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Manganese	SW846/6020	0.0232	0.0232	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Zinc	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Total Organic Carbon	EPA9060	6.85	6.85	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Dissolved Solids	EPA160.1	51.0	51.0	mg/l	5	15.0	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Total Solids	EPA160.3	56.0	56.0	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0946	0.5	Total Suspended Solids	EPA160.2	5.00	5.00	mg/l	1	5.00	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Alkalinity	EPA310.1	8.52	8.52	mg/l	5	10.0	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Ammonia	EPA350.1	0.0181	0.0181	mg/l	0.005	0.0100	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Chloride	EPA300.0	2.24	2.24	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Hardness	SM2340B	10.1	10.1	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Nitrite+Nitrate	EPA300.0	0.00646	0.00646	mg/l	0.006	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Phosphorus, Total	EPA6010B	0.019	0.019	mg/l	0.004	0.020	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Silica, Diss.	EPA6010B	2.33	2.33	mg/l	0.005	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Silica, Tot.	EPA6010B	2.32	2.32	mg/l	0.005	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Sulfate	EPA300.0	3.54	3.54	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Calcium	EPA6010	2.23	2.23	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Iron	EPA6010	0.705	0.705	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Magnesium	EPA6010	1.09	1.09	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Arsenic	SW846/6020	0.00052	0.00052	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Manganese	SW846/6020	0.0387	0.0387	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Nickel	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Zinc	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Total Organic Carbon	EPA9060	7.80	7.80	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Dissolved Solids	EPA160.1	54.0	54.0	mg/l	4.8	14.0	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Total Solids	EPA160.3	60.0	60.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	0.5	Total Suspended Solids	EPA160.2	6.00	6.00	mg/l	0.8	4.00	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Alkalinity	EPA310.1	9.49	9.49	mg/l	5	10.0	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Ammonia	EPA350.1	0.193	0.193	mg/l	0.005	0.0100	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Chloride	EPA300.0	1.98	1.98	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Hardness	SM2340B	10.1	10.1	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Mercury	SW846/7474	0.000011	0.000011	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Nitrite+Nitrate	EPA300.0	0.0643	0.0643	mg/l	0.006	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Ortho-Phosphorus, Dissolve	EPA300.0	0.0118	0.0118	mg/l	0.01	0.0300	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Phosphorus, Total	EPA6010B	0.024	0.024	mg/l	0.004	0.020	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Silica, Diss.	EPA6010B	3.71	3.71	mg/l	0.005	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Silica, Tot.	EPA6010B	3.61	3.61	mg/l	0.005	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Sulfate	EPA300.0	3.58	3.58	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Calcium	EPA6010	2.19	2.19	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Iron	EPA6010	1.04	1.04	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Magnesium	EPA6010	1.12	1.12	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Arsenic	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Manganese	SW846/6020	0.266	0.266	mg/l	0.0002	0.0010	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Zinc	SW846/6020	0.0028	0.0028	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Total Organic Carbon	EPA9060	7.35	7.35	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Dissolved Solids	EPA160.1	59.0	59.0	mg/l	4.67	13.3	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Total Solids	EPA160.3	66.0	66.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	5/15/2018	10:15:00 AM	1015	13.0	Total Suspended Solids	EPA160.2	7.00	7.00	mg/l	0.667	3.33	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Alkalinity	EPA310.1	8.17	8.17	mg/l	5	10.0	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.0100	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Chloride	EPA300.0	2.24	2.24	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Hardness	SM2340B	9.33	9.33	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.36	0.36	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Mercury	SW846/7474	0.000011	0.000011	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Phosphorus, Total	EPA6010B	0.013	0.013	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Silica, Diss.	EPA6010B	2.68	2.68	mg/l	0.005	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Silica, Tot.	EPA6010B	2.66	2.66	mg/l	0.005	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Sulfate	EPA300.0	3.67	3.67	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Calcium	EPA6010	1.99	1.99	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Iron	EPA6010	0.424	0.424	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Magnesium	EPA6010	1.06	1.06	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Arsenic	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Manganese	SW846/6020	0.0233	0.0233	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Zinc	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Total Organic Carbon	EPA9060	6.60	6.60	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Dissolved Solids	EPA160.1	41.2	41.2	mg/l	4.8	14.0	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Total Solids	EPA160.3	48.0	48.0	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	0.5	Total Suspended Solids	EPA160.2	6.80	6.80	mg/l	0.8	4.00	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Alkalinity	EPA310.1	11.3	11.3	mg/l	5	10.0	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Ammonia	EPA350.1	0.288	0.288	mg/l	0.005	0.0100	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Chloride	EPA300.0	1.98	1.98	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Hardness	SM2340B	10.8	10.8	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Total Kjeldahl Nitrogen	I-4515-91	0.72	0.72	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Nitrite+Nitrate	EPA300.0	0.0605	0.0605	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Phosphorus, Total	EPA6010B	0.031	0.031	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Silica, Diss.	EPA6010B	3.90	3.90	mg/l	0.005	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Silica, Tot.	EPA6010B	3.90	3.90	mg/l	0.005	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Sulfate	EPA300.0	3.62	3.62	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Calcium	EPA6010	2.33	2.33	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Iron	EPA6010	1.26	1.26	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Magnesium	EPA6010	1.20	1.20	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Arsenic	SW846/6020	0.00065	0.00065	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Lead	SW846/6020	0.00093	0.00093	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Manganese	SW846/6020	0.436	0.436	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Zinc	SW846/6020	0.0031	0.0031	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Total Organic Carbon	EPA9060	7.30	7.30	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Dissolved Solids	EPA160.1	70.0	70.0	mg/l	5	15.0	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Total Solids	EPA160.3	78.0	78.0	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	5/15/2018	9:45:00 AM	0945	13.0	Total Suspended Solids	EPA160.2	8.00	8.00	mg/l	1	5.00	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Alkalinity	EPA310.1	11.9	11.9	mg/l	5	10.0	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Ammonia	EPA350.1	0.0121	0.0121	mg/l	0.005	0.0100	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Chloride	EPA300.0	2.68	2.68	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Hardness	SM2340B	9.73	9.73	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.29	0.29	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Phosphorus, Total	EPA6010B	0.019	0.019	mg/l	0.004	0.020	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Silica, Diss.	EPA6010B	2.79	2.79	mg/l	0.005	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Silica, Tot.	EPA6010B	2.89	2.89	mg/l	0.005	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Sulfate	EPA300.0	3.73	3.73	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Calcium	EPA6010	2.01	2.01	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Iron	EPA6010	0.401	0.401	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Magnesium	EPA6010	1.14	1.14	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Arsenic	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Copper	SW846/6020	0.00064	0.00064	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Manganese	SW846/6020	0.0377	0.0377	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Zinc	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Total Organic Carbon	EPA9060	5.94	5.94	mg/l	0.5	1.00	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Dissolved Solids	EPA160.1	43.2	43.2	mg/l	5.25	16.2	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Total Solids	EPA160.3	52.0	52.0	mg/l	4	10.0	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	0.5	Total Suspended Solids	EPA160.2	8.75	8.75	mg/l	1.25	6.25	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Alkalinity	EPA310.1	15.2	15.2	mg/l	5	10.0	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Ammonia	EPA350.1	0.347	0.347	mg/l	0.005	0.0100	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Chloride	EPA300.0	2.14	2.14	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Hardness	SM2340B	11.8	11.8	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Total Kjeldahl Nitrogen	I-4515-91	0.7	0.7	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Nitrite+Nitrate	EPA300.0	0.0397	0.0397	mg/l	0.006	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Phosphorus, Total	EPA6010B	0.034	0.034	mg/l	0.004	0.020	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Silica, Diss.	EPA6010B	3.84	3.84	mg/l	0.005	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Silica, Tot.	EPA6010B	3.77	3.77	mg/l	0.005	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Sulfate	EPA300.0	3.65	3.65	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Calcium	EPA6010	2.55	2.55	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Iron	EPA6010	1.36	1.36	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Magnesium	EPA6010	1.31	1.31	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Copper	SW846/6020	0.00088	0.00088	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Lead	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Manganese	SW846/6020	0.486	0.486	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Zinc	SW846/6020	0.0032	0.0032	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Total Organic Carbon	EPA9060	7.54	7.54	mg/l	0.5	1.00	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Dissolved Solids	EPA160.1	69.0	69.0	mg/l	5	15.0	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Total Solids	EPA160.3	78.0	78.0	mg/l	4	10.0	1							
Pine Creek Lake	3	1PCROKS0145	5/15/2018	9:10:00 AM	0910	10.5	Total Suspended Solids	EPA160.2	9.00	9.00	mg/l	1	5.00	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Alkalinity	EPA310.1	7.78	7.78	mg/l	5	10.0	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Ammonia	EPA350.1	0.157	0.157	mg/l	0.005	0.0100	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Chloride	EPA300.0	2.14	2.14	mg/l	0.1	0.300	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Hardness	SM2340B	11.0	11.0	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Nitrite+Nitrate	EPA300.0	0.130	0.130	mg/l	0.006	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Phosphorus, Total	EPA6010B	0.029	0.029	mg/l	0.004	0.020	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Silica, Diss.	EPA6010B	3.35	3.35	mg/l	0.005	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Silica, Tot.	EPA6010B	3.28	3.28	mg/l	0.005	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Sulfate	EPA300.0	3.57	3.57	mg/l	0.1	0.300	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Calcium	EPA6010	2.49	2.49	mg/l	0.004	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Iron	EPA6010	1.07	1.07	mg/l	0.004	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Magnesium	EPA6010	1.16	1.16	mg/l	0.004	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Manganese	SW846/6020	0.226	0.226	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Nickel	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Zinc	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Total Organic Carbon	EPA9060	7.53	7.53	mg/l	0.5	1.00	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake		4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Dissolved Solids	EPA160.1	60.4	60.4	mg/l	4.8	14.0	1						
Pine Creek Lake		4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Total Solids	EPA160.3	68.0	68.0	mg/l	4	10.0	1						
Pine Creek Lake		4	1PCROKS0171	5/15/2018	8:30:00 AM	0830	0.5	Total Suspended Solids	EPA160.2	7.60	7.60	mg/l	0.8	4.00	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Ammonia	EPA350.1	0.0398	0.0398	mg/l	0.005	0.0100	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/	0.0265	0.132	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Silica, Diss.	EPA6010B	0.0331	0.0331	mg/l	0.005	0.0500	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Silica, Tot.	EPA6010B	0.0282	0.0282	mg/l	0.005	0.0500	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Calcium	EPA6010	0.0155	0.0155	mg/l	0.004	0.0200	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Magnesium	EPA6010	0.0096	0.0096	mg/l	0.004	0.0200	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Zinc	SW846/6020	0.00038	0.00038	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Total Solids	EPA160.3	4.00	4.00	mg/l	4	10.0	1						
Pine Creek Lake		3	1PCROKS0145	6/18/2018	2:00:00 PM	1400	0	Total Suspended Solids	EPA160.2	2.00	2.00	mg/l	2	10.0	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Alkalinity	EPA310.1	10.5	10.5	mg/l	5	10.0	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Ammonia	EPA350.1	0.0546	0.0546	mg/l	0.005	0.0100	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Chloride	EPA300.0	3.12	3.12	mg/l	0.1	0.300	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Hardness	SM2340B	11.1	11.1	mgeqCaCO3/	0.0265	0.132	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.63	0.63	mg/l	0.07	0.14	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Nitrite+Nitrate	EPA300.0	0.00623	0.00623	mg/l	0.006	0.0200	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.020	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Silica, Diss.	EPA6010B	3.06	3.06	mg/l	0.005	0.0500	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Silica, Tot.	EPA6010B	3.33	3.33	mg/l	0.005	0.0500	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Sulfate	EPA300.0	3.78	3.78	mg/l	0.1	0.300	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Calcium	EPA6010	2.36	2.36	mg/l	0.004	0.0200	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Iron	EPA6010	0.362	0.362	mg/l	0.004	0.0200	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Magnesium	EPA6010	1.27	1.27	mg/l	0.004	0.0200	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Copper	SW846/6020	0.00088	0.00088	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Manganese	SW846/6020	0.0832	0.0832	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Zinc	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Total Organic Carbon	EPA9060	7.63	7.63	mg/l	0.5	1.00	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Dissolved Solids	EPA160.1	52.0	52.0	mg/l	6	20.0	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Total Solids	EPA160.3	62.0	62.0	mg/l	4	10.0	1						
Pine Creek Lake		3	1PCROKS0145	6/19/2018	10:00:00 AM	1001	0.5	Total Suspended Solids	EPA160.2	10.0	10.0	mg/l	2	10.0	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Ammonia	EPA350.1	0.0706	0.0706	mg/l	0.005	0.0100	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Chloride	EPA300.0	2.96	2.96	mg/l	0.1	0.300	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Hardness	SM2340B	11.3	11.3	mgeqCaCO3/	0.0265	0.132	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.57	0.57	mg/l	0.07	0.14	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.020	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Silica, Diss.	EPA6010B	2.90	2.90	mg/l	0.005	0.0500	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Silica, Tot.	EPA6010B	3.19	3.19	mg/l	0.005	0.0500	1						
Pine Creek Lake		1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Sulfate	EPA300.0	3.80	3.80	mg/l	0.1	0.300	1						

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Calcium	EPA6010	2.43	2.43	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Iron	EPA6010	0.228	0.228	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Magnesium	EPA6010	1.28	1.28	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Arsenic	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Manganese	SW846/6020	0.129	0.129	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Nickel	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Zinc	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Total Organic Carbon	EPA9060	7.87	7.87	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Dissolved Solids	EPA160.1	50.2	50.2	mg/l	5.67	18.3	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Total Solids	EPA160.3	56.0	56.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	0.5	Total Suspended Solids	EPA160.2	5.83	5.83	mg/l	1.67	8.33	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Alkalinity	EPA310.1	10.9	10.9	mg/l	5	10.0	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Ammonia	EPA350.1	0.295	0.295	mg/l	0.005	0.0100	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Chloride	EPA300.0	2.54	2.54	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Hardness	SM2340B	12.7	12.7	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Total Kjeldahl Nitrogen	I-4515-91	0.64	0.64	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Nitrite+Nitrate	EPA300.0	0.00626	0.00626	mg/l	0.006	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Ortho-Phosphorus, Dissolve	EPA300.0	0.0236	0.0236	mg/l	0.01	0.0300	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Phosphorus, Total	EPA6010B	0.060	0.060	mg/l	0.004	0.020	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Silica, Diss.	EPA6010B	4.18	4.18	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Silica, Tot.	EPA6010B	4.33	4.33	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Sulfate	EPA300.0	3.32	3.32	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Calcium	EPA6010	2.79	2.79	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Iron	EPA6010	3.19	3.19	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Magnesium	EPA6010	1.38	1.38	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Arsenic	SW846/6020	0.0034	0.0034	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Lead	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Manganese	SW846/6020	0.665	0.665	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Zinc	SW846/6020	0.0044	0.0044	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Total Organic Carbon	EPA9060	7.91	7.91	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Dissolved Solids	EPA160.1	71.0	71.0	mg/l	6	20.0	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Total Solids	EPA160.3	90.0	90.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	6/19/2018	11:40:00 AM	1140	10	Total Suspended Solids	EPA160.2	19.0	19.0	mg/l	2	10.0	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Alkalinity	EPA310.1	9.13	9.13	mg/l	5	10.0	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Ammonia	EPA350.1	0.0674	0.0674	mg/l	0.005	0.0100	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Chloride	EPA300.0	2.96	2.96	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Hardness	SM2340B	11.3	11.3	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.57	0.57	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	0.0100	0.0100	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Phosphorus, Total	EPA6010B	0.013	0.013	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Silica, Diss.	EPA6010B	3.15	3.15	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Silica, Tot.	EPA6010B	3.30	3.30	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Sulfate	EPA300.0	3.85	3.85	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Calcium	EPA6010	2.43	2.43	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Iron	EPA6010	0.239	0.239	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Magnesium	EPA6010	1.27	1.27	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Arsenic	SW846/6020	0.00097	0.00097	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Manganese	SW846/6020	0.0967	0.0967	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Zinc	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Total Organic Carbon	EPA9060	7.46	7.46	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Dissolved Solids	EPA160.1	48.0	48.0	mg/l	6	20.0	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Total Solids	EPA160.3	54.0	54.0	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	0.5	Total Suspended Solids	EPA160.2	6.00	6.00	mg/l	2	10.0	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Alkalinity	EPA310.1	14.2	14.2	mg/l	5	10.0	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Ammonia	EPA350.1	0.617	0.617	mg/l	0.005	0.0100	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Chloride	EPA300.0	2.39	2.39	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Hardness	SM2340B	14.7	14.7	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Total Kjeldahl Nitrogen	I-4515-91	0.9	0.9	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Mercury	SW846/7474	0.000014	0.000014	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Nitrite+Nitrate	EPA300.0	0.0116	0.0116	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Phosphorus, Total	EPA6010B	0.107	0.107	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Silica, Diss.	EPA6010B	4.77	4.77	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Silica, Tot.	EPA6010B	4.85	4.85	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Sulfate	EPA300.0	2.81	2.81	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Calcium	EPA6010	3.29	3.29	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Iron	EPA6010	4.89	4.89	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Magnesium	EPA6010	1.57	1.57	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Arsenic	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Lead	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Manganese	SW846/6020	1.17	1.17	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Zinc	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Total Organic Carbon	EPA9060	9.31	9.31	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Dissolved Solids	EPA160.1	74.0	74.0	mg/l	8	30.0	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Total Solids	EPA160.3	94.0	94.0	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	6/19/2018	11:00:00 AM	1100	13	Total Suspended Solids	EPA160.2	20.0	20.0	mg/l	4	20.0	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Alkalinity	EPA310.1	10.4	10.4	mg/l	5	10.0	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Ammonia	EPA350.1	0.0406	0.0406	mg/l	0.005	0.0100	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Chloride	EPA300.0	3.13	3.13	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Hardness	SM2340B	10.6	10.6	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.53	0.53	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Nitrite+Nitrate	EPA300.0	0.00652	0.00652	mg/l	0.006	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Phosphorus, Total	EPA6010B	0.014	0.014	mg/l	0.004	0.020	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Silica, Diss.	EPA6010B	3.19	3.19	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Silica, Tot.	EPA6010B	3.00	3.00	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Sulfate	EPA300.0	3.79	3.79	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Calcium	EPA6010	2.27	2.27	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Iron	EPA6010	0.336	0.336	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Magnesium	EPA6010	1.21	1.21	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Manganese	SW846/6020	0.0857	0.0857	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Zinc	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Total Organic Carbon	EPA9060	7.85	7.85	mg/l	0.5	1.00	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Dissolved Solids	EPA160.1	56.0	56.0	mg/l	6	20.0	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Total Solids	EPA160.3	64.0	64.0	mg/l	4	10.0	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	0.5	Total Suspended Solids	EPA160.2	8.00	8.00	mg/l	2	10.0	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Alkalinity	EPA310.1	16.2	16.2	mg/l	5	10.0	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Ammonia	EPA350.1	0.691	0.691	mg/l	0.005	0.0100	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Chloride	EPA300.0	2.56	2.56	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Hardness	SM2340B	16.5	16.5	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Total Kjeldahl Nitrogen	I-4515-91	1.06	1.06	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Nitrite+Nitrate	EPA300.0	0.00695	0.00695	mg/l	0.006	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Phosphorus, Total	EPA6010B	0.091	0.091	mg/l	0.004	0.020	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Silica, Diss.	EPA6010B	4.55	4.55	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Silica, Tot.	EPA6010B	4.98	4.98	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Sulfate	EPA300.0	2.16	2.16	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Calcium	EPA6010	3.71	3.71	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Iron	EPA6010	6.07	6.07	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Magnesium	EPA6010	1.75	1.75	mg/l	0.004	0.0200	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Arsenic	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Lead	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Manganese	SW846/6020	1.06	1.06	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Zinc	SW846/6020	0.0049	0.0049	mg/l	0.0002	0.0010	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Total Organic Carbon	EPA9060	10.3	10.3	mg/l	0.5	1.00	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Dissolved Solids	EPA160.1	72.0	72.0	mg/l	8	30.0	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Total Solids	EPA160.3	98.0	98.0	mg/l	4	10.0	1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018	10:00:00 AM	1000	10	Total Suspended Solids	EPA160.2	26.0	26.0	mg/l	4	20.0	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Alkalinity	EPA310.1	12.4	12.4	mg/l	5	10.0	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Ammonia	EPA350.1	0.245	0.245	mg/l	0.005	0.0100	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Chloride	EPA300.0	2.60	2.60	mg/l	0.1	0.300	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Hardness	SM2340B	13.1	13.1	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.53	0.53	mg/l	0.07	0.14	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Nitrite+Nitrate	EPA300.0	0.0233	0.0233	mg/l	0.006	0.0200	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Phosphorus, Total	EPA6010B	0.050	0.050	mg/l	0.004	0.020	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Silica, Diss.	EPA6010B	4.10	4.10	mg/l	0.005	0.0500	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Silica, Tot.	EPA6010B	4.19	4.19	mg/l	0.005	0.0500	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Sulfate	EPA300.0	3.33	3.33	mg/l	0.1	0.300	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Calcium	EPA6010	2.99	2.99	mg/l	0.004	0.0200	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Iron	EPA6010	2.49	2.49	mg/l	0.004	0.0200	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Magnesium	EPA6010	1.38	1.38	mg/l	0.004	0.0200	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Arsenic	SW846/6020	0.0027	0.0027	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Copper	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Lead	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Manganese	SW846/6020	0.759	0.759	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Zinc	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Total Organic Carbon	EPA9060	9.60	9.60	mg/l	0.5	1.00	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Dissolved Solids	EPA160.1	60.0	60.0	mg/l	6	20.0	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Total Solids	EPA160.3	74.0	74.0	mg/l	4	10.0	1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018	12:30:00 PM	1230	0.5	Total Suspended Solids	EPA160.2	14.0	14.0	mg/l	2	10.0	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10.0	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Ammonia	EPA350.1	0.00971	0.00971	mg/l	0.005	0.0100	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Silica, Diss.	EPA6010B	0.188	0.188	mg/l	0.005	0.0500	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Silica, Tot.	EPA6010B	0.201	0.201	mg/l	0.005	0.0500	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Calcium	EPA6010	0.0048	0.0048	mg/l	0.004	0.0200	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Zinc	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.0010	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20.0	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10.0	1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018	11:35:00 AM	1135	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10.0	1							
Pine Creek Lake		1 1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Alkalinity	EPA310.1	12.3	12.3	mg/l	5	10.0	1							
Pine Creek Lake		1 1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Ammonia	EPA350.1	0.0632	0.0632	mg/l	0.005	0.0100	1							
Pine Creek Lake		1 1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Chloride	EPA300.0	2.78	2.78	mg/l	0.1	0.300	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Hardness	SM2340B	11.5	11.5	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.58	0.58	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.020	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Silica, Diss.	EPA6010B	2.92	2.92	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Silica, Tot.	EPA6010B	3.09	3.09	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Sulfate	EPA300.0	3.21	3.21	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Calcium	EPA6010	2.47	2.47	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Iron	EPA6010	0.103	0.103	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Magnesium	EPA6010	1.28	1.28	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Arsenic	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Manganese	SW846/6020	0.0357	0.0357	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Nickel	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Zinc	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Total Organic Carbon	EPA9060	7.17	7.17	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Dissolved Solids	EPA160.1	46.6	46.6	mg/l	5.54	17.7	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Total Solids	EPA160.3	52.0	52.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0946	0.5	Total Suspended Solids	EPA160.2	5.38	5.38	mg/l	1.54	7.69	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Alkalinity	EPA310.1	12.7	12.7	mg/l	5	10.0	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Ammonia	EPA350.1	0.0467	0.0467	mg/l	0.005	0.0100	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Chloride	EPA300.0	2.77	2.77	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Hardness	SM2340B	12.1	12.1	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.58	0.58	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Mercury	SW846/7474	0.000026	0.000026	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Phosphorus, Total	EPA6010B	0.016	0.016	mg/l	0.004	0.020	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Silica, Diss.	EPA6010B	2.82	2.82	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Silica, Tot.	EPA6010B	3.13	3.13	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Sulfate	EPA300.0	3.22	3.22	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Calcium	EPA6010	2.62	2.62	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Iron	EPA6010	0.117	0.117	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Magnesium	EPA6010	1.36	1.36	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Manganese	SW846/6020	0.0355	0.0355	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Zinc	SW846/6020	0.0031	0.0031	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Total Organic Carbon	EPA9060	7.36	7.36	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Dissolved Solids	EPA160.1	48.0	48.0	mg/l	6	20.0	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Total Solids	EPA160.3	52.0	52.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	0.5	Total Suspended Solids	EPA160.2	4.00	4.00	mg/l	2	10.0	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Alkalinity	EPA310.1	20.0	20.0	mg/l	5	10.0	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Ammonia	EPA350.1	0.711	0.711	mg/l	0.005	0.0100	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Chloride	EPA300.0	2.30	2.30	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Hardness	SM2340B	16.0	16.0	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Total Kjeldahl Nitrogen	I-4515-91	1.01	1.01	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Phosphorus, Total	EPA6010B	0.129	0.129	mg/l	0.004	0.020	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Silica, Diss.	EPA6010B	4.25	4.25	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Silica, Tot.	EPA6010B	4.65	4.65	mg/l	0.005	0.0500	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Sulfate	EPA300.0	0.148	0.148	mg/l	0.1	0.300	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Calcium	EPA6010	3.54	3.54	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Iron	EPA6010	6.68	6.68	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Magnesium	EPA6010	1.74	1.74	mg/l	0.004	0.0200	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Arsenic	SW846/6020	0.0059	0.0059	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Copper	SW846/6020	0.00076	0.00076	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Lead	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Manganese	SW846/6020	1.06	1.06	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Zinc	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Total Organic Carbon	EPA9060	8.27	8.27	mg/l	0.5	1.00	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Dissolved Solids	EPA160.1	72.0	72.0	mg/l	6	20.0	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Total Solids	EPA160.3	84.0	84.0	mg/l	4	10.0	1							
Pine Creek Lake	1	1PCROKS0147	7/17/2018	9:45:00 AM	0945	12	Total Suspended Solids	EPA160.2	12.0	12.0	mg/l	2	10.0	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Alkalinity	EPA310.1	11.8	11.8	mg/l	5	10.0	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Ammonia	EPA350.1	0.0610	0.0610	mg/l	0.005	0.0100	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Chloride	EPA300.0	2.84	2.84	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Hardness	SM2340B	11.5	11.5	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.66	0.66	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Mercury	SW846/7474	0.000012	0.000012	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Phosphorus, Total	EPA6010B	0.014	0.014	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Silica, Diss.	EPA6010B	3.04	3.04	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Silica, Tot.	EPA6010B	2.99	2.99	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Sulfate	EPA300.0	3.40	3.40	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Calcium	EPA6010	2.42	2.42	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Iron	EPA6010	0.137	0.137	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Magnesium	EPA6010	1.32	1.32	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Manganese	SW846/6020	0.0305	0.0305	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Nickel	SW846/6020	0.00032	0.00032	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Zinc	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Total Organic Carbon	EPA9060	5.98	5.98	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Dissolved Solids	EPA160.1	56.0	56.0	mg/l	6	20.0	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Total Solids	EPA160.3	60.0	60.0	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	0.5	Total Suspended Solids	EPA160.2	4.00	4.00	mg/l	2	10.0	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Alkalinity	EPA310.1	22.3	22.3	mg/l	5	10.0	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Ammonia	EPA350.1	1.26	1.26	mg/l	0.01	0.0200	2							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Chloride	EPA300.0	2.26	2.26	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Hardness	SM2340B	17.7	17.7	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Total Kjeldahl Nitrogen	I-4515-91	1.83	1.83	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Mercury	SW846/7474	0.000013	0.000013	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Phosphorus, Total	EPA6010B	0.211	0.211	mg/l	0.004	0.020	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Silica, Diss.	EPA6010B	4.72	4.72	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Silica, Tot.	EPA6010B	5.19	5.19	mg/l	0.005	0.0500	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Calcium	EPA6010	4.00	4.00	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Iron	EPA6010	9.51	9.51	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Magnesium	EPA6010	1.88	1.88	mg/l	0.004	0.0200	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Arsenic	SW846/6020	0.0077	0.0077	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Lead	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Manganese	SW846/6020	1.35	1.35	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Zinc	SW846/6020	0.0070	0.0070	mg/l	0.0002	0.0010	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Total Organic Carbon	EPA9060	9.71	9.71	mg/l	0.5	1.00	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Dissolved Solids	EPA160.1	84.0	84.0	mg/l	6	20.0	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Total Solids	EPA160.3	100	100	mg/l	4	10.0	1							
Pine Creek Lake	2	1PCROKS0146	7/17/2018	8:35:00 AM	0835	13	Total Suspended Solids	EPA160.2	16.0	16.0	mg/l	2	10.0	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Alkalinity	EPA310.1	11.3	11.3	mg/l	5	10.0	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Ammonia	EPA350.1	0.112	0.112	mg/l	0.005	0.0100	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Chloride	EPA300.0	2.97	2.97	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Hardness	SM2340B	11.6	11.6	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.69	0.69	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Nitrite+Nitrate	EPA300.0	0.00765	0.00765	mg/l	0.006	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Phosphorus, Total	EPA6010B	0.023	0.023	mg/l	0.004	0.020	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Silica, Diss.	EPA6010B	2.88	2.88	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Silica, Tot.	EPA6010B	3.12	3.12	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Sulfate	EPA300.0	3.18	3.18	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Calcium	EPA6010	2.44	2.44	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Iron	EPA6010	0.260	0.260	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Magnesium	EPA6010	1.33	1.33	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Arsenic	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Copper	SW846/6020	0.00065	0.00065	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Lead	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Manganese	SW846/6020	0.0446	0.0446	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Zinc	SW846/6020	0.0035	0.0035	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Total Organic Carbon	EPA9060	7.95	7.95	mg/l	0.5	1.00	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Dissolved Solids	EPA160.1	47.0	47.0	mg/l	6	20.0	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Total Solids	EPA160.3	54.0	54.0	mg/l	4	10.0	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	0.5	Total Suspended Solids	EPA160.2	7.00	7.00	mg/l	2	10.0	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Alkalinity	EPA310.1	24.3	24.3	mg/l	5	10.0	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Ammonia	EPA350.1	1.29	1.29	mg/l	0.01	0.0200	2							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Chloride	EPA300.0	2.45	2.45	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Hardness	SM2340B	19.3	19.3	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Total Kjeldahl Nitrogen	I-4515-91	1.6	1.6	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Mercury	SW846/7474	0.000016	0.000016	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Phosphorus, Total	EPA6010B	0.139	0.139	mg/l	0.004	0.020	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Silica, Diss.	EPA6010B	4.44	4.44	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Silica, Tot.	EPA6010B	4.92	4.92	mg/l	0.005	0.0500	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Calcium	EPA6010	4.41	4.41	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Iron	EPA6010	11.0	11.0	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Magnesium	EPA6010	2.02	2.02	mg/l	0.004	0.0200	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Arsenic	SW846/6020	0.0091	0.0091	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Chromium	SW846/6020	0.00043	0.00043	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Lead	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Manganese	SW846/6020	1.47	1.47	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Zinc	SW846/6020	0.0053	0.0053	mg/l	0.0002	0.0010	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Total Organic Carbon	EPA9060	8.85	8.85	mg/l	0.5	1.00	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Dissolved Solids	EPA160.1	75.8	75.8	mg/l	6.5	22.5	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Total Solids	EPA160.3	92.0	92.0	mg/l	4	10.0	1							
Pine Creek Lake	3	1PCROKS0145	7/17/2018	9:05:00 AM	0905	9	Total Suspended Solids	EPA160.2	16.2	16.2	mg/l	2.5	12.5	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Alkalinity	EPA310.1	17.9	17.9	mg/l	5	10.0	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Ammonia	EPA350.1	0.482	0.482	mg/l	0.005	0.0100	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Chloride	EPA300.0	2.52	2.52	mg/l	0.1	0.300	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Hardness	SM2340B	15.7	15.7	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.8	0.8	mg/l	0.07	0.14	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Mercury	SW846/7474	0.000013	0.000013	mg/l	0.00001	0.00002	2							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Nitrite+Nitrate	EPA300.0	0.114	0.114	mg/l	0.006	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Phosphorus, Total	EPA6010B	0.065	0.065	mg/l	0.004	0.020	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Silica, Diss.	EPA6010B	3.75	3.75	mg/l	0.005	0.0500	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Silica, Tot.	EPA6010B	4.18	4.18	mg/l	0.005	0.0500	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Sulfate	EPA300.0	1.77	1.77	mg/l	0.1	0.300	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Calcium	EPA6010	3.59	3.59	mg/l	0.004	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Iron	EPA6010	3.69	3.69	mg/l	0.004	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Magnesium	EPA6010	1.65	1.65	mg/l	0.004	0.0200	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Arsenic	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Chromium	SW846/6020	0.00032	0.00032	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake	4	1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Manganese	SW846/6020	1.08	1.08	mg/l	0.0002	0.0010	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake		4 1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Nickel	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Zinc	SW846/6020	0.0051	0.0051	mg/l	0.0002	0.0010	1							
Pine Creek Lake		4 1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Total Organic Carbon	EPA9060	7.05	7.05	mg/l	0.5	1.00	1							
Pine Creek Lake		4 1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Dissolved Solids	EPA160.1	62.0	62.0	mg/l	5.33	16.7	1							
Pine Creek Lake		4 1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Total Solids	EPA160.3	72.0	72.0	mg/l	4	10.0	1							
Pine Creek Lake		4 1PCROKS0171	7/17/2018	10:30:00 AM	1030	0.5	Total Suspended Solids	EPA160.2	10.0	10.0	mg/l	1.33	6.67	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.01	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Calcium	EPA6010	0.0198	0.0198	mg/l	0.004	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Copper	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Iron	EPA6010	0.0056	0.0056	mg/l	0.004	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Magnesium	EPA6010	0.0044	0.0044	mg/l	0.004	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Silica, Diss.	EPA6010B	12.1	12.1	mg/l	0.005	0.05	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Silica, Tot.	EPA6010B	11.4	11.4	mg/l	0.005	0.05	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10	1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018	11:20:00 AM	1120	0	Zinc	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Ammonia	EPA350.1	0.0277	0.0277	mg/l	0.005	0.01	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Calcium	EPA6010	2.37	2.37	mg/l	0.004	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Chloride	EPA300.0	2.59	2.59	mg/l	0.1	0.3	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Hardness	SM2340B	11.2	11.2	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Iron	EPA6010	0.186	0.186	mg/l	0.004	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Magnesium	EPA6010	1.3	1.3	mg/l	0.004	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Manganese	SW846/6020	0.0332	0.0332	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.02	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Silica, Diss.	EPA6010B	3.48	3.48	mg/l	0.005	0.05	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Silica, Tot.	EPA6010B	3.5	3.5	mg/l	0.005	0.05	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Sulfate	EPA300.0	2.45	2.45	mg/l	0.1	0.3	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.72	0.72	mg/l	0.07	0.14	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Alkalinity	EPA310.1	9.85	9.85	mg/l	5	10	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Dissolved Solids	EPA160.1	48.2	48.2	mg/l	5.67	18.3	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Total Organic Carbon	EPA9060	6.9	6.9	mg/l	0.5	1	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Total Solids	EPA160.3	54	54	mg/l	4	10	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Total Suspended Solids	EPA160.2	5.83	5.83	mg/l	1.67	8.33	1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018	8:35:00 AM	0836	0.5	Zinc	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Ammonia	EPA350.1	0.0556	0.0556	mg/l	0.005	0.01	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Arsenic	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Calcium	EPA6010	2.4	2.4	mg/l	0.004	0.02	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Chloride	EPA300.0	2.6	2.6	mg/l	0.1	0.3	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Hardness	SM2340B	11.4	11.4	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Iron	EPA6010	0.187	0.187	mg/l	0.004	0.02	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Magnesium	EPA6010	1.3	1.3	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Manganese	SW846/6020	0.0553	0.0553	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Nitrite+Nitrate	EPA300.0	0.016	0.016	mg/l	0.006	0.02	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Phosphorus, Total	EPA6010B	0.02	0.02	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Silica, Diss.	EPA6010B	3.34	3.34	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Silica, Tot.	EPA6010B	3.6	3.6	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Sulfate	EPA300.0	2.44	2.44	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.74	0.74	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Alkalinity	EPA310.1	10.7	10.7	mg/l	5	10	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Dissolved Solids	EPA160.1	65.4	65.4	mg/l	5.54	17.7	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Total Organic Carbon	EPA9060	6.83	6.83	mg/l	0.5	1	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Total Solids	EPA160.3	70	70	mg/l	4	10	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Total Suspended Solids	EPA160.2	4.62	4.62	mg/l	1.54	7.69	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	0.5	Zinc	SW846/6020	0.001	0.001	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Ammonia	EPA350.1	0.639	0.639	mg/l	0.005	0.01	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Arsenic	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Calcium	EPA6010	2.68	2.68	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Chloride	EPA300.0	2.29	2.29	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Hardness	SM2340B	12.4	12.4	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Iron	EPA6010	2.99	2.99	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Magnesium	EPA6010	1.39	1.39	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Manganese	SW846/6020	0.745	0.745	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Phosphorus, Total	EPA6010B	0.058	0.058	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Silica, Diss.	EPA6010B	3.51	3.51	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Silica, Tot.	EPA6010B	4.12	4.12	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Sulfate	EPA300.0	1.45	1.45	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Total Kjeldahl Nitrogen	I-4515-91	1.11	1.11	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Alkalinity	EPA310.1	14.5	14.5	mg/l	5	10	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Dissolved Solids	EPA160.1	58	58	mg/l	6	20	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Total Organic Carbon	EPA9060	8.37	8.37	mg/l	0.5	1	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Total Solids	EPA160.3	66	66	mg/l	4	10	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Total Suspended Solids	EPA160.2	8	8	mg/l	2	10	1							
Pine Creek Lake	1	1PCROKS0147	8/29/2018	9:40:00 AM	0940	11	Zinc	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Ammonia	EPA350.1	0.0448	0.0448	mg/l	0.005	0.01	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Arsenic	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Calcium	EPA6010	2.37	2.37	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Chloride	EPA300.0	2.59	2.59	mg/l	0.1	0.3	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Hardness	SM2340B	11.3	11.3	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Iron	EPA6010	0.187	0.187	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Magnesium	EPA6010	1.3	1.3	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Manganese	SW846/6020	0.0333	0.0333	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Silica, Diss.	EPA6010B	3.31	3.31	mg/l	0.005	0.05	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Silica, Tot.	EPA6010B	3.5	3.5	mg/l	0.005	0.05	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Sulfate	EPA300.0	2.45	2.45	mg/l	0.1	0.3	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.69	0.69	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Alkalinity	EPA310.1	ND	<5	mg/l	5	10	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Dissolved Solids	EPA160.1	52.7	52.7	mg/l	5.67	18.3	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Total Organic Carbon	EPA9060	7.2	7.2	mg/l	0.5	1	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Total Solids	EPA160.3	56	56	mg/l	4	10	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Total Suspended Solids	EPA160.2	3.33	3.33	mg/l	1.67	8.33	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	0.5	Zinc	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Ammonia	EPA350.1	0.801	0.801	mg/l	0.005	0.01	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Arsenic	SW846/6020	0.0045	0.0045	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Calcium	EPA6010	2.82	2.82	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Chloride	EPA300.0	2.13	2.13	mg/l	0.1	0.3	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Hardness	SM2340B	13	13	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Iron	EPA6010	3.69	3.69	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Magnesium	EPA6010	1.45	1.45	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Manganese	SW846/6020	0.895	0.895	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Phosphorus, Total	EPA6010B	0.064	0.064	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Silica, Diss.	EPA6010B	3.68	3.68	mg/l	0.005	0.05	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Silica, Tot.	EPA6010B	4.32	4.32	mg/l	0.005	0.05	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Sulfate	EPA300.0	1.47	1.47	mg/l	0.1	0.3	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Total Kjeldahl Nitrogen	I-4515-91	1.34	1.34	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Alkalinity	EPA310.1	14.3	14.3	mg/l	5	10	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Dissolved Solids	EPA160.1	69	69	mg/l	6	20	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Total Organic Carbon	EPA9060	9.16	9.16	mg/l	0.5	1	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Total Solids	EPA160.3	80	80	mg/l	4	10	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Total Suspended Solids	EPA160.2	11	11	mg/l	2	10	1							
Pine Creek Lake	2	1PCROKS0146	8/29/2018	8:35:00 AM	0835	13	Zinc	SW846/6020	0.0023	0.0023	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Ammonia	EPA350.1	0.0203	0.0203	mg/l	0.005	0.01	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Arsenic	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Calcium	EPA6010	2.34	2.34	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Chloride	EPA300.0	2.59	2.59	mg/l	0.1	0.3	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Hardness	SM2340B	11.2	11.2	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Iron	EPA6010	0.247	0.247	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Magnesium	EPA6010	1.3	1.3	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Manganese	SW846/6020	0.0293	0.0293	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Phosphorus, Total	EPA6010B	0.023	0.023	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Silica, Diss.	EPA6010B	3.27	3.27	mg/l	0.005	0.05	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Silica, Tot.	EPA6010B	3.52	3.52	mg/l	0.005	0.05	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Sulfate	EPA300.0	2.48	2.48	mg/l	0.1	0.3	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.74	0.74	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Alkalinity	EPA310.1	12.8	12.8	mg/l	5	10	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Dissolved Solids	EPA160.1	82	82	mg/l	6	20	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Total Organic Carbon	EPA9060	7.4	7.4	mg/l	0.5	1	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Total Solids	EPA160.3	88	88	mg/l	4	10	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Total Suspended Solids	EPA160.2	6	6	mg/l	2	10	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	0.5	Zinc	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Ammonia	EPA350.1	0.672	0.672	mg/l	0.005	0.01	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Arsenic	SW846/6020	0.003	0.003	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Calcium	EPA6010	2.62	2.62	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Chloride	EPA300.0	1.98	1.98	mg/l	0.1	0.3	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Copper	SW846/6020	0.0057	0.0057	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Hardness	SM2340B	12.4	12.4	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Iron	EPA6010	2.43	2.43	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Magnesium	EPA6010	1.41	1.41	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Manganese	SW846/6020	0.585	0.585	mg/l	0.0002	0.001	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Nickel	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.001	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Phosphorus, Total	EPA6010B	0.069	0.069	mg/l	0.004	0.02	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Silica, Diss.	EPA6010B	3.6	3.6	mg/l	0.005	0.05	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Silica, Tot.	EPA6010B	3.84	3.84	mg/l	0.005	0.05	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Sulfate	EPA300.0	2.12	2.12	mg/l	0.1	0.3	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Total Kjeldahl Nitrogen	I-4515-91	1.14	1.14	mg/l	0.07	0.14	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Alkalinity	EPA310.1	11.9	11.9	mg/l	5	10	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Dissolved Solids	EPA160.1	58.7	58.7	mg/l	7.33	26.7	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Total Organic Carbon	EPA9060	9.81	9.81	mg/l	0.5	1	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Total Solids	EPA160.3	72	72	mg/l	4	10	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Total Suspended Solids	EPA160.2	13.3	13.3	mg/l	3.33	16.7	1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018	9:10:00 AM	0910	11	Zinc	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Ammonia	EPA350.1	0.54	0.54	mg/l	0.005	0.01	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Arsenic	SW846/6020	0.0028	0.0028	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Calcium	EPA6010	2.8	2.8	mg/l	0.004	0.02	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Chloride	EPA300.0	2.38	2.38	mg/l	0.1	0.3	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Hardness	SM2340B	12.7	12.7	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Iron	EPA6010	2.23	2.23	mg/l	0.004	0.02	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Magnesium	EPA6010	1.4	1.4	mg/l	0.004	0.02	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Manganese	SW846/6020	0.661	0.661	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Nitrite+Nitrate	EPA300.0	0.0932	0.0932	mg/l	0.006	0.02	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Phosphorus, Total	EPA6010B	0.053	0.053	mg/l	0.004	0.02	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Silica, Diss.	EPA6010B	3.46	3.46	mg/l	0.005	0.05	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Silica, Tot.	EPA6010B	3.78	3.78	mg/l	0.005	0.05	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Sulfate	EPA300.0	1.76	1.76	mg/l	0.1	0.3	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Total Kjeldahl Nitrogen	I-4515-91	1.02	1.02	mg/l	0.07	0.14	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Alkalinity	EPA310.1	13.7	13.7	mg/l	5	10	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Dissolved Solids	EPA160.1	58	58	mg/l	6	20	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Total Organic Carbon	EPA9060	7.86	7.86	mg/l	0.5	1	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Total Solids	EPA160.3	66	66	mg/l	4	10	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Total Suspended Solids	EPA160.2	8	8	mg/l	2	10	1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018	7:55:00 AM	0755	0.5	Zinc	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Alkalinity	EPA310.1	ND	<5	mg/l	5	10	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.01	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.02	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Silica, Diss.	EPA6010B	ND	<0.005	mg/l	0.005	0.05	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Silica, Tot.	EPA6010B	ND	<0.005	mg/l	0.005	0.05	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Calcium	EPA6010	0.006	0.006	mg/l	0.004	0.02	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.02	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.02	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Zinc	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.001	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Dissolved Solids	EPA160.1	ND	<6	mg/l	6	20	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Total Solids	EPA160.3	ND	<4	mg/l	4	10	1							
Pine Creek Lake		1 1PCROKS0147	9/17/2018	11:30:00 AM	1130	0	Total Suspended Solids	EPA160.2	ND	<2	mg/l	2	10	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Alkalinity	EPA310.1	11.2	11.2	mg/l	5	10	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Ammonia	EPA350.1	0.0216	0.0216	mg/l	0.005	0.01	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Chloride	EPA300.0	2.66	2.66	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Hardness	SM2340B	11	11	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.56	0.56	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Silica, Diss.	EPA6010B	3.43	3.43	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Silica, Tot.	EPA6010B	3.48	3.48	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Sulfate	EPA300.0	2.34	2.34	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Calcium	EPA6010	2.4	2.4	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Iron	EPA6010	0.0906	0.0906	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Magnesium	EPA6010	1.22	1.22	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Arsenic	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Copper	SW846/6020	0.00043	0.00043	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Manganese	SW846/6020	0.0344	0.0344	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Zinc	SW846/6020	0.0033	0.0033	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Total Organic Carbon	EPA9060	6.29	6.29	mg/l	0.5	1	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Dissolved Solids	EPA160.1	47.3	47.3	mg/l	5.33	16.7	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Total Solids	EPA160.3	50	50	mg/l	4	10	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0941	0.5	Total Suspended Solids	EPA160.2	2.67	2.67	mg/l	1.33	6.67	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Alkalinity	EPA310.1	13.4	13.4	mg/l	5	10	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Ammonia	EPA350.1	0.0324	0.0324	mg/l	0.005	0.01	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Chloride	EPA300.0	2.65	2.65	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Hardness	SM2340B	10.9	10.9	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Phosphorus, Total	EPA6010B	0.015	0.015	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Silica, Diss.	EPA6010B	3.28	3.28	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Silica, Tot.	EPA6010B	3.51	3.51	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Sulfate	EPA300.0	2.32	2.32	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Calcium	EPA6010	2.38	2.38	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Iron	EPA6010	0.104	0.104	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Magnesium	EPA6010	1.22	1.22	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Copper	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Manganese	SW846/6020	0.0342	0.0342	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Zinc	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Total Organic Carbon	EPA9060	6.54	6.54	mg/l	0.5	1	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Dissolved Solids	EPA160.1	51.5	51.5	mg/l	5	15	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Total Solids	EPA160.3	54	54	mg/l	4	10	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	0.5	Total Suspended Solids	EPA160.2	2.5	2.5	mg/l	1	5	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Alkalinity	EPA310.1	13.6	13.6	mg/l	5	10	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Ammonia	EPA350.1	1.67	1.67	mg/l	0.5	1	100							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Chloride	EPA300.0	2.2	2.2	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Hardness	SM2340B	17.7	17.7	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Total Kjeldahl Nitrogen	I-4515-91	2.43	2.43	mg/l	0.07	0.14	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Phosphorus, Total	EPA6010B	0.205	0.205	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Silica, Diss.	EPA6010B	5.34	5.34	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Silica, Tot.	EPA6010B	6.36	6.36	mg/l	0.005	0.05	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Calcium	EPA6010	4.15	4.15	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Iron	EPA6010	12.3	12.3	mg/l	0.004	0.02	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Magnesium	EPA6010	1.79	1.79	mg/l	0.004	0.02	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Arsenic	SW846/6020	0.0103	0.0103	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Copper	SW846/6020	0.00058	0.00058	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Lead	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Manganese	SW846/6020	2.1	2.1	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Nickel	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Zinc	SW846/6020	0.0039	0.0039	mg/l	0.0002	0.001	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Total Organic Carbon	EPA9060	9.63	9.63	mg/l	0.5	1	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Dissolved Solids	EPA160.1	80	80	mg/l	6	20	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Total Solids	EPA160.3	92	92	mg/l	4	10	1							
Pine Creek Lake	1	1PCROKS0147	9/18/2018	9:40:00 AM	0940	14	Total Suspended Solids	EPA160.2	12	12	mg/l	2	10	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Alkalinity	EPA310.1	26	26	mg/l	5	10	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Ammonia	EPA350.1	0.0307	0.0307	mg/l	0.005	0.01	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Chloride	EPA300.0	2.73	2.73	mg/l	0.1	0.3	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Hardness	SM2340B	10.8	10.8	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.59	0.59	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Phosphorus, Total	EPA6010B	0.018	0.018	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Silica, Diss.	EPA6010B	3.29	3.29	mg/l	0.005	0.05	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Silica, Tot.	EPA6010B	3.49	3.49	mg/l	0.005	0.05	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Sulfate	EPA300.0	2.37	2.37	mg/l	0.1	0.3	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Calcium	EPA6010	2.34	2.34	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Iron	EPA6010	0.0982	0.0982	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Magnesium	EPA6010	1.21	1.21	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Manganese	SW846/6020	0.0265	0.0265	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Nickel	SW846/6020	0.00038	0.00038	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Zinc	SW846/6020	0.0048	0.0048	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Total Organic Carbon	EPA9060	6.2	6.2	mg/l	0.5	1	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Dissolved Solids	EPA160.1	51	51	mg/l	5	15	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Total Solids	EPA160.3	54	54	mg/l	4	10	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	0.5	Total Suspended Solids	EPA160.2	3	3	mg/l	1	5	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Alkalinity	EPA310.1	12.8	12.8	mg/l	5	10	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Ammonia	EPA350.1	1.36	1.36	mg/l	0.1	0.2	20							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Chloride	EPA300.0	2.16	2.16	mg/l	0.1	0.3	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Hardness	SM2340B	15.4	15.4	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Total Kjeldahl Nitrogen	I-4515-91	1.79	1.79	mg/l	0.07	0.14	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Phosphorus, Total	EPA6010B	0.164	0.164	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Silica, Diss.	EPA6010B	4.49	4.49	mg/l	0.005	0.05	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Silica, Tot.	EPA6010B	5.45	5.45	mg/l	0.005	0.05	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.3	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Calcium	EPA6010	3.5	3.5	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Iron	EPA6010	9.13	9.13	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Magnesium	EPA6010	1.63	1.63	mg/l	0.004	0.02	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Arsenic	SW846/6020	0.0082	0.0082	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Chromium	SW846/6020	0.00046	0.00046	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Manganese	SW846/6020	1.56	1.56	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Zinc	SW846/6020	0.0103	0.0103	mg/l	0.0002	0.001	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Total Organic Carbon	EPA9060	9.9	9.9	mg/l	0.5	1	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Dissolved Solids	EPA160.1	426	426	mg/l	5.05	15.3	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Total Solids	EPA160.3	436	436	mg/l	4	10	1							
Pine Creek Lake	2	1PCROKS0146	9/18/2018	8:35:00 AM	0835	13	Total Suspended Solids	EPA160.2	10	10	mg/l	1.05	5.26	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Alkalinity	EPA310.1	159	159	mg/l	5	10	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Ammonia	EPA350.1	0.0369	0.0369	mg/l	0.005	0.01	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Chloride	EPA300.0	2.62	2.62	mg/l	0.1	0.3	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Hardness	SM2340B	11	11	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.67	0.67	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Nitrite+Nitrate	EPA300.0	0.0227	0.0227	mg/l	0.006	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Phosphorus, Total	EPA6010B	0.021	0.021	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Silica, Diss.	EPA6010B	3.08	3.08	mg/l	0.005	0.05	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Silica, Tot.	EPA6010B	3.6	3.6	mg/l	0.005	0.05	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Sulfate	EPA300.0	2.37	2.37	mg/l	0.1	0.3	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Calcium	EPA6010	2.38	2.38	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Iron	EPA6010	0.17	0.17	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Magnesium	EPA6010	1.23	1.23	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Arsenic	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Chromium	SW846/6020	0.0002	0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Manganese	SW846/6020	0.0313	0.0313	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Zinc	SW846/6020	0.0051	0.0051	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Total Organic Carbon	EPA9060	7.22	7.22	mg/l	0.5	1	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Dissolved Solids	EPA160.1	66	66	mg/l	6	20	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Total Solids	EPA160.3	72	72	mg/l	4	10	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	0.5	Total Suspended Solids	EPA160.2	6	6	mg/l	2	10	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Alkalinity	EPA310.1	12.4	12.4	mg/l	5	10	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Ammonia	EPA350.1	1.71	1.71	mg/l	0.5	1	100							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Chloride	EPA300.0	2.2	2.2	mg/l	0.1	0.3	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Hardness	SM2340B	15.4	15.4	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Total Kjeldahl Nitrogen	I-4515-91	2.84	2.84	mg/l	0.07	0.14	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Nitrite+Nitrate	EPA300.0	ND	<0.006	mg/l	0.006	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Phosphorus, Total	EPA6010B	0.114	0.114	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Silica, Diss.	EPA6010B	4.13	4.13	mg/l	0.005	0.05	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Silica, Tot.	EPA6010B	5.2	5.2	mg/l	0.005	0.05	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Sulfate	EPA300.0	0.278	0.278	mg/l	0.1	0.3	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Calcium	EPA6010	3.51	3.51	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Iron	EPA6010	7.73	7.73	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Magnesium	EPA6010	1.6	1.6	mg/l	0.004	0.02	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Arsenic	SW846/6020	0.0067	0.0067	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Copper	SW846/6020	0.001	0.001	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Manganese	SW846/6020	1.45	1.45	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Zinc	SW846/6020	0.0042	0.0042	mg/l	0.0002	0.001	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Total Organic Carbon	EPA9060	12.3	12.3	mg/l	0.5	1	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Dissolved Solids	EPA160.1	92	92	mg/l	6	20	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Total Solids	EPA160.3	106	106	mg/l	4	10	1							
Pine Creek Lake	3	1PCROKS0145	9/18/2018	9:05:00 AM	0905	11	Total Suspended Solids	EPA160.2	14	14	mg/l	2	10	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Alkalinity	EPA310.1	27.8	27.8	mg/l	5	10	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Ammonia	EPA350.1	0.499	0.499	mg/l	0.005	0.01	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Chloride	EPA300.0	2.44	2.44	mg/l	0.1	0.3	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Hardness	SM2340B	12.2	12.2	mgeqCaCO3/l	0.0265	0.132	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.91	0.91	mg/l	0.07	0.14	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Mercury	SW846/7474	0.00001	0.00001	mg/l	0.00001	0.00002	2							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Nitrite+Nitrate	EPA300.0	0.134	0.134	mg/l	0.006	0.02	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Ortho-Phosphorus, Dissolve	EPA300.0	ND	<0.01	mg/l	0.01	0.03	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Phosphorus, Total	EPA6010B	0.051	0.051	mg/l	0.004	0.02	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Silica, Diss.	EPA6010B	3.77	3.77	mg/l	0.005	0.05	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Silica, Tot.	EPA6010B	4.53	4.53	mg/l	0.005	0.05	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Sulfate	EPA300.0	1.85	1.85	mg/l	0.1	0.3	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Calcium	EPA6010	2.73	2.73	mg/l	0.004	0.02	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Iron	EPA6010	1.82	1.82	mg/l	0.004	0.02	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Magnesium	EPA6010	1.3	1.3	mg/l	0.004	0.02	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Arsenic	SW846/6020	0.0025	0.0025	mg/l	0.0002	0.001	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.001	1							
Pine Creek Lake	4	1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Manganese	SW846/6020	0.681	0.681	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Nickel	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Zinc	SW846/6020	0.0024	0.0024	mg/l	0.0002	0.001	1							
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Total Organic Carbon	EPA9060	7.25	7.25	mg/l	0.5	1	1							
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Dissolved Solids	EPA160.1	61.3	61.3	mg/l	5.11	15.6	1							
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Total Solids	EPA160.3	68	68	mg/l	4	10	1							
Pine Creek Lake		4 1PCROKS0171	9/18/2018	7:50:00 AM	0750	0.5	Total Suspended Solids	EPA160.2	6.67	6.67	mg/l	1.11	5.56	1							
Pine Creek Lake		1 1PCROKS0147	4/23/2018		1140	0.0	CHL A, FL, COR	EPA445.0		0.6	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	4/24/2018		0950	0.5	CHL A, FL, COR	EPA445.0		30.2	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	4/24/2018		0951	0.5	CHL A, FL, COR	EPA445.0		25.3	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	4/24/2018		0920	0.5	CHL A, FL, COR	EPA445.0		13.5	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018		0850	0.5	CHL A, FL, COR	EPA445.0		4.7	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018		1040	0.5	CHL A, FL, COR	EPA445.0		8.2	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	4/23/2018		1140	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-0.3	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	4/24/2018		0950	0.5	PHPHTN-A, FLR MTHD	EPA445.0		11.8	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	4/24/2018		0951	0.5	PHPHTN-A, FLR MTHD	EPA445.0		10.5	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	4/24/2018		0920	0.5	PHPHTN-A, FLR MTHD	EPA445.0		6.9	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	4/24/2018		0850	0.5	PHPHTN-A, FLR MTHD	EPA445.0		2.5	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	4/24/2018		1040	0.5	PHPHTN-A, FLR MTHD	EPA445.0		9.7	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018		1130	0.0	CHL A, FL, COR	EPA445.0		0	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	5/15/2018		1015	0.5	CHL A, FL, COR	EPA445.0		31.3	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018		0945	0.5	CHL A, FL, COR	EPA445.0		19.3	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018		0946	0.5	CHL A, FL, COR	EPA445.0		24.1	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	5/15/2018		0910	0.5	CHL A, FL, COR	EPA445.0		19.9	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	5/15/2018		0830	0.5	CHL A, FL, COR	EPA445.0		6.2	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	5/14/2018		1130	0.0	PHPHTN-A, FLR MTHD	EPA445.0		0.3	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	5/15/2018		1015	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.2	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018		0945	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.4	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	5/15/2018		0946	0.5	PHPHTN-A, FLR MTHD	EPA445.0		6.4	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	5/15/2018		0910	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.7	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	5/15/2018		0830	0.5	PHPHTN-A, FLR MTHD	EPA445.0		6	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	6/18/2018		1400	0.0	CHL A, FL, COR	EPA445.0		0.9	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	6/19/2018		1140	0.5	CHL A, FL, COR	EPA445.0		19.9	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	6/19/2018		1100	0.5	CHL A, FL, COR	EPA445.0		23.3	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018		1000	0.5	CHL A, FL, COR	EPA445.0		25.3	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018		1001	0.5	CHL A, FL, COR	EPA445.0		24.8	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018		1230	0.5	CHL A, FL, COR	EPA445.0		5.8	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	6/18/2018		1400	0.0	PHPHTN-A, FLR MTHD	EPA445.0		0.2	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	6/19/2018		1140	0.5	PHPHTN-A, FLR MTHD	EPA445.0		6.8	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	6/19/2018		1100	0.5	PHPHTN-A, FLR MTHD	EPA445.0		6.8	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018		1000	0.5	PHPHTN-A, FLR MTHD	EPA445.0		9.1	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	6/19/2018		1001	0.5	PHPHTN-A, FLR MTHD	EPA445.0		8.9	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	6/19/2018		1230	0.5	PHPHTN-A, FLR MTHD	EPA445.0		17.8	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018		1135	0.0	CHL A, FL, COR	EPA445.0		1.3	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	7/17/2018		0945	0.5	CHL A, FL, COR	EPA445.0		19.9	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	7/17/2018		0946	0.5	CHL A, FL, COR	EPA445.0		20.4	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	7/17/2018		0835	0.5	CHL A, FL, COR	EPA445.0		23.6	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	7/17/2018		0905	0.5	CHL A, FL, COR	EPA445.0		30.6	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	7/17/2018		1030	0.5	CHL A, FL, COR	EPA445.0		3.3	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	7/16/2018		1135	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-1.1	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	7/17/2018		0945	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.2	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	7/17/2018		0946	0.5	PHPHTN-A, FLR MTHD	EPA445.0		4.8	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	7/17/2018		0835	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.5	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	7/17/2018		0905	0.5	PHPHTN-A, FLR MTHD	EPA445.0		8.3	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	7/17/2018		1030	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.3	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018		1120	0.0	CHL A, FL, COR	EPA445.0		1.4	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018		0940	0.5	CHL A, FL, COR	EPA445.0		21.9	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018		0835	0.5	CHL A, FL, COR	EPA445.0		22	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018		0836	0.5	CHL A, FL, COR	EPA445.0		19	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018		0910	0.5	CHL A, FL, COR	EPA445.0		23.8	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018		0755	0.5	CHL A, FL, COR	EPA445.0		5.4	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	8/28/2018		1120	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-0.8	ug/l			1							
Pine Creek Lake		1 1PCROKS0147	8/29/2018		0940	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.7	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018		0835	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.7	ug/l			1							
Pine Creek Lake		2 1PCROKS0146	8/29/2018		0836	0.5	PHPHTN-A, FLR MTHD	EPA445.0		5.3	ug/l			1							
Pine Creek Lake		3 1PCROKS0145	8/29/2018		0910	0.5	PHPHTN-A, FLR MTHD	EPA445.0		4.8	ug/l			1							
Pine Creek Lake		4 1PCROKS0171	8/29/2018		0755	0.5	PHPHTN-A, FLR MTHD	EPA445.0		2.5	ug/l			1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	Site	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
Pine Creek Lake		1	1PCROKS0147	9/17/2018		1130	0.0	CHL A, FL, COR	EPA445.0		2.3 ug/l			1							
Pine Creek Lake		1	1PCROKS0147	9/18/2018		0940	0.5	CHL A, FL, COR	EPA445.0		18.4 ug/l			1							
Pine Creek Lake		1	1PCROKS0147	9/18/2018		0941	0.5	CHL A, FL, COR	EPA445.0		17.8 ug/l			1							
Pine Creek Lake		2	1PCROKS0146	9/18/2018		0835	0.5	CHL A, FL, COR	EPA445.0		17.7 ug/l			1							
Pine Creek Lake		3	1PCROKS0145	9/18/2018		0905	0.5	CHL A, FL, COR	EPA445.0		19.6 ug/l			1							
Pine Creek Lake		4	1PCROKS0171	9/18/2018		0750	0.5	CHL A, FL, COR	EPA445.0		6.4 ug/l			1							
Pine Creek Lake		1	1PCROKS0147	9/17/2018		1130	0.0	PHPHTN-A, FLR MTHD	EPA445.0		-3 ug/l			1							
Pine Creek Lake		1	1PCROKS0147	9/18/2018		0940	0.5	PHPHTN-A, FLR MTHD	EPA445.0		0.8 ug/l			1							
Pine Creek Lake		1	1PCROKS0147	9/18/2018		0941	0.5	PHPHTN-A, FLR MTHD	EPA445.0		1.4 ug/l			1							
Pine Creek Lake		2	1PCROKS0146	9/18/2018		0835	0.5	PHPHTN-A, FLR MTHD	EPA445.0		1.3 ug/l			1							
Pine Creek Lake		3	1PCROKS0145	9/18/2018		0905	0.5	PHPHTN-A, FLR MTHD	EPA445.0		3.8 ug/l			1							
Pine Creek Lake		4	1PCROKS0171	9/18/2018		0750	0.5	PHPHTN-A, FLR MTHD	EPA445.0		3.3 ug/l			1							