Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0194	0.0194	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0189	0.0189	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Ammonia as N	EPA 350.1	EPA350.1	0.0122	0.0122	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0148	0.0148	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Ammonia as N	EPA 350.1	EPA350.1	0.0194	0.0194	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0339	0.0339	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0557	0.0557	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Ammonia as N	EPA 350.1	EPA350.1	0.056	0.056	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0226	0.0226	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Arsenic, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.00065	0.00065	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Arsenic, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Arsenic, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Calcium	EPA 6010	EPA6010	0.0052	0.0052	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Calcium	EPA 6010	EPA6010	3.52	3.52	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Calcium	EPA 6010	EPA6010	3.53	3.53	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Calcium	EPA 6010	EPA6010	3.5	3.5	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Calcium	EPA 6010	EPA6010	3.5	3.5	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Calcium	EPA 6010	EPA6010	3.51	3.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Calcium	EPA 6010	EPA6010	3.29	3.29	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Calcium	EPA 6010	EPA6010	3.46	3.46	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Calcium	EPA 6010	EPA6010	3.48	3.48	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Calcium	EPA 6010	EPA6010	3.55	3.55	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Chloride	EPA 300.0	EPA300.0	ND	<1	mg/L	mg/l	1	3	10
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.35	2.35	mg/L	mg/l	1	3	10
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.35	2.35	mg/L	mg/l	1	3	10
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Chloride	EPA 300.0	EPA300.0	2.29	2.29	mg/L	mg/l	1	3	10
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.39	2.39	mg/L	mg/l	1	3	10
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Chloride	EPA 300.0	EPA300.0	2.33	2.33	mg/L	mg/l	1	3	10
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.55	2.55	mg/L	mg/l	1	3	10
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.72	2.72	mg/L	mg/l	1	3	10
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Chloride	EPA 300.0	EPA300.0	2.71	2.71	mg/L	mg/l	1	3	10
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.36	2.36	mg/L	mg/l	1	3	10
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Chromium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Chromium, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Chromium, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Chromium, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Copper, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Copper, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Copper, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Copper, Tot	EPA 6020	EPA6020	0.0023	0.0023	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Hardness	EPA2340B	EPA2340B	ND	<0.0265	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.8	14.8	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.8	14.8	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Hardness	EPA2340B	EPA2340B	14.7	14.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.7	14.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Hardness	EPA2340B	EPA2340B	14.8	14.8	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Hardness	EPA2340B	EPA2340B	13.9	13.9	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.9	14.9	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Hardness	EPA2340B	EPA2340B	15.1	15.1	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.8	14.8	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Iron	EPA 6010	EPA6010	ND	<0.004	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Iron	EPA 6010	EPA6010	0.533	0.533	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Iron	EPA 6010	EPA6010	0.542	0.542	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Iron	EPA 6010	EPA6010	0.619	0.619	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Iron	EPA 6010	EPA6010	0.429	0.429	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Iron	EPA 6010	EPA6010	0.489	0.489	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Iron	EPA 6010	EPA6010	0.543	0.543	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Iron	EPA 6010	EPA6010	0.916	0.916	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Iron	EPA 6010	EPA6010	1.09	1.09	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Iron	EPA 6010	EPA6010	0.489	0.489	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Lead, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Lead, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Lead, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Lead, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Magnesium	EPA 6010	EPA6010	0.007	0.007	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.46	1.46	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.46	1.46	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Magnesium	EPA 6010	EPA6010	1.46	1.46	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.45	1.45	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Magnesium	EPA 6010	EPA6010	1.45	1.45	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.39	1.39	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.52	1.52	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Magnesium	EPA 6010	EPA6010	1.55	1.55	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.44	1.44	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Manganese, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0166	0.0166	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0167	0.0167	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Manganese, Tot	EPA 6020	EPA6020	0.0354	0.0354	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0184	0.0184	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Manganese, Tot	EPA 6020	EPA6020	0.019	0.019	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0187	0.0187	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0337	0.0337	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Manganese, Tot	EPA 6020	EPA6020	0.0552	0.0552	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0465	0.0465	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Nickel, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Nickel, Tot	EPA 6020	EPA6020	0.002	0.002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.02	0.02	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.014	0.014	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Phosphorus	EPA 6010B	EPA6010B	0.019	0.019	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.013	0.013	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Phosphorus	EPA 6010B	EPA6010B	0.017	0.017	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.015	0.015	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.03	0.03	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Phosphorus	EPA 6010B	EPA6010B	0.034	0.034	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.016	0.016	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Potassium	EPA 6010	EPA6010	0.0271	0.0271	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Potassium	EPA 6010	EPA6010	1.35	1.35	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Potassium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Potassium	EPA 6010	EPA6010	1.36	1.36	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Potassium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Potassium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Potassium	EPA 6010	EPA6010	1.26	1.26	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Potassium	EPA 6010	EPA6010	1.45	1.45	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Potassium	EPA 6010	EPA6010	1.47	1.47	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Potassium	EPA 6010	EPA6010	1.31	1.31	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Silicon, Diss	EPA 6010	EPA6010	ND	<0.008	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Silicon, Tot	EPA 6010	EPA6010	ND	<0.008	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	3.78	3.78	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	3.14	3.14	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.43	1.43	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	2.84	2.84	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Silicon, Diss	EPA 6010	EPA6010	2.49	2.49	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Silicon, Tot	EPA 6010	EPA6010	2.68	2.68	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.64	2.64	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	2.39	2.39	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Silicon, Diss	EPA 6010	EPA6010	1.06	1.06	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Silicon, Tot	EPA 6010	EPA6010	3.13	3.13	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.64	1.64	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	3.02	3.02	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	3.43	3.43	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	5.81	5.81	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Silicon, Diss	EPA 6010	EPA6010	2.98	2.98	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Silicon, Tot	EPA 6010	EPA6010	6.87	6.87	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	0.716	0.716	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	4.03	4.03	mg/L	mg/l	0.008	0.04	2
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Sodium	EPA 6010	EPA6010	0.0353	0.0353	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Sodium	EPA 6010	EPA6010	3.56	3.56	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Sodium	EPA 6010	EPA6010	3.55	3.55	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Sodium	EPA 6010	EPA6010	3.57	3.57	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Sodium	EPA 6010	EPA6010	3.62	3.62	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Sodium	EPA 6010	EPA6010	3.57	3.57	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Sodium	EPA 6010	EPA6010	3.67	3.67	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Sodium	EPA 6010	EPA6010	3.92	3.92	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Sodium	EPA 6010	EPA6010	3.84	3.84	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Sodium	EPA 6010	EPA6010	3.55	3.55	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Sulfate	EPA 300.0	EPA300.0	ND	<1	mg/L	mg/l	1	3	10
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.62	5.62	mg/L	mg/l	1	3	10
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.73	5.73	mg/L	mg/l	1	3	10
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Sulfate	EPA 300.0	EPA300.0	5.64	5.64	mg/L	mg/l	1	3	10
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.66	5.66	mg/L	mg/l	1	3	10
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Sulfate	EPA 300.0	EPA300.0	5.65	5.65	mg/L	mg/l	1	3	10
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	12.6	12.6	mg/L	mg/l	1	3	10
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	6.09	6.09	mg/L	mg/l	1	3	10
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Sulfate	EPA 300.0	EPA300.0	6.1	6.1	mg/L	mg/l	1	3	10
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.68	5.68	mg/L	mg/l	1	3	10
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	ND	<0.07	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.39	0.39	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.29	0.29	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.36	0.36	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.32	0.32	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.35	0.35	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.4	0.4	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.47	0.47	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.49	0.49	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.36	0.36	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Alkalinity, Tot	EPA 310.1	EPA310.1	ND	<5	mg/L	mg/l	5	10	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	14.6	14.6	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	12.9	12.9	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Alkalinity, Tot	EPA 310.1	EPA310.1	13.9	13.9	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	14.5	14.5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Alkalinity, Tot	EPA 310.1	EPA310.1	14.2	14.2	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	11.8	11.8	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	9.76	9.76	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Alkalinity, Tot	EPA 310.1	EPA310.1	9.63	9.63	mg/L	mg/l	5	10	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	10.8	10.8	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Total Dissolved Solids	Calculated	EPA160.1	ND	<6	mg/L	mg/l	6	20	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	60	60	mg/L	mg/l	6	20	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	58	58	mg/L	mg/l	6	20	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Total Dissolved Solids	Calculated	EPA160.1	72	72	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	64	64	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Total Dissolved Solids	Calculated	EPA160.1	72	72	mg/L	mg/l	6	20	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	66	66	mg/L	mg/l	6	20	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	97	97	mg/L	mg/l	6	20	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Total Dissolved Solids	Calculated	EPA160.1	94	94	mg/L	mg/l	6	20	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	68	68	mg/L	mg/l	6	20	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Total Organic Carbon	EPA 9060	EPA9060	ND	<0.5	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.73	4.73	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.57	4.57	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Total Organic Carbon	EPA 9060	EPA9060	4.66	4.66	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.9	4.9	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Total Organic Carbon	EPA 9060	EPA9060	4.43	4.43	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.65	4.65	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	7.28	7.28	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Total Organic Carbon	EPA 9060	EPA9060	7.26	7.26	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.54	4.54	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Total Solids	EPA 160.3	EPA160.3	ND	<4	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	60	60	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	60	60	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Total Solids	EPA 160.3	EPA160.3	76	76	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	64	64	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Total Solids	EPA 160.3	EPA160.3	72	72	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	74	74	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	114	114	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Total Solids	EPA 160.3	EPA160.3	114	114	mg/L	mg/l	4	10	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	72	72	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	2	2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Total Suspended Solids	EPA 160.2	EPA160.2	4	4	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	8	8	mg/L	mg/l	2	10	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	17	17	mg/L	mg/l	2	10	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Total Suspended Solids	EPA 160.2	EPA160.2	20	20	mg/L	mg/l	2	10	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	4	4	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0.0	000.0	Zinc, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0035	0.0035	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0038	0.0038	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	4/19/2022	1055	18.0	018.0	Zinc, Tot	EPA 6020	EPA6020	0.0043	0.0043	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0058	0.0058	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	4/19/2022	1030	8.0	008.0	Zinc, Tot	EPA 6020	EPA6020	0.0041	0.0041	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0038	0.0038	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0066	0.0066	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	4/19/2022	0930	5.0	005.0	Zinc, Tot	EPA 6020	EPA6020	0.0059	0.0059	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0042	0.0042	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Ammonia as N	EPA 350.1	EPA350.1	0.0169	0.0169	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0144	0.0144	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.00863	0.00863	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0181	0.0181	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Ammonia as N	EPA 350.1	EPA350.1	0.119	0.119	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0507	0.0507	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Arsenic, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.00056	0.00056	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Arsenic, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Arsenic, Tot	EPA 6020	EPA6020	0.00061	0.00061	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.00079	0.00079	mg/L	mg/l	0.0002	0.001	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Arsenic, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Calcium	EPA 6010	EPA6010	0.0099	0.0099	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Calcium	EPA 6010	EPA6010	3.46	3.46	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Calcium	EPA 6010	EPA6010	3.5	3.5	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Calcium	EPA 6010	EPA6010	3.57	3.57	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Calcium	EPA 6010	EPA6010	3.51	3.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Calcium	EPA 6010	EPA6010	3.46	3.46	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Calcium	EPA 6010	EPA6010	3.51	3.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Calcium	EPA 6010	EPA6010	3.52	3.52	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Calcium	EPA 6010	EPA6010	4.09	4.09	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Calcium	EPA 6010	EPA6010	3.72	3.72	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Chloride	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.23	2.23	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.24	2.24	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Chloride	EPA 300.0	EPA300.0	2.21	2.21	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.22	2.22	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Chloride	EPA 300.0	EPA300.0	2.24	2.24	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.29	2.29	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.44	2.44	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Chloride	EPA 300.0	EPA300.0	2.36	2.36	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.21	2.21	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Chromium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0002	0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.00028	0.00028	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Chromium, Tot	EPA 6020	EPA6020	0.0004	0.0004	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0003	0.0003	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Chromium, Tot	EPA 6020	EPA6020	0.0002	0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0003	0.0003	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0005	0.0005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Chromium, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0003	0.0003	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Copper, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Copper, Tot	EPA 6020	EPA6020	0.0031	0.0031	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Hardness	EPA2340B	EPA2340B	ND	<0.0265	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.5	14.5	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.7	14.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Hardness	EPA2340B	EPA2340B	15	15	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.7	14.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Hardness	EPA2340B	EPA2340B	14.5	14.5	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.7	14.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.2	15.2	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Hardness	EPA2340B	EPA2340B	17.9	17.9	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.6	15.6	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Iron	EPA 6010	EPA6010	0.0042	0.0042	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Iron	EPA 6010	EPA6010	0.793	0.793	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Iron	EPA 6010	EPA6010	0.897	0.897	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Iron	EPA 6010	EPA6010	1.26	1.26	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Iron	EPA 6010	EPA6010	0.819	0.819	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Iron	EPA 6010	EPA6010	0.837	0.837	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Iron	EPA 6010	EPA6010	1.01	1.01	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Iron	EPA 6010	EPA6010	1.64	1.64	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Iron	EPA 6010	EPA6010	3.15	3.15	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Iron	EPA 6010	EPA6010	1.48	1.48	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Lead, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Lead, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Lead, Tot	EPA 6020	EPA6020	0.003	0.003	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Magnesium	EPA 6010	EPA6010	ND	<0.004	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.43	1.43	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.45	1.45	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Magnesium	EPA 6010	EPA6010	1.48	1.48	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.45	1.45	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Magnesium	EPA 6010	EPA6010	1.43	1.43	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.45	1.45	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.56	1.56	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Magnesium	EPA 6010	EPA6010	1.86	1.86	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.52	1.52	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Manganese, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0216	0.0216	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0287	0.0287	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Manganese, Tot	EPA 6020	EPA6020	0.141	0.141	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0219	0.0219	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Manganese, Tot	EPA 6020	EPA6020	0.0234	0.0234	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0387	0.0387	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0539	0.0539	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Manganese, Tot	EPA 6020	EPA6020	0.295	0.295	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.265	0.265	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Mercury	EPA 7474	EPA7474	0.000013	0.000013	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Nickel, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.00083	0.00083	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Nickel, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Nickel, Tot	EPA 6020	EPA6020	0.0023	0.0023	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.02	0.02	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.024	0.024	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Phosphorus	EPA 6010B	EPA6010B	0.031	0.031	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.025	0.025	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Phosphorus	EPA 6010B	EPA6010B	0.023	0.023	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.02	0.02	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.034	0.034	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Phosphorus	EPA 6010B	EPA6010B	0.078	0.078	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.044	0.044	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Potassium	EPA 6010	EPA6010	0.0729	0.0729	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Potassium	EPA 6010	EPA6010	1.33	1.33	mg/L	mg/l	0.02	0.05	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Potassium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Potassium	EPA 6010	EPA6010	1.35	1.35	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Potassium	EPA 6010	EPA6010	1.32	1.32	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Potassium	EPA 6010	EPA6010	1.31	1.31	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Potassium	EPA 6010	EPA6010	1.31	1.31	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Potassium	EPA 6010	EPA6010	1.38	1.38	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Potassium	EPA 6010	EPA6010	1.46	1.46	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Potassium	EPA 6010	EPA6010	1.35	1.35	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Silicon, Diss	EPA 6010	EPA6010	0.0527	0.0527	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Silicon, Tot	EPA 6010	EPA6010	0.0477	0.0477	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	0.453	0.453	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	0.674	0.674	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	0.658	0.658	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	0.913	0.913	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Silicon, Diss	EPA 6010	EPA6010	1.3	1.3	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Silicon, Tot	EPA 6010	EPA6010	1.27	1.27	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	0.511	0.511	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	0.713	0.713	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Silicon, Diss	EPA 6010	EPA6010	0.919	0.919	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Silicon, Tot	EPA 6010	EPA6010	0.738	0.738	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.5	1.5	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	1.12	1.12	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	3.29	3.29	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	2.98	2.98	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Silicon, Diss	EPA 6010	EPA6010	4.88	4.88	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Silicon, Tot	EPA 6010	EPA6010	5.03	5.03	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	0.866	0.866	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	1.65	1.65	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Sodium	EPA 6010	EPA6010	0.0547	0.0547	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Sodium	EPA 6010	EPA6010	3.78	3.78	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Sodium	EPA 6010	EPA6010	3.75	3.75	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Sodium	EPA 6010	EPA6010	3.74	3.74	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Sodium	EPA 6010	EPA6010	3.71	3.71	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Sodium	EPA 6010	EPA6010	3.73	3.73	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Sodium	EPA 6010	EPA6010	3.7	3.7	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Sodium	EPA 6010	EPA6010	3.65	3.65	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Sodium	EPA 6010	EPA6010	3.78	3.78	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Sodium	EPA 6010	EPA6010	3.69	3.69	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Sulfate	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	4.63	4.63	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	4.59	4.59	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Sulfate	EPA 300.0	EPA300.0	4.62	4.62	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	4.63	4.63	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Sulfate	EPA 300.0	EPA300.0	4.58	4.58	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	4.74	4.74	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	4.54	4.54	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Sulfate	EPA 300.0	EPA300.0	4.75	4.75	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	4.62	4.62	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	ND	<0.07	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.33	0.33	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.4	0.4	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.52	0.52	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.34	0.34	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.33	0.33	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.43	0.43	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.52	0.52	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	1	1	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.54	0.54	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Alkalinity, Tot	EPA 310.1	EPA310.1	ND	<5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	14.5	14.5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	13	13	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Alkalinity, Tot	EPA 310.1	EPA310.1	12.7	12.7	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	13	13	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Alkalinity, Tot	EPA 310.1	EPA310.1	12.2	12.2	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	13.4	13.4	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	11.4	11.4	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Alkalinity, Tot	EPA 310.1	EPA310.1	13.7	13.7	mg/L	mg/l	5	10	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	14.1	14.1	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Total Dissolved Solids	Calculated	EPA160.1	ND	<6	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	74.5	74.5	mg/L	mg/l	5	15	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	77.6	77.6	mg/L	mg/l	4.8	14	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Total Dissolved Solids	Calculated	EPA160.1	84	84	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	74.4	74.4	mg/L	mg/l	4.8	14	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Total Dissolved Solids	Calculated	EPA160.1	75.6	75.6	mg/L	mg/l	4.8	14	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	79.3	79.3	mg/L	mg/l	5.33	16.7	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	110	110	mg/L	mg/l	5.33	16.7	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Total Dissolved Solids	Calculated	EPA160.1	140	140	mg/L	mg/l	8	30	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	89	89	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Total Organic Carbon	EPA 9060	EPA9060	ND	<0.5	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.41	4.41	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.56	4.56	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Total Organic Carbon	EPA 9060	EPA9060	4.9	4.9	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.73	4.73	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Total Organic Carbon	EPA 9060	EPA9060	4.61	4.61	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	5.05	5.05	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	6.73	6.73	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Total Organic Carbon	EPA 9060	EPA9060	8.11	8.11	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	5.31	5.31	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Total Solids	EPA 160.3	EPA160.3	ND	<4	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	80	80	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	84	84	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Total Solids	EPA 160.3	EPA160.3	104	104	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	80	80	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Total Solids	EPA 160.3	EPA160.3	82	82	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	92	92	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	122	122	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Total Solids	EPA 160.3	EPA160.3	196	196	mg/L	mg/l	4	10	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	110	110	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	5.5	5.5	mg/L	mg/l	1	5	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	6.4	6.4	mg/L	mg/l	0.8	4	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Total Suspended Solids	EPA 160.2	EPA160.2	20	20	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	5.6	5.6	mg/L	mg/l	0.8	4	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Total Suspended Solids	EPA 160.2	EPA160.2	6.4	6.4	mg/L	mg/l	0.8	4	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	12.7	12.7	mg/L	mg/l	1.33	6.67	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	12	12	mg/L	mg/l	1.33	6.67	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Total Suspended Solids	EPA 160.2	EPA160.2	56	56	mg/L	mg/l	4	20	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	21	21	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0.0	000.0	Zinc, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0074	0.0074	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0042	0.0042	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	5/17/2022	1045	16.0	016.0	Zinc, Tot	EPA 6020	EPA6020	0.0059	0.0059	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0048	0.0048	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	5/17/2022	1120	9.0	009.0	Zinc, Tot	EPA 6020	EPA6020	0.0054	0.0054	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.005	0.005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0058	0.0058	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	5/17/2022	0940	6.0	006.0	Zinc, Tot	EPA 6020	EPA6020	0.0132	0.0132	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0198	0.0198	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Ammonia as N	EPA 350.1	EPA350.1	0.0116	0.0116	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0291	0.0291	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0246	0.0246	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Ammonia as N	EPA 350.1	EPA350.1	0.056	0.056	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0237	0.0237	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Ammonia as N	EPA 350.1	EPA350.1	0.0733	0.0733	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0154	0.0154	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0173	0.0173	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Ammonia as N	EPA 350.1	EPA350.1	0.115	0.115	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.095	0.095	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Arsenic, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Arsenic, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Arsenic, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Arsenic, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Calcium	EPA 6010	EPA6010	0.0064	0.0064	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Calcium	EPA 6010	EPA6010	3.5	3.5	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Calcium	EPA 6010	EPA6010	3.44	3.44	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Calcium	EPA 6010	EPA6010	3.63	3.63	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Calcium	EPA 6010	EPA6010	3.39	3.39	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Calcium	EPA 6010	EPA6010	3.43	3.43	mg/L	mg/l	0.004	0.02	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Calcium	EPA 6010	EPA6010	3.52	3.52	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Calcium	EPA 6010	EPA6010	3.49	3.49	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Calcium	EPA 6010	EPA6010	4.03	4.03	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Calcium	EPA 6010	EPA6010	3.9	3.9	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Chloride	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.65	2.65	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.72	2.72	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Chloride	EPA 300.0	EPA300.0	2.63	2.63	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.65	2.65	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Chloride	EPA 300.0	EPA300.0	2.61	2.61	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.66	2.66	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.78	2.78	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Chloride	EPA 300.0	EPA300.0	2.92	2.92	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.67	2.67	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Chromium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Chromium, Tot	EPA 6020	EPA6020	0.0023	0.0023	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Chromium, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Chromium, Tot	EPA 6020	EPA6020	0.0026	0.0026	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0025	0.0025	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Copper, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Copper, Tot	EPA 6020	EPA6020	0.0023	0.0023	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Copper, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Copper, Tot	EPA 6020	EPA6020	0.0027	0.0027	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0024	0.0024	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Hardness	EPA2340B	EPA2340B	ND	<0.0265	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.6	14.6	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.4	14.4	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Hardness	EPA2340B	EPA2340B	15.2	15.2	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.2	14.2	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Hardness	EPA2340B	EPA2340B	14.5	14.5	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.7	14.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.8	14.8	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Hardness	EPA2340B	EPA2340B	17.4	17.4	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Hardness	EPA2340B	EPA2340B	16.3	16.3	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Iron	EPA 6010	EPA6010	0.0048	0.0048	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Iron	EPA 6010	EPA6010	1.08	1.08	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Iron	EPA 6010	EPA6010	0.998	0.998	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Iron	EPA 6010	EPA6010	2.44	2.44	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Iron	EPA 6010	EPA6010	0.922	0.922	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Iron	EPA 6010	EPA6010	1.52	1.52	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Iron	EPA 6010	EPA6010	1.02	1.02	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Iron	EPA 6010	EPA6010	1.43	1.43	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Iron	EPA 6010	EPA6010	2.87	2.87	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Iron	EPA 6010	EPA6010	3.22	3.22	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Lead, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Lead, Tot	EPA 6020	EPA6020	0.0027	0.0027	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Lead, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Lead, Tot	EPA 6020	EPA6020	0.0031	0.0031	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0031	0.0031	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Magnesium	EPA 6010	EPA6010	0.0056	0.0056	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.42	1.42	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.4	1.4	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Magnesium	EPA 6010	EPA6010	1.5	1.5	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.39	1.39	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Magnesium	EPA 6010	EPA6010	1.44	1.44	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.42	1.42	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.49	1.49	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Magnesium	EPA 6010	EPA6010	1.78	1.78	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.61	1.61	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Manganese, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0328	0.0328	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0284	0.0284	mg/L	mg/l	0.0002	0.001	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Manganese, Tot	EPA 6020	EPA6020	0.428	0.428	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0292	0.0292	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Manganese, Tot	EPA 6020	EPA6020	0.0819	0.0819	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0327	0.0327	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0481	0.0481	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Manganese, Tot	EPA 6020	EPA6020	0.259	0.259	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.728	0.728	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Nickel, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Nickel, Tot	EPA 6020	EPA6020	0.0028	0.0028	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Nickel, Tot	EPA 6020	EPA6020	0.0019	0.0019	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0019	0.0019	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Nickel, Tot	EPA 6020	EPA6020	0.0035	0.0035	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0032	0.0032	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.13	0.13	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.08	0.08	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.13	0.13	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.039	0.039	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.044	0.044	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Phosphorus	EPA 6010B	EPA6010B	0.082	0.082	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.035	0.035	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Phosphorus	EPA 6010B	EPA6010B	0.046	0.046	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.036	0.036	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.043	0.043	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Phosphorus	EPA 6010B	EPA6010B	0.069	0.069	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.089	0.089	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Potassium	EPA 6010	EPA6010	0.0595	0.0595	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Potassium	EPA 6010	EPA6010	1.33	1.33	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Potassium	EPA 6010	EPA6010	1.3	1.3	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Potassium	EPA 6010	EPA6010	1.37	1.37	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Potassium	EPA 6010	EPA6010	1.31	1.31	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Potassium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Potassium	EPA 6010	EPA6010	1.38	1.38	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Potassium	EPA 6010	EPA6010	1.38	1.38	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Potassium	EPA 6010	EPA6010	1.51	1.51	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Potassium	EPA 6010	EPA6010	1.43	1.43	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Silicon, Diss	EPA 6010	EPA6010	0.0547	0.0547	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Silicon, Tot	EPA 6010	EPA6010	0.048	0.048	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.28	1.28	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	1.99	1.99	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.37	1.37	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	1.55	1.55	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Silicon, Diss	EPA 6010	EPA6010	2.6	2.6	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Silicon, Tot	EPA 6010	EPA6010	3.35	3.35	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.51	1.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	1.59	1.59	mg/L	mg/l	0.004	0.02	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Silicon, Diss	EPA 6010	EPA6010	1.9	1.9	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Silicon, Tot	EPA 6010	EPA6010	2.48	2.48	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.45	1.45	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	1.87	1.87	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.83	1.83	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	2.4	2.4	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Silicon, Diss	EPA 6010	EPA6010	2.83	2.83	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Silicon, Tot	EPA 6010	EPA6010	3.67	3.67	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.94	2.94	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	4.54	4.54	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Sodium	EPA 6010	EPA6010	0.0356	0.0356	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Sodium	EPA 6010	EPA6010	3.65	3.65	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Sodium	EPA 6010	EPA6010	3.61	3.61	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Sodium	EPA 6010	EPA6010	3.64	3.64	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Sodium	EPA 6010	EPA6010	3.64	3.64	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Sodium	EPA 6010	EPA6010	3.62	3.62	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Sodium	EPA 6010	EPA6010	3.87	3.87	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Sodium	EPA 6010	EPA6010	3.75	3.75	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Sodium	EPA 6010	EPA6010	3.93	3.93	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Sodium	EPA 6010	EPA6010	3.66	3.66	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Sulfate	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.47	5.47	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.43	5.43	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Sulfate	EPA 300.0	EPA300.0	5.49	5.49	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.47	5.47	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Sulfate	EPA 300.0	EPA300.0	5.45	5.45	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.48	5.48	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.51	5.51	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Sulfate	EPA 300.0	EPA300.0	5.67	5.67	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.53	5.53	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	ND	<0.07	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.45	0.45	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.37	0.37	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.5	0.5	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.42	0.42	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.42	0.42	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.48	0.48	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.52	0.52	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.65	0.65	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.62	0.62	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Alkalinity, Tot	EPA 310.1	EPA310.1	ND	<5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	11.9	11.9	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	11.7	11.7	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Alkalinity, Tot	EPA 310.1	EPA310.1	9.87	9.87	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	11	11	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Alkalinity, Tot	EPA 310.1	EPA310.1	9.87	9.87	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	10.5	10.5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	10.5	10.5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Alkalinity, Tot	EPA 310.1	EPA310.1	12.8	12.8	mg/L	mg/l	5	10	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	12	12	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Total Dissolved Solids	Calculated	EPA160.1	ND	<6	mg/L	mg/l	6	20	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	80	80	mg/L	mg/l	5	15	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	90	90	mg/L	mg/l	5	15	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Total Dissolved Solids	Calculated	EPA160.1	115	115	mg/L	mg/l	7.64	28.2	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	80	80	mg/L	mg/l	5	15	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Total Dissolved Solids	Calculated	EPA160.1	94.7	94.7	mg/L	mg/l	5.33	16.7	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	82	82	mg/L	mg/l	5	15	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	98	98	mg/L	mg/l	5	15	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Total Dissolved Solids	Calculated	EPA160.1	132	132	mg/L	mg/l	7.33	26.7	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	ND	<8	mg/L	mg/l	8	30	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Total Organic Carbon	EPA 9060	EPA9060	ND	<0.5	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.11	4.11	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.47	4.47	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Total Organic Carbon	EPA 9060	EPA9060	5.22	5.22	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.89	4.89	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Total Organic Carbon	EPA 9060	EPA9060	4.45	4.45	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.19	4.19	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	5.11	5.11	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Total Organic Carbon	EPA 9060	EPA9060	6.19	6.19	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	5.98	5.98	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Total Solids	EPA 160.3	EPA160.3	ND	<4	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	88	88	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	94	94	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Total Solids	EPA 160.3	EPA160.3	150	150	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	86	86	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Total Solids	EPA 160.3	EPA160.3	104	104	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	90	90	mg/L	mg/l	4	10	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	108	108	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Total Solids	EPA 160.3	EPA160.3	174	174	mg/L	mg/l	4	10	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	ND	<4	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	8	8	mg/L	mg/l	1	5	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	4	4	mg/L	mg/l	1	5	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Total Suspended Solids	EPA 160.2	EPA160.2	34.5	34.5	mg/L	mg/l	3.64	18.2	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	6	6	mg/L	mg/l	1	5	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Total Suspended Solids	EPA 160.2	EPA160.2	9.33	9.33	mg/L	mg/l	1.33	6.67	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	8	8	mg/L	mg/l	1	5	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	10	10	mg/L	mg/l	1	5	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Total Suspended Solids	EPA 160.2	EPA160.2	41.7	41.7	mg/L	mg/l	3.33	16.7	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	44	44	mg/L	mg/l	4	20	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0.0	000.0	Zinc, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0047	0.0047	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0073	0.0073	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	6/21/2022	1030	16.0	016.0	Zinc, Tot	EPA 6020	EPA6020	0.0093	0.0093	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.005	0.005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	6/21/2022	1055	9.0	009.0	Zinc, Tot	EPA 6020	EPA6020	0.0061	0.0061	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0055	0.0055	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0073	0.0073	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	6/21/2022	0920	6.0	006.0	Zinc, Tot	EPA 6020	EPA6020	0.0106	0.0106	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0094	0.0094	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Alkalinity, Tot	EPA 310.1	EPA310.1	14.2	14.2	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Ammonia as N	EPA 350.1	EPA350.1	0.0231	0.0231	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Chloride	EPA 300.0	EPA300.0	2.58	2.58	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Sulfate	EPA 300.0	EPA300.0	5.33	5.33	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Hardness	EPA2340B	EPA2340B	15.5	15.5	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.43	0.43	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.17	0.17	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Phosphorus	EPA 6010B	EPA6010B	0.022	0.022	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Silicon, Diss	EPA 6010	EPA6010	3.98	3.98	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Silicon, Tot	EPA 6010	EPA6010	4.11	4.11	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Calcium	EPA 6010	EPA6010	3.78	3.78	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Iron	EPA 6010	EPA6010	1.56	1.56	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Magnesium	EPA 6010	EPA6010	1.48	1.48	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Potassium	EPA 6010	EPA6010	1.45	1.45	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Sodium	EPA 6010	EPA6010	3.03	3.03	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Arsenic, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Chromium, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Copper, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Lead, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Manganese, Tot	EPA 6020	EPA6020	0.315	0.315	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Nickel, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Zinc, Tot	EPA 6020	EPA6020	0.0048	0.0048	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Total Organic Carbon	EPA 9060	EPA9060	4.55	4.55	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Total Dissolved Solids	Calculated	EPA160.1	111	111	mg/L	mg/l	6	20	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Total Solids	EPA 160.3	EPA160.3	126	126	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1B	1SAROKS0132	7/19/2022	0935	17.0	017.0	Total Suspended Solids	EPA 160.2	EPA160.2	15	15	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	13.6	13.6	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0246	0.0246	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.66	2.66	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.44	5.44	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.1	14.1	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.39	0.39	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.06	0.06	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.15	2.15	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	2.24	2.24	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Calcium	EPA 6010	EPA6010	3.43	3.43	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Iron	EPA 6010	EPA6010	0.742	0.742	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Potassium	EPA 6010	EPA6010	1.37	1.37	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Sodium	EPA 6010	EPA6010	3.14	3.14	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0395	0.0395	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0032	0.0032	mg/L	mg/l	0.0002	0.001	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.65	4.65	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	90.5	90.5	mg/L	mg/l	5	15	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	98	98	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	7.5	7.5	mg/L	mg/l	1	5	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	13.8	13.8	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0153	0.0153	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.64	2.64	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.43	5.43	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.1	14.1	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.39	0.39	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.072	0.072	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2	2	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	2.25	2.25	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Calcium	EPA 6010	EPA6010	3.43	3.43	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Iron	EPA 6010	EPA6010	0.748	0.748	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Potassium	EPA 6010	EPA6010	1.39	1.39	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Sodium	EPA 6010	EPA6010	3.31	3.31	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0387	0.0387	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.003	0.003	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.49	4.49	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	88	88	mg/L	mg/l	5	15	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	94	94	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	6	6	mg/L	mg/l	1	5	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Alkalinity, Tot	EPA 310.1	EPA310.1	14.1	14.1	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Ammonia as N	EPA 350.1	EPA350.1	0.0151	0.0151	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Chloride	EPA 300.0	EPA300.0	2.71	2.71	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Sulfate	EPA 300.0	EPA300.0	5.51	5.51	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Hardness	EPA2340B	EPA2340B	13.9	13.9	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.43	0.43	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Silicon, Diss	EPA 6010	EPA6010	1.87	1.87	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Silicon, Tot	EPA 6010	EPA6010	2.04	2.04	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Calcium	EPA 6010	EPA6010	3.35	3.35	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Iron	EPA 6010	EPA6010	0.647	0.647	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Magnesium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Potassium	EPA 6010	EPA6010	1.42	1.42	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Sodium	EPA 6010	EPA6010	3.22	3.22	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Arsenic, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Chromium, Tot	EPA 6020	EPA6020	0.0005	0.0005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Copper, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Lead, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Manganese, Tot	EPA 6020	EPA6020	0.0243	0.0243	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Zinc, Tot	EPA 6020	EPA6020	0.0036	0.0036	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Total Organic Carbon	EPA 9060	EPA9060	4.04	4.04	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Total Dissolved Solids	Calculated	EPA160.1	80	80	mg/L	mg/l	5	15	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Total Solids	EPA 160.3	EPA160.3	84	84	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2B	1SAROKS0133	7/19/2022	0920	8.0	008.0	Total Suspended Solids	EPA 160.2	EPA160.2	4	4	mg/L	mg/l	1	5	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	14.3	14.3	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0132	0.0132	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.72	2.72	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.52	5.52	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Hardness	EPA2340B	EPA2340B	13.9	13.9	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.38	0.38	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.011	0.011	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	1.98	1.98	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	1.93	1.93	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Calcium	EPA 6010	EPA6010	3.35	3.35	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Iron	EPA 6010	EPA6010	0.592	0.592	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.004	0.02	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Potassium	EPA 6010	EPA6010	1.46	1.46	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Sodium	EPA 6010	EPA6010	3.22	3.22	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0005	0.0005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.024	0.024	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0027	0.0027	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.84	4.84	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	78	78	mg/L	mg/l	5	15	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	84	84	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	6	6	mg/L	mg/l	1	5	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	14.5	14.5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0108	0.0108	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.76	2.76	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.58	5.58	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.3	14.3	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.58	0.58	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.021	0.021	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.02	2.02	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	2.08	2.08	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Calcium	EPA 6010	EPA6010	3.47	3.47	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Iron	EPA 6010	EPA6010	0.7	0.7	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.37	1.37	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Potassium	EPA 6010	EPA6010	1.41	1.41	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Sodium	EPA 6010	EPA6010	3.24	3.24	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.00078	0.00078	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0005	0.0005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0507	0.0507	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.003	0.003	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.57	4.57	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	62	62	mg/L	mg/l	8	30	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	94	94	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	32	32	mg/L	mg/l	4	20	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Alkalinity, Tot	EPA 310.1	EPA310.1	18.3	18.3	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Ammonia as N	EPA 350.1	EPA350.1	0.00789	0.00789	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Chloride	EPA 300.0	EPA300.0	2.76	2.76	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Sulfate	EPA 300.0	EPA300.0	5.56	5.56	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Hardness	EPA2340B	EPA2340B	17.4	17.4	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.49	0.49	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.077	0.077	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Silicon, Diss	EPA 6010	EPA6010	3.06	3.06	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Silicon, Tot	EPA 6010	EPA6010	3.49	3.49	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Calcium	EPA 6010	EPA6010	4.24	4.24	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Iron	EPA 6010	EPA6010	1.39	1.39	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Magnesium	EPA 6010	EPA6010	1.65	1.65	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Potassium	EPA 6010	EPA6010	1.51	1.51	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Sodium	EPA 6010	EPA6010	3.29	3.29	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Arsenic, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Chromium, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Copper, Tot	EPA 6020	EPA6020	0.0021	0.0021	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Lead, Tot	EPA 6020	EPA6020	0.0021	0.0021	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Manganese, Tot	EPA 6020	EPA6020	0.437	0.437	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Nickel, Tot	EPA 6020	EPA6020	0.0019	0.0019	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Zinc, Tot	EPA 6020	EPA6020	0.0058	0.0058	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Total Organic Carbon	EPA 9060	EPA9060	4.99	4.99	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Total Dissolved Solids	Calculated	EPA160.1	108	108	mg/L	mg/l	7.64	28.2	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Total Solids	EPA 160.3	EPA160.3	146	146	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4B	1SAROKS0135	7/19/2022	0835	5.0	005.0	Total Suspended Solids	EPA 160.2	EPA160.2	38.2	38.2	mg/L	mg/l	3.64	18.2	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	15.4	15.4	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.0297	0.0297	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.89	2.89	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.73	5.73	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.5	15.5	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	0.55	0.55	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.015	0.015	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.32	2.32	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	2.77	2.77	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Calcium	EPA 6010	EPA6010	3.73	3.73	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Iron	EPA 6010	EPA6010	1.04	1.04	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.49	1.49	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Potassium	EPA 6010	EPA6010	1.54	1.54	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Sodium	EPA 6010	EPA6010	3.41	3.41	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0683	0.0683	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0054	0.0054	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	5.21	5.21	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	94	94	mg/L	mg/l	6	20	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	114	114	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	20	20	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Alkalinity, Tot	EPA 310.1	EPA310.1	ND	<5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Chloride	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Sulfate	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Hardness	EPA2340B	EPA2340B	ND	<0.0265	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Total Kjeldahl Nitrogen	I-4515-91	I-4515-91	ND	<0.07	mg/L	mg/l	0.07	0.14	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.05	mg/L	mg/l	0.05	0.1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Phosphorus	EPA 6010B	EPA6010B	0.011	0.011	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Silicon, Diss	EPA 6010	EPA6010	0.167	0.167	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Silicon, Tot	EPA 6010	EPA6010	0.161	0.161	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Calcium	EPA 6010	EPA6010	0.0156	0.0156	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Iron	EPA 6010	EPA6010	ND	<0.004	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Magnesium	EPA 6010	EPA6010	ND	<0.004	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Potassium	EPA 6010	EPA6010	ND	<0.02	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Sodium	EPA 6010	EPA6010	ND	<0.02	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Arsenic, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Chromium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Copper, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Lead, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Manganese, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Nickel, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Zinc, Tot	EPA 6020	EPA6020	0.0006	0.0006	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Total Organic Carbon	EPA 9060	EPA9060	ND	<0.5	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Total Dissolved Solids	Calculated	EPA160.1	ND	<6	mg/L	mg/l	6	20	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Total Solids	EPA 160.3	EPA160.3	ND	<4	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0.0	000.0	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Alkalinity, Tot	EPA 310.1	EPA310.1	14.9	14.9	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Chloride	EPA 300.0	EPA300.0	2.73	2.73	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Sulfate	EPA 300.0	EPA300.0	5.04	5.04	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Hardness	EPA2340B	EPA2340B	14.6	14.6	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Mercury	EPA 7474	EPA7474	0.00001	0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Phosphorus	EPA 6010B	EPA6010B	0.017	0.017	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Silicon, Diss	EPA 6010	EPA6010	2.44	2.44	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Calcium	EPA 6010	EPA6010	3.51	3.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Iron	EPA 6010	EPA6010	0.691	0.691	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Magnesium	EPA 6010	EPA6010	1.43	1.43	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Potassium	EPA 6010	EPA6010	1.32	1.32	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Sodium	EPA 6010	EPA6010	3.56	3.56	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Chromium, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Manganese, Tot	EPA 6020	EPA6020	0.022	0.022	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Zinc, Tot	EPA 6020	EPA6020	0.005	0.005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Total Organic Carbon	EPA 9060	EPA9060	4.13	4.13	mg/L	mg/l	0.5	1	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Total Dissolved Solids	Calculated	EPA160.1	94.8	94.8	mg/L	mg/l	4.8	14	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Total Solids	EPA 160.3	EPA160.3	98	98	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Total Suspended Solids	EPA 160.2	EPA160.2	3.2	3.2	mg/L	mg/l	0.8	4	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Total Kjeldahl Nitrogen	ASTMD359002A	I-4515-91	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-1B	1SAROKS0132	8/16/2022	1030	17.0	017.0	Silicon, Tot	EPA 6010	EPA6010	4.8	4.8	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	14.8	14.8	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.72	2.72	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.04	5.04	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.6	14.6	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.013	0.013	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	3.5	3.5	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Calcium	EPA 6010	EPA6010	3.49	3.49	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Iron	EPA 6010	EPA6010	0.638	0.638	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.44	1.44	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Potassium	EPA 6010	EPA6010	1.33	1.33	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Sodium	EPA 6010	EPA6010	3.57	3.57	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0197	0.0197	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0045	0.0045	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.29	4.29	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	92	92	mg/L	mg/l	4.8	14	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	96	96	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	4	4	mg/L	mg/l	0.8	4	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	I-4515-91	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	4.54	4.54	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Alkalinity, Tot	EPA 310.1	EPA310.1	16.8	16.8	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Chloride	EPA 300.0	EPA300.0	2.78	2.78	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Sulfate	EPA 300.0	EPA300.0	4.95	4.95	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Hardness	EPA2340B	EPA2340B	16.6	16.6	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Mercury	EPA 7474	EPA7474	0.00001	0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.13	0.13	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Phosphorus	EPA 6010B	EPA6010B	0.026	0.026	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Silicon, Diss	EPA 6010	EPA6010	3.05	3.05	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Calcium	EPA 6010	EPA6010	4.02	4.02	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Iron	EPA 6010	EPA6010	1.15	1.15	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Magnesium	EPA 6010	EPA6010	1.6	1.6	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Potassium	EPA 6010	EPA6010	1.35	1.35	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Sodium	EPA 6010	EPA6010	3.51	3.51	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Arsenic, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Chromium, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Copper, Tot	EPA 6020	EPA6020	0.0019	0.0019	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Lead, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Manganese, Tot	EPA 6020	EPA6020	0.267	0.267	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Nickel, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Zinc, Tot	EPA 6020	EPA6020	0.0066	0.0066	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Total Organic Carbon	EPA 9060	EPA9060	4.5	4.5	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Total Dissolved Solids	Calculated	EPA160.1	109	109	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Total Solids	EPA 160.3	EPA160.3	128	128	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Total Suspended Solids	EPA 160.2	EPA160.2	19	19	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Total Kjeldahl Nitrogen	ASTMD359002A	I-4515-91	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-2B	1SAROKS0133	8/16/2022	0855	11.0	011.0	Silicon, Tot	EPA 6010	EPA6010	6.75	6.75	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	15.1	15.1	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.72	2.72	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.04	5.04	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.7	14.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.019	0.019	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.64	2.64	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Calcium	EPA 6010	EPA6010	3.51	3.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Iron	EPA 6010	EPA6010	0.647	0.647	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.44	1.44	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Potassium	EPA 6010	EPA6010	1.33	1.33	mg/L	mg/l	0.02	0.05	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Sodium	EPA 6010	EPA6010	3.59	3.59	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0208	0.0208	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.005	0.005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	3.51	3.51	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	94	94	mg/L	mg/l	4.8	14	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	100	100	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	6	6	mg/L	mg/l	0.8	4	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	I-4515-91	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	4.5	4.5	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	15.2	15.2	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.71	2.71	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.04	5.04	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.6	14.6	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.018	0.018	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	3.56	3.56	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Calcium	EPA 6010	EPA6010	3.5	3.5	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Iron	EPA 6010	EPA6010	0.62	0.62	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.43	1.43	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Potassium	EPA 6010	EPA6010	1.33	1.33	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Sodium	EPA 6010	EPA6010	3.59	3.59	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.00076	0.00076	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0212	0.0212	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0047	0.0047	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	5.24	5.24	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	94.8	94.8	mg/L	mg/l	4.8	14	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	100	100	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	5.2	5.2	mg/L	mg/l	0.8	4	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	I-4515-91	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	4.71	4.71	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	14.9	14.9	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.81	2.81	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.13	5.13	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Hardness	EPA2340B	EPA2340B	14.9	14.9	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.018	0.018	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.42	2.42	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Calcium	EPA 6010	EPA6010	3.57	3.57	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Iron	EPA 6010	EPA6010	0.66	0.66	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.46	1.46	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Potassium	EPA 6010	EPA6010	1.35	1.35	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Sodium	EPA 6010	EPA6010	3.72	3.72	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0277	0.0277	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0051	0.0051	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.21	4.21	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	90	90	mg/L	mg/l	5	15	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	96	96	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	6	6	mg/L	mg/l	1	5	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	I-4515-91	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	4.79	4.79	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Alkalinity, Tot	EPA 310.1	EPA310.1	15.9	15.9	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Ammonia as N	EPA 350.1	EPA350.1	0.0474	0.0474	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Chloride	EPA 300.0	EPA300.0	2.91	2.91	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Sulfate	EPA 300.0	EPA300.0	5.24	5.24	mg/L	mg/l	0.1	0.3	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Hardness	EPA2340B	EPA2340B	17.3	17.3	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.041	0.041	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Orthophosphate as P	EPA300 Series	EPA365.1	0.02	0.02	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Phosphorus	EPA 6010B	EPA6010B	0.032	0.032	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Silicon, Diss	EPA 6010	EPA6010	2.9	2.9	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Calcium	EPA 6010	EPA6010	4.15	4.15	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Iron	EPA 6010	EPA6010	1.23	1.23	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Magnesium	EPA 6010	EPA6010	1.69	1.69	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Potassium	EPA 6010	EPA6010	1.51	1.51	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Sodium	EPA 6010	EPA6010	4.29	4.29	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Arsenic, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Chromium, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Copper, Tot	EPA 6020	EPA6020	0.0018	0.0018	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Lead, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Manganese, Tot	EPA 6020	EPA6020	0.172	0.172	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Nickel, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Zinc, Tot	EPA 6020	EPA6020	0.0067	0.0067	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Total Organic Carbon	EPA 9060	EPA9060	3.73	3.73	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Total Dissolved Solids	Calculated	EPA160.1	115	115	mg/L	mg/l	6	20	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Total Solids	EPA 160.3	EPA160.3	136	136	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Total Suspended Solids	EPA 160.2	EPA160.2	21	21	mg/L	mg/l	2	10	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-4B	1SAROKS0135	8/16/2022	0935	5.0	005.0	Silicon, Tot	EPA 6010	EPA6010	6.33	6.33	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	16.1	16.1	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.85	2.85	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.22	5.22	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.3	15.3	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.019	0.019	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.55	2.55	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Calcium	EPA 6010	EPA6010	3.62	3.62	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Iron	EPA 6010	EPA6010	0.818	0.818	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.51	1.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Potassium	EPA 6010	EPA6010	1.38	1.38	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Sodium	EPA 6010	EPA6010	3.69	3.69	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0332	0.0332	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0056	0.0056	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	4.61	4.61	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	97.5	97.5	mg/L	mg/l	5.21	16.1	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	106	106	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	8.48	8.48	mg/L	mg/l	1.21	6.06	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	0.5	0.5	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	5.11	5.11	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	17.6	17.6	mg/L	mg/l	5	10	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.044	0.044	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.65	2.65	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	4.87	4.87	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Hardness	EPA2340B	EPA2340B	16.6	16.6	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.11	0.11	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.02	0.02	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	3.01	3.01	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Calcium	EPA 6010	EPA6010	4.06	4.06	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Iron	EPA 6010	EPA6010	0.95	0.95	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.58	1.58	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Potassium	EPA 6010	EPA6010	1.33	1.33	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Sodium	EPA 6010	EPA6010	3.48	3.48	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.733	0.733	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0057	0.0057	mg/L	mg/l	0.0002	0.001	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Total Organic Carbon	EPA 9060	EPA9060	3.8	3.8	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	113	113	mg/L	mg/l	5	15	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	120	120	mg/L	mg/l	4	10	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	7	7	mg/L	mg/l	1	5	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	6.84	6.84	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Alkalinity, Tot	EPA 310.1	EPA310.1	ND	<5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Chloride	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Sulfate	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Hardness	EPA2340B	EPA2340B	ND	<0.0265	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Orthophosphate as P	EPA300 Series	EPA365.1	ND	<0.01	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Silicon, Diss	EPA 6010	EPA6010	0.203	0.203	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Calcium	EPA 6010	EPA6010	0.0056	0.0056	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Iron	EPA 6010	EPA6010	ND	<0.004	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Magnesium	EPA 6010	EPA6010	ND	<0.004	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Potassium	EPA 6010	EPA6010	ND	<0.02	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Sodium	EPA 6010	EPA6010	0.0296	0.0296	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Arsenic, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Chromium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Copper, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Lead, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Manganese, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Nickel, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Zinc, Tot	EPA 6020	EPA6020	0.0005	0.0005	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Total Organic Carbon	EPA 9060	EPA9060	ND	<0.5	mg/L	mg/l	0.5	1	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Total Dissolved Solids	Calculated	EPA160.1	ND	<6	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Total Solids	EPA 160.3	EPA160.3	ND	<4	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0.0	000.0	Silicon, Tot	EPA 6010	EPA6010	0.234	0.234	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Alkalinity, Tot	EPA 310.1	EPA310.1	12.8	12.8	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Chloride	EPA 300.0	EPA300.0	2.92	2.92	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Sulfate	EPA 300.0	EPA300.0	5.98	5.98	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Hardness	EPA2340B	EPA2340B	15.5	15.5	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.075	0.075	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Orthophosphate as P	EPA300 Series	EPA365.1	0.023	0.023	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Phosphorus	EPA 6010B	EPA6010B	0.033	0.033	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Silicon, Diss	EPA 6010	EPA6010	2.95	2.95	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Silicon, Tot	EPA 6010	EPA6010	4.57	4.57	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Calcium	EPA 6010	EPA6010	3.67	3.67	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Iron	EPA 6010	EPA6010	1.31	1.31	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Magnesium	EPA 6010	EPA6010	1.54	1.54	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Potassium	EPA 6010	EPA6010	1.5	1.5	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Sodium	EPA 6010	EPA6010	4.01	4.01	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Arsenic, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Chromium, Tot	EPA 6020	EPA6020	0.0027	0.0027	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Copper, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Lead, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Manganese, Tot	EPA 6020	EPA6020	0.152	0.152	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Nickel, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Zinc, Tot	EPA 6020	EPA6020	0.007	0.007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Total Dissolved Solids	Calculated	EPA160.1	20	20	mg/L	mg/l	6	20	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Total Solids	EPA 160.3	EPA160.3	24	24	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Total Suspended Solids	EPA 160.2	EPA160.2	4	4	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-1B	1SAROKS0132	9/20/2022	1045	16.0	016.0	Total Organic Carbon	SM5310C	SM5310C	2.8	2.8	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	11.1	11.1	mg/L	mg/l	5	10	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.93	2.93	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.98	5.98	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.4	15.4	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.047	0.047	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	0.011	0.011	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.022	0.022	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.69	2.69	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	4.2	4.2	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Calcium	EPA 6010	EPA6010	3.64	3.64	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Iron	EPA 6010	EPA6010	0.985	0.985	mg/L	mg/l	0.004	0.02	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.52	1.52	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Potassium	EPA 6010	EPA6010	1.49	1.49	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Sodium	EPA 6010	EPA6010	4	4	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0033	0.0033	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0443	0.0443	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0018	0.0018	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0066	0.0066	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	36	36	mg/L	mg/l	6	20	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	36	36	mg/L	mg/l	4	10	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	Total Organic Carbon	SM5310C	SM5310C	2.9	2.9	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Alkalinity, Tot	EPA 310.1	EPA310.1	13.3	13.3	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Chloride	EPA 300.0	EPA300.0	2.91	2.91	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Sulfate	EPA 300.0	EPA300.0	5.96	5.96	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Hardness	EPA2340B	EPA2340B	15.6	15.6	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.077	0.077	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Orthophosphate as P	EPA300 Series	EPA365.1	0.021	0.021	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Phosphorus	EPA 6010B	EPA6010B	0.028	0.028	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Silicon, Diss	EPA 6010	EPA6010	3.21	3.21	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Silicon, Tot	EPA 6010	EPA6010	4.28	4.28	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Calcium	EPA 6010	EPA6010	3.7	3.7	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Iron	EPA 6010	EPA6010	1.1	1.1	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Magnesium	EPA 6010	EPA6010	1.54	1.54	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Potassium	EPA 6010	EPA6010	1.51	1.51	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Sodium	EPA 6010	EPA6010	4.02	4.02	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Arsenic, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Chromium, Tot	EPA 6020	EPA6020	0.0027	0.0027	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Copper, Tot	EPA 6020	EPA6020	0.0018	0.0018	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Lead, Tot	EPA 6020	EPA6020	0.00087	0.00087	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Manganese, Tot	EPA 6020	EPA6020	0.0997	0.0997	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Nickel, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Zinc, Tot	EPA 6020	EPA6020	0.0062	0.0062	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Total Dissolved Solids	Calculated	EPA160.1	30	30	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Total Solids	EPA 160.3	EPA160.3	32	32	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Total Suspended Solids	EPA 160.2	EPA160.2	2	2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-2B	1SAROKS0133	9/20/2022	0855	9.0	009.0	Total Organic Carbon	SM5310C	SM5310C	3.3	3.3	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	12.2	12.2	mg/L	mg/l	5	10	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.93	2.93	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	5.98	5.98	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.2	15.2	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	0.021	0.021	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.026	0.026	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.94	2.94	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	3.71	3.71	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Calcium	EPA 6010	EPA6010	3.59	3.59	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Iron	EPA 6010	EPA6010	0.88	0.88	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.51	1.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Potassium	EPA 6010	EPA6010	1.46	1.46	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Sodium	EPA 6010	EPA6010	4.06	4.06	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0019	0.0019	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0331	0.0331	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0058	0.0058	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	37	37	mg/L	mg/l	6	20	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	40	40	mg/L	mg/l	4	10	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	3	3	mg/L	mg/l	2	10	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	Total Organic Carbon	SM5310C	SM5310C	2.9	2.9	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	10.8	10.8	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.97	2.97	mg/L	mg/l	0.1	0.3	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	6.05	6.05	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.3	15.3	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	0.024	0.024	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.023	0.023	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.94	2.94	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	3.71	3.71	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Calcium	EPA 6010	EPA6010	3.63	3.63	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Iron	EPA 6010	EPA6010	0.86	0.86	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.51	1.51	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Potassium	EPA 6010	EPA6010	1.5	1.5	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Sodium	EPA 6010	EPA6010	4.13	4.13	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0022	0.0022	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0306	0.0306	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0053	0.0053	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	54	54	mg/L	mg/l	6	20	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	58	58	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	4	4	mg/L	mg/l	2	10	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	0.6	0.6	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	Total Organic Carbon	SM5310C	SM5310C	2.8	2.8	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	11.2	11.2	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.98	2.98	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	6.05	6.05	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.4	15.4	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	0.02	0.02	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.021	0.021	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.73	2.73	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	3.83	3.83	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Calcium	EPA 6010	EPA6010	3.67	3.67	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Iron	EPA 6010	EPA6010	0.877	0.877	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.53	1.53	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Potassium	EPA 6010	EPA6010	1.49	1.49	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Sodium	EPA 6010	EPA6010	4.09	4.09	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0009	0.0009	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0021	0.0021	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0007	0.0007	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0298	0.0298	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0048	0.0048	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	16	16	mg/L	mg/l	6	20	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	16	16	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	Total Organic Carbon	SM5310C	SM5310C	2.7	2.7	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Alkalinity, Tot	EPA 310.1	EPA310.1	10.9	10.9	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Ammonia as N	EPA 350.1	EPA350.1	0.0211	0.0211	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Chloride	EPA 300.0	EPA300.0	3.05	3.05	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Sulfate	EPA 300.0	EPA300.0	6.14	6.14	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Hardness	EPA2340B	EPA2340B	15.7	15.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Orthophosphate as P	EPA300 Series	EPA365.1	0.019	0.019	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Phosphorus	EPA 6010B	EPA6010B	0.027	0.027	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Silicon, Diss	EPA 6010	EPA6010	3.15	3.15	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Silicon, Tot	EPA 6010	EPA6010	4.01	4.01	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Calcium	EPA 6010	EPA6010	3.68	3.68	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Iron	EPA 6010	EPA6010	1.16	1.16	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Magnesium	EPA 6010	EPA6010	1.59	1.59	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Potassium	EPA 6010	EPA6010	1.55	1.55	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Sodium	EPA 6010	EPA6010	4.47	4.47	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Arsenic, Tot	EPA 6020	EPA6020	0.001	0.001	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Chromium, Tot	EPA 6020	EPA6020	0.0025	0.0025	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Copper, Tot	EPA 6020	EPA6020	0.0016	0.0016	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Lead, Tot	EPA 6020	EPA6020	0.0012	0.0012	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Manganese, Tot	EPA 6020	EPA6020	0.0992	0.0992	mg/L	mg/l	0.0002	0.001	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Nickel, Tot	EPA 6020	EPA6020	0.0015	0.0015	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Zinc, Tot	EPA 6020	EPA6020	0.0058	0.0058	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Total Dissolved Solids	Calculated	EPA160.1	276	276	mg/L	mg/l	6	20	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Total Solids	EPA 160.3	EPA160.3	286	286	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Total Suspended Solids	EPA 160.2	EPA160.2	10	10	mg/L	mg/l	2	10	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-4B	1SAROKS0135	9/20/2022	0935	6.0	006.0	Total Organic Carbon	SM5310C	SM5310C	2.8	2.8	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	12.3	12.3	mg/L	mg/l	5	10	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	ND	<0.005	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Chloride	EPA 300.0	EPA300.0	3.04	3.04	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	6.16	6.16	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.7	15.7	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	0.024	0.024	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.026	0.026	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	2.97	2.97	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	3.82	3.82	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Calcium	EPA 6010	EPA6010	3.69	3.69	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Iron	EPA 6010	EPA6010	0.965	0.965	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.58	1.58	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Potassium	EPA 6010	EPA6010	1.53	1.53	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Sodium	EPA 6010	EPA6010	4.26	4.26	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.00084	0.00084	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0019	0.0019	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0014	0.0014	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0008	0.0008	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.0365	0.0365	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0052	0.0052	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	105	105	mg/L	mg/l	6	20	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	110	110	mg/L	mg/l	4	10	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	5	5	mg/L	mg/l	2	10	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	0.5	0.5	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	Total Organic Carbon	SM5310C	SM5310C	2.9	2.9	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Alkalinity, Tot	EPA 310.1	EPA310.1	10.5	10.5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Ammonia as N	EPA 350.1	EPA350.1	0.00866	0.00866	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Chloride	EPA 300.0	EPA300.0	2.96	2.96	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Sulfate	EPA 300.0	EPA300.0	6.02	6.02	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Hardness	EPA2340B	EPA2340B	15.4	15.4	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	0.083	0.083	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Orthophosphate as P	EPA300 Series	EPA365.1	0.029	0.029	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Phosphorus	EPA 6010B	EPA6010B	0.028	0.028	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Silicon, Diss	EPA 6010	EPA6010	4.54	4.54	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Silicon, Tot	EPA 6010	EPA6010	5.5	5.5	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Calcium	EPA 6010	EPA6010	3.61	3.61	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Iron	EPA 6010	EPA6010	1.34	1.34	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Magnesium	EPA 6010	EPA6010	1.55	1.55	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Potassium	EPA 6010	EPA6010	1.62	1.62	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Sodium	EPA 6010	EPA6010	4.28	4.28	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Arsenic, Tot	EPA 6020	EPA6020	0.0013	0.0013	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Chromium, Tot	EPA 6020	EPA6020	0.0035	0.0035	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Copper, Tot	EPA 6020	EPA6020	0.0017	0.0017	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Lead, Tot	EPA 6020	EPA6020	0.0011	0.0011	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Manganese, Tot	EPA 6020	EPA6020	0.145	0.145	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Nickel, Tot	EPA 6020	EPA6020	0.002	0.002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Zinc, Tot	EPA 6020	EPA6020	0.0071	0.0071	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Total Dissolved Solids	Calculated	EPA160.1	110	110	mg/L	mg/l	6	20	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Total Solids	EPA 160.3	EPA160.3	112	112	mg/L	mg/l	4	10	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Total Suspended Solids	EPA 160.2	EPA160.2	2	2	mg/L	mg/l	2	10	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	Total Organic Carbon	SM5310C	SM5310C	2.4	2.4	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Alkalinity, Tot	EPA 310.1	EPA310.1	ND	<5	mg/L	mg/l	5	10	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Ammonia as N	EPA 350.1	EPA350.1	0.0173	0.0173	mg/L	mg/l	0.005	0.01	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Chloride	EPA 300.0	EPA300.0	0.101	0.101	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Sulfate	EPA 300.0	EPA300.0	ND	<0.1	mg/L	mg/l	0.1	0.3	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Hardness	EPA2340B	EPA2340B	ND	<0.0265	mg equil CaCO3/L	mgeqCaCO3/L	0.0265	0.132	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Mercury	EPA 7474	EPA7474	ND	<0.00001	mg/L	mg/l	0.00001	0.00002	2
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Nitrate + Nitrite as N	EPA300 Series	EPA353.1	ND	<0.02	mg/L	mg/l	0.02	0.04	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Orthophosphate as P	EPA300 Series	EPA365.1	0.013	0.013	mg/L	mg/l	0.01	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Phosphorus	EPA 6010B	EPA6010B	ND	<0.008	mg/L	mg/l	0.008	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Silicon, Diss	EPA 6010	EPA6010	0.197	0.197	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Silicon, Tot	EPA 6010	EPA6010	0.207	0.207	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Calcium	EPA 6010	EPA6010	0.0087	0.0087	mg/L	mg/l	0.004	0.02	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Iron	EPA 6010	EPA6010	0.0099	0.0099	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Magnesium	EPA 6010	EPA6010	0.0091	0.0091	mg/L	mg/l	0.004	0.02	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Potassium	EPA 6010	EPA6010	0.0584	0.0584	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Sodium	EPA 6010	EPA6010	0.0536	0.0536	mg/L	mg/l	0.02	0.05	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Arsenic, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Cadmium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Chromium, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Copper, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Lead, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Manganese, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Nickel, Tot	EPA 6020	EPA6020	ND	<0.0002	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Zinc, Tot	EPA 6020	EPA6020	0.0018	0.0018	mg/L	mg/l	0.0002	0.001	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Total Dissolved Solids	Calculated	EPA160.1	ND	<8	mg/L	mg/l	8	30	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Total Solids	EPA 160.3	EPA160.3	ND	<4	mg/L	mg/l	4	10	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Total Suspended Solids	EPA 160.2	EPA160.2	ND	<4	mg/L	mg/l	4	20	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Total Kjeldahl Nitrogen	ASTMD359002A	ASTMD359002A	ND	<0.48	mg/L	mg/l	0.48	0.5	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0.0	000.0	Total Organic Carbon	SM5310C	SM5310C	ND	<0.59	mg/L	mg/l	0.59	1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0	000.0	CHL A, FL, COR		EPA445.0	2.8	2.8		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	CHL A, FL, COR		EPA445.0	10	10		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	CHL A, FL, COR		EPA445.0	10.53333	10.5		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	CHL A, FL, COR		EPA445.0	10.4	10.4		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	CHL A, FL, COR		EPA445.0	6.266667	6.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	CHL A, FL, COR		EPA445.0	4.533333	4.5		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	CHL A, FL, COR		EPA445.0	10.13333	10.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	4/19/2022	0525	0	000.0	PHPHTN-A, FLR MTHD		EPA445.0	-10.7455	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	4/19/2022	1055	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	3.472727	3.5		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	4/19/2022	1056	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	1.557576	1.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	4/19/2022	1030	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	1.345455	1.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	4/19/2022	1005	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	0.642424	0.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	4/19/2022	0930	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	3.066667	3.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	4/19/2022	0830	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	4.375758	4.4		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0	000.0	CHL A, FL, COR		EPA445.0	0.648341	0.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	CHL A, FL, COR		EPA445.0	6.375355	6.4		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	CHL A, FL, COR		EPA445.0	4.214218	4.2		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	CHL A, FL, COR		EPA445.0	4.322275	4.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	CHL A, FL, COR		EPA445.0	3.890047	3.9		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	CHL A, FL, COR		EPA445.0	8.428436	8.4		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	CHL A, FL, COR		EPA445.0	20.31469	20.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	5/17/2022	0520	0	000.0	PHPHTN-A, FLR MTHD		EPA445.0	1.631659	1.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	5/17/2022	1045	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	4.796645	4.8		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	5/17/2022	1120	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	3.537782	3.5		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	5/17/2022	1121	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	4.341725	4.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	5/17/2022	1020	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	5.001953	5		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	5/17/2022	0940	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	7.759564	7.8		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	5/17/2022	0845	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	8.641308	8.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0	000.0	CHL A, FL, COR		EPA445.0	4.788	4.8		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	CHL A, FL, COR		EPA445.0	4.56	4.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	CHL A, FL, COR		EPA445.0	5.472	5.5		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	CHL A, FL, COR		EPA445.0	7.752	7.8		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	CHL A, FL, COR		EPA445.0	7.752	7.8		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	CHL A, FL, COR		EPA445.0	9.348	9.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	CHL A, FL, COR		EPA445.0	2.28	2.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	6/21/2022	0525	0	000.0	PHPHTN-A, FLR MTHD		EPA445.0	-7.37891	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	6/21/2022	1030	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	1.14	1.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	6/21/2022	1055	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	2.300727	2.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	6/21/2022	0955	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	1.057091	1.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	6/21/2022	0956	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	2.093455	2.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	6/21/2022	0920	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	4.642909	4.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	6/21/2022	0830	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	11.19273	11.2		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0	000.0	CHL A, FL, COR		EPA445.0	0	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	CHL A, FL, COR		EPA445.0	4.861765	4.9		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	CHL A, FL, COR		EPA445.0	4.358824	4.4		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	CHL A, FL, COR		EPA445.0	8.047059	8		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	CHL A, FL, COR		EPA445.0	6.705882	6.7		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	CHL A, FL, COR		EPA445.0	9.891176	9.9		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S-BLANK	1SAROKS0132	7/19/2022	0520	0	000.0	PHPHTN-A, FLR MTHD		EPA445.0	-8.664	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	7/19/2022	0935	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	0.610235	0.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S-DUP	1SAROKS0132	7/19/2022	0936	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	1.113176	1.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	7/19/2022	0920	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	-0.75106	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	7/19/2022	1015	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	3.326118	3.3		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	7/19/2022	0835	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	5.612824	5.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0	000.0	CHL A, FL, COR		EPA445.0	-0.62466	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	CHL A, FL, COR		EPA445.0	11.24384	11.2		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	CHL A, FL, COR		EPA445.0	16.2411	16.2		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	CHL A, FL, COR		EPA445.0	14.67945	14.7		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	CHL A, FL, COR		EPA445.0	10.93151	10.9		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	CHL A, FL, COR		EPA445.0	13.74247	13.7		ug/l	0.1	0.1	1

Reservoir	SSC	Primary_Station	Date_Collected	HHMM	Depth	Depth(TEXT)	Parameter	Test_Method	Test_Method2	Result	Result2	Units	Units2	Detection_Limits	Reportable_Limits	Dilution
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	CHL A, FL, COR		EPA445.0	2.186301	2.2		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S-BLANK	1SAROKS0133	8/16/2022	0520	0	000.0	PHPHTN-A, FLR MTHD		EPA445.0	-6.70391	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	8/16/2022	1030	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	-12.0581	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	8/16/2022	0855	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	-0.76967	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S-DUP	1SAROKS0133	8/16/2022	0856	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	-0.83659	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	8/16/2022	1010	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	-5.23151	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	8/16/2022	0935	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	0.100391	0.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	8/16/2022	0820	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	-3.81487	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0	000.0	CHL A, FL, COR		EPA445.0	0.194318	0.2		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	CHL A, FL, COR		EPA445.0	4.080682	4.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	CHL A, FL, COR		EPA445.0	14.05568	14.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	CHL A, FL, COR		EPA445.0	12.63068	12.6		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	CHL A, FL, COR		EPA445.0	11.72386	11.7		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	CHL A, FL, COR		EPA445.0	10.88182	10.9		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	CHL A, FL, COR		EPA445.0	1.878409	1.9		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S-BLANK	1SAROKS0136	9/20/2022	0520	0	000.0	PHPHTN-A, FLR MTHD		EPA445.0	-0.92043	0		ug/l	0.1	0.1	1
Sardis Lake	SAR-1S	1SAROKS0132	9/20/2022	1045	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	1.147344	1.1		ug/l	0.1	0.1	1
Sardis Lake	SAR-2S	1SAROKS0133	9/20/2022	0855	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	3.951961	4		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S	1SAROKS0136	9/20/2022	1015	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	2.908172	2.9		ug/l	0.1	0.1	1
Sardis Lake	SAR-3S-DUP	1SAROKS0136	9/20/2022	1016	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	2.653206	2.7		ug/l	0.1	0.1	1
Sardis Lake	SAR-4S	1SAROKS0135	9/20/2022	0935	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	3.785698	3.8		ug/l	0.1	0.1	1
Sardis Lake	SAR-5S	1SAROKS0137	9/20/2022	0825	0.5	000.5	PHPHTN-A, FLR MTHD		EPA445.0	2.333056	2.3		ug/l	0.1	0.1	1