

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1	1	ITENOKN0164	Alkalinity	00410	ERDC-ECB	EPA310.1
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Ammonia	EPA350.1	0.0314	0.0314	mg/l	0.005	0.0100	1	2	ITENOKN0249	Ammonia	00610	ERDC-ECB	EPA350.1
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1	3	ITENOKN0171	Arsenic	01002	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1	4	ITENOKN0250	Barium	01007	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1	5	ITENOKN0177	Cadmium	01027	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2	6	ITENOKN0251	Calcium	00916	ERDC-ECB	EPA6010
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1			CHL A, FL, COR	32209	SWTPEE	EPA445.0
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1			Chloride	00940	ERDC-ECB	EPA300.0
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1			Chromium	01034	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Silica, Diss.	EPA6010B	0.0248	0.0248	mg/l	0.005	0.0500	1			Copper	01042	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Silica, Tot.	EPA6010B	0.0277	0.0277	mg/l	0.005	0.0500	1			Dissolved Solids	70300	ERDC-ECB	EPA160.1
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1			Hardness	00900	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Calcium	EPA6010	0.0091	0.0091	mg/l	0.004	0.0200	1			Iron	01045	ERDC-ECB	EPA6010
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1			Lead	01051	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Magnesium	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1			Magnesium	00927	ERDC-ECB	EPA6010
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Manganese	01055	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Mercury	71900	ERDC-ECB	SW846/7474
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Nickel	01067	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Nitrate+Nitrite	00630	ERDC-ECB	EPA300.0
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Ortho-Phosphorus, Dissolved	00671	ERDC-ECB	EPA300.0
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Phosphorus, Total	00665	ERDC-ECB	EPA6010B
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			PHPHTN-A, FLR MTHD	32213	SWTPEE	EPA445.0
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Zinc	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1			Potassium	00937	ERDC-ECB	SW846/6010
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1			Selenium	01147	ERDC-ECB	EPA7740
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Dissolved Solids	EPA160.1	ND	<6.00	mg/l	6.00	20.0	1			Silica, Diss.	00955	ERDC-ECB	EPA6010B
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1			Silica, Tot.	00956	ERDC-ECB	EPA6010B
TenKiller Lake	1	ITENOKN0164	6/5/2017	6:20:00 AM	0620	0	Total Suspended Solids	EPA160.2	ND	<2.00	mg/l	2.00	10.0	1			Silver	01077	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Alkalinity	EPA310.1	60.7	60.7	mg/l	5.00	10.0	1			Sodium	00929	ERDC-ECB	SW846/6010
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Ammonia	EPA350.1	0.0379	0.0379	mg/l	0.005	0.0100	1			Sulfate	00945	ERDC-ECB	EPA300.0
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Chloride	EPA300.0	6.67	6.67	mg/l	0.1	0.300	1			Total Kjeldahl Nitrogen	00625	USGS-NWQL	I-4515-91
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Hardness	SM2340B	65.1	65.1	mgeqCaCO3/l	0.0265	0.132	1			Total Organic Carbon	00680	USGS-NWQL	EPA9060
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.54	0.54	mg/l	0.07	0.14	1			Total Solids	00500	ERDC-ECB	EPA160.3
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2			Total Suspended Solids	00530	ERDC-ECB	EPA160.2
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Nitrate+Nitrite	EPA300.0	0.162	0.162	mg/l	0.006	0.0200	1			Zinc	01092	ERDC-ECB	SW846/6020
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Phosphorus, Total	EPA6010B	0.017	0.017	mg/l	0.004	0.020	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Silica, Diss.	EPA6010B	0.685	0.685	mg/l	0.005	0.0500	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Silica, Tot.	EPA6010B	0.727	0.727	mg/l	0.005	0.0500	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Sulfate	EPA300.0	9.37	9.37	mg/l	0.1	0.300	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Calcium	EPA6010	23.4	23.4	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Iron	EPA6010	0.0092	0.0092	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Magnesium	EPA6010	1.61	1.61	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Manganese	SW846/6020	0.0036	0.0036	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Zinc	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Total Organic Carbon	EPA9060	4.80	4.80	mg/l	0.5	1.00	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Dissolved Solids	EPA160.1	88.0	88.0	mg/l	4.80	14.0	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Total Solids	EPA160.3	94.0	94.0	mg/l	4.00	10.0	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1236	0.5	Total Suspended Solids	EPA160.2	6.00	6.00	mg/l	0.8	4.00	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Alkalinity	EPA310.1	60.6	60.6	mg/l	5.00	10.0	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Ammonia	EPA350.1	0.0451	0.0451	mg/l	0.005	0.0100	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Chloride	EPA300.0	6.68	6.68	mg/l	0.1	0.300	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Hardness	SM2340B	65.0	65.0	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.41	0.41	mg/l	0.07	0.14	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Nitrate+Nitrite	EPA300.0	0.159	0.159	mg/l	0.006	0.0200	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Phosphorus, Total	EPA6010B	0.027	0.027	mg/l	0.004	0.020	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Silica, Diss.	EPA6010B	0.672	0.672	mg/l	0.005	0.0500	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Silica, Tot.	EPA6010B	0.723	0.723	mg/l	0.005	0.0500	1						
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Sulfate	EPA30												

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Total Solids	EPA160.3	104	104	mg/l	4.00	10.0	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	0.5	Total Suspended Solids	EPA160.2	4.80	4.80	mg/l	0.8	4.00	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Alkalinity	EPA310.1	54.8	54.8	mg/l	5.00	10.0	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Ammonia	EPA350.1	0.0528	0.0528	mg/l	0.005	0.0100	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Chloride	EPA300.0	3.18	3.18	mg/l	0.1	0.300	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Hardness	SM2340B	58.5	58.5	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Total Kjeldahl Nitrogen	I-4515-91	0.46	0.46	mg/l	0.07	0.14	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Mercury	SW846/7474	0.000013	0.000013	mg/l	0.00001	0.00002	2							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Nitrate+Nitrite	EPA300.0	0.941	0.941	mg/l	0.006	0.0200	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Ortho-Phosphorus, Dissolved	EPA300.0	0.0927	0.0927	mg/l	0.01	0.0300	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Phosphorus, Total	EPA6010B	0.153	0.153	mg/l	0.004	0.020	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Silica, Diss.	EPA6010B	2.81	2.81	mg/l	0.005	0.0500	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Silica, Tot.	EPA6010B	4.06	4.06	mg/l	0.005	0.0500	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Sulfate	EPA300.0	6.42	6.42	mg/l	0.1	0.300	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Calcium	EPA6010	21.2	21.2	mg/l	0.004	0.0200	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Iron	EPA6010	0.410	0.410	mg/l	0.004	0.0200	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Magnesium	EPA6010	1.35	1.35	mg/l	0.004	0.0200	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Copper	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Lead	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Manganese	SW846/6020	0.108	0.108	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Zinc	SW846/6020	0.0048	0.0048	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Total Organic Carbon	EPA9060	6.75	6.75	mg/l	0.5	1.00	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Dissolved Solids	EPA160.1	162	162	mg/l	5.33	16.7	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Total Solids	EPA160.3	176	176	mg/l	4.00	10.0	1							
TenKiller Lake	1	ITENOKN0164	6/5/2017	12:35:00 PM	1235	35	Total Suspended Solids	EPA160.2	14.0	14.0	mg/l	1.33	6.67	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Alkalinity	EPA310.1	67.7	67.7	mg/l	5.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Ammonia	EPA350.1	0.0466	0.0466	mg/l	0.005	0.0100	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Chloride	EPA300.0	5.97	5.97	mg/l	0.1	0.300	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Hardness	SM2340B	70.9	70.9	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.64	0.64	mg/l	0.07	0.14	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Nitrate+Nitrite	EPA300.0	0.274	0.274	mg/l	0.006	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Phosphorus, Total	EPA6010B	0.018	0.018	mg/l	0.004	0.020	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Silica, Diss.	EPA6010B	1.01	1.01	mg/l	0.005	0.0500	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Silica, Tot.	EPA6010B	1.02	1.02	mg/l	0.005	0.0500	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Sulfate	EPA300.0	8.88	8.88	mg/l	0.1	0.300	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Calcium	EPA6010	25.7	25.7	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Iron	EPA6010	0.0146	0.0146	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Magnesium	EPA6010	1.64	1.64	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Manganese	SW846/6020	0.0086	0.0086	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Zinc	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Total Organic Carbon	EPA9060	6.06	6.06	mg/l	0.5	1.00	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Dissolved Solids	EPA160.1	99.6	99.6	mg/l	4.80	14.0	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Total Solids	EPA160.3	104	104	mg/l	4.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	12:35:00 PM	0915	0.5	Total Suspended Solids	EPA160.2	4.40	4.40	mg/l	0.8	4.00	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Alkalinity	EPA310.1	55.9	55.9	mg/l	5.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Ammonia	EPA350.1	0.0389	0.0389	mg/l	0.005	0.0100	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Chloride	EPA300.0	3.37	3.37	mg/l	0.1	0.300	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Hardness	SM2340B	61.1	61.1	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Mercury	SW846/7474	0.000013	0.000013	mg/l	0.00001	0.00002	2							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Nitrate+Nitrite	EPA300.0	1.05	1.05	mg/l	0.006	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Ortho-Phosphorus, Dissolved	EPA300.0	0.0835	0.0835	mg/l	0.01	0.0300	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Phosphorus, Total	EPA6010B	0.151	0.151	mg/l	0.004	0.020	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Silica, Diss.	EPA6010B	3.10	3.10	mg/l	0.005	0.0500	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Silica, Tot.	EPA6010B	4.38	4.38	mg/l	0.005	0.0500	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Sulfate	EPA300.0	6.77	6.77	mg/l	0.1	0.300	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Calcium	EPA6010	22.2	22.2	mg/l	0.004	0.0200</								

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Total Organic Carbon	EPA9060	6.79	6.79	mg/l	0.5	1.00	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Dissolved Solids	EPA160.1	156	156	mg/l	5.00	15.0	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Total Solids	EPA160.3	170	170	mg/l	4.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	6/5/2017	9:15:00 AM	0915	27	Total Suspended Solids	EPA160.2	14.0	14.0	mg/l	1.00	5.00	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Alkalinity	EPA310.1	72.4	72.4	mg/l	5.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Ammonia	EPA350.1	0.0612	0.0612	mg/l	0.005	0.0100	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Chloride	EPA300.0	5.14	5.14	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Hardness	SM2340B	75.9	75.9	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.43	0.43	mg/l	0.07	0.14	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Nitrate+Nitrite	EPA300.0	0.481	0.481	mg/l	0.006	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Phosphorus, Total	EPA6010B	0.010	0.010	mg/l	0.004	0.020	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Silica, Diss.	EPA6010B	1.70	1.70	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Silica, Tot.	EPA6010B	1.70	1.70	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Sulfate	EPA300.0	8.27	8.27	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Calcium	EPA6010	27.8	27.8	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Iron	EPA6010	0.0286	0.0286	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Magnesium	EPA6010	1.60	1.60	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Arsenic	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Manganese	SW846/6020	0.0171	0.0171	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Nickel	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Zinc	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Total Organic Carbon	EPA9060	5.70	5.70	mg/l	0.5	1.00	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Dissolved Solids	EPA160.1	107	107	mg/l	4.80	14.0	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Total Solids	EPA160.3	112	112	mg/l	4.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	9:15:00 AM	1000	0.5	Total Suspended Solids	EPA160.2	4.80	4.80	mg/l	0.8	4.00	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Alkalinity	EPA310.1	67.4	67.4	mg/l	5.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Ammonia	EPA350.1	0.0366	0.0366	mg/l	0.005	0.0100	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Chloride	EPA300.0	3.54	3.54	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Hardness	SM2340B	72.4	72.4	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Total Kjeldahl Nitrogen	I-4515-91	0.25	0.25	mg/l	0.07	0.14	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Mercury	SW846/7474	0.000011	0.000011	mg/l	0.00001	0.00002	2							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Nitrate+Nitrite	EPA300.0	1.15	1.15	mg/l	0.006	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Ortho-Phosphorus, Dissolved	EPA300.0	0.0793	0.0793	mg/l	0.01	0.0300	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Phosphorus, Total	EPA6010B	0.125	0.125	mg/l	0.004	0.020	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Silica, Diss.	EPA6010B	3.67	3.67	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Silica, Tot.	EPA6010B	4.15	4.15	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Sulfate	EPA300.0	7.15	7.15	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Calcium	EPA6010	26.4	26.4	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Iron	EPA6010	0.292	0.292	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Magnesium	EPA6010	1.57	1.57	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Copper	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Lead	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Manganese	SW846/6020	0.195	0.195	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Nickel	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Zinc	SW846/6020	0.0046	0.0046	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Total Organic Carbon	EPA9060	5.75	5.75	mg/l	0.5	1.00	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Dissolved Solids	EPA160.1	146	146	mg/l	6.00	20.0	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Total Solids	EPA160.3	168	168	mg/l	4.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	6/5/2017	10:00:00 AM	1000	20	Total Suspended Solids	EPA160.2	22.0	22.0	mg/l	2.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Alkalinity	EPA310.1	83.0	83.0	mg/l	5.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Ammonia	EPA350.1	0.0399	0.0399	mg/l	0.005	0.0100	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Chloride	EPA300.0	5.50	5.50	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Hardness	SM2340B	85.2	85.2	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.54	0.54	mg/l	0.07	0.14	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Nitrate+Nitrite	EPA300.0	0.945	0.945	mg/l	0.006	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Phosphorus, Total	EPA6010B	0.020	0.020	mg/l	0.004	0.020	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Silica, Diss.	EPA6010B	2.71	2.71	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Silica, Tot.	EPA6010B	2.90	2.90	mg/l	0.005	0.0500	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Zinc	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Total Organic Carbon	EPA9060	4.10	4.10	mg/l	0.5	1.00	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Dissolved Solids	EPA160.1	112	112	mg/l	4.80	14.0	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Total Solids	EPA160.3	116	116	mg/l	4.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:00:00 AM	1045	0.5	Total Suspended Solids	EPA160.2	3.60	3.60	mg/l	0.8	4.00	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Alkalinity	EPA310.1	87.6	87.6	mg/l	5.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Ammonia	EPA350.1	0.248	0.248	mg/l	0.005	0.0100	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Chloride	EPA300.0	4.70	4.70	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Hardness	SM2340B	90.8	90.8	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Total Kjeldahl Nitrogen	I-4515-91	0.45	0.45	mg/l	0.07	0.14	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Nitrate+Nitrite	EPA300.0	1.16	1.16	mg/l	0.006	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Ortho-Phosphorus, Dissolved	EPA300.0	0.0427	0.0427	mg/l	0.01	0.0300	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Phosphorus, Total	EPA6010B	0.084	0.084	mg/l	0.004	0.020	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Silica, Diss.	EPA6010B	4.01	4.01	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Silica, Tot.	EPA6010B	4.50	4.50	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Sulfate	EPA300.0	8.27	8.27	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Calcium	EPA6010	33.4	33.4	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Iron	EPA6010	0.224	0.224	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Magnesium	EPA6010	1.78	1.78	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Manganese	SW846/6020	0.414	0.414	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Zinc	SW846/6020	0.0028	0.0028	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Total Organic Carbon	EPA9060	4.02	4.02	mg/l	0.5	1.00	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Dissolved Solids	EPA160.1	144	144	mg/l	6.00	20.0	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Total Solids	EPA160.3	160	160	mg/l	4.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/5/2017	10:45:00 AM	1045	12	Total Suspended Solids	EPA160.2	16.0	16.0	mg/l	2.00	10.0	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Alkalinity	EPA310.1	90.9	90.9	mg/l	5.00	10.0	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Ammonia	EPA350.1	0.0607	0.0607	mg/l	0.005	0.0100	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Chloride	EPA300.0	7.10	7.10	mg/l	0.1	0.300	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Hardness	SM2340B	96.3	96.3	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.44	0.44	mg/l	0.07	0.14	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Nitrate+Nitrite	EPA300.0	1.60	1.60	mg/l	0.006	0.0200	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0387	0.0387	mg/l	0.01	0.0300	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Phosphorus, Total	EPA6010B	0.071	0.071	mg/l	0.004	0.020	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Silica, Diss.	EPA6010B	2.81	2.81	mg/l	0.005	0.0500	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Silica, Tot.	EPA6010B	3.43	3.43	mg/l	0.005	0.0500	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Sulfate	EPA300.0	10.1	10.1	mg/l	0.1	0.300	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Calcium	EPA6010	35.5	35.5	mg/l	0.004	0.0200	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Iron	EPA6010	0.194	0.194	mg/l	0.004	0.0200	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Magnesium	EPA6010	1.86	1.86	mg/l	0.004	0.0200	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Arsenic	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Manganese	SW846/6020	0.0770	0.0770	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Zinc	SW846/6020	0.0021	0.0021	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Total Organic Carbon	EPA9060	2.40	2.40	mg/l	0.5	1.00	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Dissolved Solids	EPA160.1	140	140	mg/l	5.00	15.0	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Total Solids	EPA160.3	154	154	mg/l	4.00	10.0	1							
TenKiller Lake	5	ITENOKN0177	6/5/2017	10:45:00 AM	1130	0.5	Total Suspended Solids	EPA160.2	14.5	14.5	mg/l	1.00	5.00	1							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Alkalinity	EPA310.1	62.2	62.2	mg/l	5.00	10.0	1							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Ammonia	EPA350.1	0.0474	0.0474	mg/l	0.005	0.0100	1							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Chloride	EPA300.0	4.77	4.77	mg/l	0.1	0.300	1							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Hardness	SM2340B	66.6	66.6	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.6	0.6	mg/l	0.07	0.14	1							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Mercury	SW846/7474	0.000011	0.000011	mg/l	0.00001	0.00002	2							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Nitrate+Nitrite	EPA300.0	0.874	0.874	mg/l	0.006	0.0200	1							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0680	0.0680	mg/l	0.01	0.0300	1							
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Phosphorus, Total	EPA6010B	0.100	0.100											

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Lead	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Manganese	SW846/6020	0.0587	0.0587	mg/l	0.0002	0.0010	1						
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1						
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Zinc	SW846/6020	0.0184	0.0184	mg/l	0.0002	0.0010	1						
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Total Organic Carbon	EPA9060	5.70	5.70	mg/l	0.5	1.00	1						
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Dissolved Solids	EPA160.1	146	146	mg/l	4.67	13.3	1						
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Total Solids	EPA160.3	152	152	mg/l	4.00	10.0	1						
TenKiller Lake	6	ITENOKN0251	6/5/2017	11:30:00 AM	0810	0.5	Total Suspended Solids	EPA160.2	6.00	6.00	mg/l	0.667	3.33	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Ammonia	EPA350.1	0.0471	0.0471	mg/l	0.005	0.0100	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Silica, Diss.	EPA6010B	0.0127	0.0127	mg/l	0.005	0.0500	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Silica, Tot.	EPA6010B	0.0121	0.0121	mg/l	0.005	0.0500	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Calcium	EPA6010	0.0091	0.0091	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Magnesium	EPA6010	0.0059	0.0059	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Zinc	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Dissolved Solids	EPA160.1	ND	<6.00	mg/l	6.00	20.0	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	6:25:00 AM	0625	0	Total Suspended Solids	EPA160.2	ND	<2.00	mg/l	2.00	10.0	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Alkalinity	EPA310.1	59.5	59.5	mg/l	5.00	10.0	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Ammonia	EPA350.1	0.0666	0.0666	mg/l	0.005	0.0100	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Chloride	EPA300.0	6.16	6.16	mg/l	0.1	0.300	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Hardness	SM2340B	61.3	61.3	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.59	0.59	mg/l	0.07	0.14	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Nitrate+Nitrite	EPA300.0	0.106	0.106	mg/l	0.006	0.0200	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Silica, Diss.	EPA6010B	0.297	0.297	mg/l	0.005	0.0500	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Silica, Tot.	EPA6010B	0.379	0.379	mg/l	0.005	0.0500	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Sulfate	EPA300.0	8.95	8.95	mg/l	0.1	0.300	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Calcium	EPA6010	21.9	21.9	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Iron	EPA6010	0.0106	0.0106	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Magnesium	EPA6010	1.64	1.64	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Arsenic	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Manganese	SW846/6020	0.0095	0.0095	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Zinc	SW846/6020	0.0033	0.0033	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Total Organic Carbon	EPA9060	5.14	5.14	mg/l	0.5	1.00	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Dissolved Solids	EPA160.1	100	100	mg/l	4.80	14.0	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Total Solids	EPA160.3	106	106	mg/l	4.00	10.0	1						
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1156	0.5	Total Suspended Solids	EPA160.2	5.60	5.60	mg/l	0.8	4.00	1						
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Alkalinity	EPA310.1	55.8	55.8	mg/l	5.00	10.0	1						
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Ammonia	EPA350.1	0.0760	0.0760	mg/l	0.005	0.0100	1						
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Chloride	EPA300.0	6.25	6.25	mg/l	0.1	0.300	1						
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Hardness	SM2340B	56.8	56.8	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.58	0.58	mg/l	0.07	0.14	1						
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Nitrate+Nitrite	EPA300.0	0.0880	0.0880	mg/l	0.006	0.0200	1						
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	1	ITENOKN0164	6/27/2017																	

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Chromium	SW846/6020	0.00055	0.00055	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Copper	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Manganese	SW846/6020	0.0042	0.0042	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Zinc	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Total Organic Carbon	EPA9060	5.16	5.16	mg/l	0.5	1.00	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Dissolved Solids	EPA160.1	95.2	95.2	mg/l	4.80	14.0	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Total Solids	EPA160.3	100	100	mg/l	4.00	10.0	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	0.5	Total Suspended Solids	EPA160.2	4.80	4.80	mg/l	0.8	4.00	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Alkalinity	EPA310.1	66.4	66.4	mg/l	5.00	10.0	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Ammonia	EPA350.1	0.176	0.176	mg/l	0.005	0.0100	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Chloride	EPA300.0	3.66	3.66	mg/l	0.1	0.300	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Hardness	SM2340B	68.2	68.2	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Total Kjeldahl Nitrogen	I-4515-91	0.55	0.55	mg/l	0.07	0.14	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Mercury	SW846/7474	0.000011	0.000011	mg/l	0.00001	0.00002	2							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Nitrate+Nitrite	EPA300.0	0.840	0.840	mg/l	0.006	0.0200	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Ortho-Phosphorus, Dissolved	EPA300.0	0.0641	0.0641	mg/l	0.01	0.0300	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Phosphorus, Total	EPA6010B	0.113	0.113	mg/l	0.004	0.020	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Silica, Diss.	EPA6010B	3.07	3.07	mg/l	0.005	0.0500	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Silica, Tot.	EPA6010B	3.71	3.71	mg/l	0.005	0.0500	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Sulfate	EPA300.0	7.03	7.03	mg/l	0.1	0.300	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Calcium	EPA6010	24.8	24.8	mg/l	0.004	0.0200	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Iron	EPA6010	0.331	0.331	mg/l	0.004	0.0200	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Magnesium	EPA6010	1.50	1.50	mg/l	0.004	0.0200	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Arsenic	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Copper	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Lead	SW846/6020	0.0018	0.0018	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Manganese	SW846/6020	0.454	0.454	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Nickel	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Zinc	SW846/6020	0.0049	0.0049	mg/l	0.0002	0.0010	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Total Organic Carbon	EPA9060	5.11	5.11	mg/l	0.5	1.00	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Dissolved Solids	EPA160.1	139	139	mg/l	4.80	14.0	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Total Solids	EPA160.3	152	152	mg/l	4.00	10.0	1							
TenKiller Lake	1	ITENOKN0164	6/27/2017	12:40:00 PM	1240	38	Total Suspended Solids	EPA160.2	13.2	13.2	mg/l	0.8	4.00	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Alkalinity	EPA310.1	60.7	60.7	mg/l	5.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Ammonia	EPA350.1	0.0643	0.0643	mg/l	0.005	0.0100	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Chloride	EPA300.0	6.15	6.15	mg/l	0.1	0.300	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Hardness	SM2340B	60.6	60.6	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.57	0.57	mg/l	0.07	0.14	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Nitrate+Nitrite	EPA300.0	0.0996	0.0996	mg/l	0.006	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Silica, Diss.	EPA6010B	0.279	0.279	mg/l	0.005	0.0500	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Silica, Tot.	EPA6010B	0.357	0.357	mg/l	0.005	0.0500	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Sulfate	EPA300.0	8.94	8.94	mg/l	0.1	0.300	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Calcium	EPA6010	21.6	21.6	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Iron	EPA6010	0.0084	0.0084	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Magnesium	EPA6010	1.62	1.62	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Arsenic	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Copper	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Manganese	SW846/6020	0.0091	0.0091	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Zinc	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Total Organic Carbon	EPA9060	5.36	5.36	mg/l	0.5	1.00	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Dissolved Solids	EPA160.1	97.2	97.2	mg/l	4.80	14.0	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Total Solids	EPA160.3	102	102	mg/l	4.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	0.5	Total Suspended Solids	EPA160.2	4.80	4.80	mg/l	0.8	4.00	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Alkalinity	EPA310.1	74.1	74.1	mg/l	5.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Ammonia	EPA350.1	0.0889	0.0889	mg/l	0.005	0.0100	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Chloride	EPA300.0	4.58	4.58	mg/l	0.1	0.300	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Hardness	SM2340B	77.3	77.3	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	2	ITENOKN0249	6/27/2																		

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Arsenic	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Copper	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Lead	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Manganese	SW846/6020	0.212	0.212	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Zinc	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Total Organic Carbon	EPA9060	4.11	4.11	mg/l	0.5	1.00	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Dissolved Solids	EPA160.1	140	140	mg/l	4.80	14.0	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Total Solids	EPA160.3	146	146	mg/l	4.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	6/27/2017	11:55:00 AM	1155	25	Total Suspended Solids	EPA160.2	6.40	6.40	mg/l	0.8	4.00	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Alkalinity	EPA310.1	67.7	67.7	mg/l	5.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Ammonia	EPA350.1	0.0697	0.0697	mg/l	0.005	0.0100	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Chloride	EPA300.0	6.03	6.03	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Hardness	SM2340B	69.4	69.4	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.51	0.51	mg/l	0.07	0.14	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Nitrate+Nitrite	EPA300.0	0.300	0.300	mg/l	0.006	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Silica, Diss.	EPA6010B	0.974	0.974	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Silica, Tot.	EPA6010B	1.12	1.12	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Sulfate	EPA300.0	9.01	9.01	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Calcium	EPA6010	25.0	25.0	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Iron	EPA6010	0.0159	0.0159	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Magnesium	EPA6010	1.70	1.70	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Manganese	SW846/6020	0.0106	0.0106	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Zinc	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Total Organic Carbon	EPA9060	5.00	5.00	mg/l	0.5	1.00	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Dissolved Solids	EPA160.1	112	112	mg/l	4.80	14.0	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Total Solids	EPA160.3	116	116	mg/l	4.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	0.5	Total Suspended Solids	EPA160.2	4.00	4.00	mg/l	0.8	4.00	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Alkalinity	EPA310.1	89.6	89.6	mg/l	5.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Ammonia	EPA350.1	0.288	0.288	mg/l	0.005	0.0100	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Chloride	EPA300.0	4.84	4.84	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Hardness	SM2340B	91.7	91.7	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Total Kjeldahl Nitrogen	I-4515-91	0.78	0.78	mg/l	0.07	0.14	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Mercury	SW846/7474	0.000013	0.000013	mg/l	0.00001	0.00002	2							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Nitrate+Nitrite	EPA300.0	0.735	0.735	mg/l	0.006	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Ortho-Phosphorus, Dissolved	EPA300.0	0.0171	0.0171	mg/l	0.01	0.0300	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Phosphorus, Total	EPA6010B	0.064	0.064	mg/l	0.004	0.020	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Silica, Diss.	EPA6010B	3.29	3.29	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Silica, Tot.	EPA6010B	4.18	4.18	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Sulfate	EPA300.0	8.01	8.01	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Calcium	EPA6010	33.8	33.8	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Iron	EPA6010	0.621	0.621	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Magnesium	EPA6010	1.78	1.78	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Arsenic	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Chromium	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Copper	SW846/6020	0.0033	0.0033	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Lead	SW846/6020	0.0017	0.0017	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Manganese	SW846/6020	1.11	1.11	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Nickel	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Zinc	SW846/6020	0.0032	0.0032	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Total Organic Carbon	EPA9060	4.95	4.95	mg/l	0.5	1.00	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Dissolved Solids	EPA160.1	178	178	mg/l	6.00	20.0	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Total Solids	EPA160.3	224	224	mg/l	4.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	6/27/2017	11:05:00 AM	1105	18	Total Suspended Solids	EPA160.2	46.0	46.0	mg/l	2.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Alkalinity	EPA310.1	78.8	78.8	mg/l	5.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Ammonia	EPA350.1	0.0750	0.0750	mg/l	0.005	0.0100	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9																	

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Iron	EPA6010	0.0439	0.0439	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Magnesium	EPA6010	1.85	1.85	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Arsenic	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Manganese	SW846/6020	0.0347	0.0347	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Zinc	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Total Organic Carbon	EPA9060	3.97	3.97	mg/l	0.5	1.00	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Dissolved Solids	EPA160.1	127	127	mg/l	4.80	14.0	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Total Solids	EPA160.3	132	132	mg/l	4.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	0.5	Total Suspended Solids	EPA160.2	5.20	5.20	mg/l	0.8	4.00	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Alkalinity	EPA310.1	101	101	mg/l	5.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Ammonia	EPA350.1	0.458	0.458	mg/l	0.005	0.0100	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Chloride	EPA300.0	7.00	7.00	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Hardness	SM2340B	102	102	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Total Kjeldahl Nitrogen	I-4515-91	0.93	0.93	mg/l	0.07	0.14	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Nitrate+Nitrite	EPA300.0	0.893	0.893	mg/l	0.006	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Ortho-Phosphorus, Dissolved	EPA300.0	0.0111	0.0111	mg/l	0.01	0.0300	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Phosphorus, Total	EPA6010B	0.016	0.016	mg/l	0.004	0.020	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Silica, Diss.	EPA6010B	3.00	3.00	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Silica, Tot.	EPA6010B	3.54	3.54	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Sulfate	EPA300.0	9.92	9.92	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Calcium	EPA6010	37.4	37.4	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Iron	EPA6010	0.440	0.440	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Magnesium	EPA6010	1.96	1.96	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Arsenic	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Chromium	SW846/6020	0.00057	0.00057	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Copper	SW846/6020	0.00093	0.00093	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Lead	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Manganese	SW846/6020	0.771	0.771	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Nickel	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Zinc	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Total Organic Carbon	EPA9060	4.25	4.25	mg/l	0.5	1.00	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Dissolved Solids	EPA160.1	159	159	mg/l	6.00	20.0	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Total Solids	EPA160.3	202	202	mg/l	4.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	6/27/2017	9:35:00 AM	0935	10	Total Suspended Solids	EPA160.2	43.0	43.0	mg/l	2.00	10.0	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Alkalinity	EPA310.1	102	102	mg/l	5.00	10.0	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Ammonia	EPA350.1	0.0622	0.0622	mg/l	0.005	0.0100	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Chloride	EPA300.0	9.15	9.15	mg/l	0.1	0.300	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Hardness	SM2340B	105	105	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.18	0.18	mg/l	0.07	0.14	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Nitrate+Nitrite	EPA300.0	1.30	1.30	mg/l	0.006	0.0200	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0334	0.0334	mg/l	0.01	0.0300	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Phosphorus, Total	EPA6010B	0.028	0.028	mg/l	0.004	0.020	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Silica, Diss.	EPA6010B	2.69	2.69	mg/l	0.005	0.0500	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Silica, Tot.	EPA6010B	3.23	3.23	mg/l	0.005	0.0500	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Sulfate	EPA300.0	12.1	12.1	mg/l	0.1	0.300	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Calcium	EPA6010	38.6	38.6	mg/l	0.004	0.0200	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Iron	EPA6010	0.133	0.133	mg/l	0.004	0.0200	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Magnesium	EPA6010	2.02	2.02	mg/l	0.004	0.0200	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Arsenic	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Chromium	SW846/6020	0.0019	0.0019	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Copper	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Lead	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Manganese	SW846/6020	0.0512	0.0512	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Zinc	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Total Organic Carbon	EPA9060	1.91	1.91	mg/l	0.5	1.00	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Dissolved Solids	EPA160.1	155	155	mg/l	4.80	14.0	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Total Solids	EPA160.3	168	168	mg/l	4.00	10.0	1							
TenKiller Lake	5	ITENOKN0177	6/27/2017	10:20:00 AM	1020	0.5	Total Suspended Solids	EPA160.2	12.8	12.8	mg/l	0.8	4.00	1							
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Alkal														

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method	
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Sulfate	EPA300.0	8.09	8.09	mg/l	0.1	0.300	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Calcium	EPA6010	27.1	27.1	mg/l	0.004	0.0200	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Iron	EPA6010	0.186	0.186	mg/l	0.004	0.0200	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Magnesium	EPA6010	1.57	1.57	mg/l	0.004	0.0200	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Arsenic	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Chromium	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Lead	SW846/6020	0.0006	0.0006	mg/l	0.0002	0.0010	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Manganese	SW846/6020	0.118	0.118	mg/l	0.0002	0.0010	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Zinc	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Total Organic Carbon	EPA9060	4.32	4.32	mg/l	0.5	1.00	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Dissolved Solids	EPA160.1	152	152	mg/l	4.80	14.0	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Total Solids	EPA160.3	156	156	mg/l	4.00	10.0	1								
TenKiller Lake	6	ITENOKN0251	6/27/2017	8:20:00 AM	0820	0.5	Total Suspended Solids	EPA160.2	4.00	4.00	mg/l	0.8	4.00	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Ammonia	EPA350.1	ND	<0.005	mg/l	0.005	0.0100	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Hardness	SM2340B	ND	<0.0265	mgeqCaCO3/l	0.0265	0.132	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Silica, Diss.	EPA6010B	0.0266	0.0266	mg/l	0.005	0.0500	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Silica, Tot.	EPA6010B	0.0227	0.0227	mg/l	0.005	0.0500	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Calcium	EPA6010	0.0120	0.0120	mg/l	0.004	0.0200	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Magnesium	EPA6010	0.0055	0.0055	mg/l	0.004	0.0200	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Zinc	SW846/6020	0.0040	0.0040	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Dissolved Solids	EPA160.1	72.0	72.0	mg/l	6.00	20.0	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Total Solids	EPA160.3	74.0	74.0	mg/l	4.00	10.0	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	0630	0	Total Suspended Solids	EPA160.2	2.00	2.00	mg/l	2.00	10.0	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Alkalinity	EPA310.1	71.0	71.0	mg/l	5.00	10.0	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Ammonia	EPA350.1	0.0156	0.0156	mg/l	0.005	0.0100	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Chloride	EPA300.0	6.56	6.56	mg/l	0.1	0.300	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Hardness	SM2340B	75.1	75.1	mgeqCaCO3/l	0.0265	0.132	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.31	0.31	mg/l	0.07	0.14	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Nitrate+Nitrite	EPA300.0	0.0263	0.0263	mg/l	0.006	0.0200	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Phosphorus, Total	EPA6010B	0.010	0.010	mg/l	0.004	0.020	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Silica, Diss.	EPA6010B	1.33	1.33	mg/l	0.005	0.0500	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Silica, Tot.	EPA6010B	1.44	1.44	mg/l	0.005	0.0500	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Sulfate	EPA300.0	9.01	9.01	mg/l	0.1	0.300	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Calcium	EPA6010	27.1	27.1	mg/l	0.004	0.0200	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Iron	EPA6010	0.0167	0.0167	mg/l	0.004	0.0200	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Magnesium	EPA6010	1.78	1.78	mg/l	0.004	0.0200	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Copper	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Manganese	SW846/6020	0.0159	0.0159	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Nickel	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Zinc	SW846/6020	0.0026	0.0026	mg/l	0.0002	0.0010	1								
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1111	0.5	Total Organic Carbon	EPA9060	3.45	3.45	mg/l	0.5	1.00	1								

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Silica, Diss.	EPA6010B	0.330	0.330	mg/l	0.005	0.0500	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Silica, Tot.	EPA6010B	0.363	0.363	mg/l	0.005	0.0500	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Sulfate	EPA300.0	8.46	8.46	mg/l	0.1	0.300	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Calcium	EPA6010	24.8	24.8	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Iron	EPA6010	0.0432	0.0432	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Magnesium	EPA6010	1.67	1.67	mg/l	0.004	0.0200	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Arsenic	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Manganese	SW846/6020	0.0079	0.0079	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Nickel	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Zinc	SW846/6020	0.0071	0.0071	mg/l	0.0002	0.0010	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Total Organic Carbon	EPA9060	3.66	3.66	mg/l	0.5	1.00	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Dissolved Solids	EPA160.1	145	145	mg/l	6.00	20.0	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Total Solids	EPA160.3	152	152	mg/l	4.00	10.0	1							
TenKiller Lake	2	ITENOKN0249	8/15/2017	11:50:00 AM	1150	25	Total Suspended Solids	EPA160.2	7.00	7.00	mg/l	2.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Alkalinity	EPA310.1	73.0	73.0	mg/l	5.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Ammonia	EPA350.1	0.0111	0.0111	mg/l	0.005	0.0100	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Chloride	EPA300.0	6.60	6.60	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Hardness	SM2340B	76.3	76.3	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.29	0.29	mg/l	0.07	0.14	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Nitrate+Nitrite	EPA300.0	0.0275	0.0275	mg/l	0.006	0.0200	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Phosphorus, Total	EPA6010B	0.012	0.012	mg/l	0.004	0.020	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Silica, Diss.	EPA6010B	1.36	1.36	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Silica, Tot.	EPA6010B	1.51	1.51	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Sulfate	EPA300.0	9.00	9.00	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Calcium	EPA6010	27.6	27.6	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Iron	EPA6010	0.0177	0.0177	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Magnesium	EPA6010	1.80	1.80	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Copper	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Manganese	SW846/6020	0.0152	0.0152	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Nickel	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Zinc	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Total Organic Carbon	EPA9060	3.90	3.90	mg/l	0.5	1.00	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Dissolved Solids	EPA160.1	191	191	mg/l	6.00	20.0	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Total Solids	EPA160.3	194	194	mg/l	4.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	0.5	Total Suspended Solids	EPA160.2	3.00	3.00	mg/l	2.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Alkalinity	EPA310.1	107	107	mg/l	5.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Ammonia	EPA350.1	0.0164	0.0164	mg/l	0.005	0.0100	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Chloride	EPA300.0	6.60	6.60	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Hardness	SM2340B	100	100	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Total Kjeldahl Nitrogen	I-4515-91	1.49	1.49	mg/l	0.07	0.14	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Nitrate+Nitrite	EPA300.0	0.0276	0.0276	mg/l	0.006	0.0200	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Phosphorus, Total	EPA6010B	0.196	0.196	mg/l	0.004	0.020	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Silica, Diss.	EPA6010B	3.99	3.99	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Silica, Tot.	EPA6010B	4.55	4.55	mg/l	0.005	0.0500	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Sulfate	EPA300.0	9.01	9.01	mg/l	0.1	0.300	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Calcium	EPA6010	37.1	37.1	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Iron	EPA6010	1.76	1.76	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Magnesium	EPA6010	1.92	1.92	mg/l	0.004	0.0200	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Arsenic	SW846/6020	0.0052	0.0052	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Chromium	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Copper	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Lead	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:00 AM	1110	17	Manganese	SW846/6020	1.81	1.81	mg/l	0.0002	0.0010	1							
TenKiller Lake	3	ITENOKN0171	8/15/2017	11:10:																	

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Hardness	SM2340B	83.1	83.1	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.94	0.94	mg/l	0.07	0.14	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Nitrate+Nitrite	EPA300.0	0.191	0.191	mg/l	0.006	0.0200	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0403	0.0403	mg/l	0.01	0.0300	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Phosphorus, Total	EPA6010B	0.213	0.213	mg/l	0.004	0.020	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Silica, Diss.	EPA6010B	4.13	4.13	mg/l	0.005	0.0500	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Silica, Tot.	EPA6010B	4.45	4.45	mg/l	0.005	0.0500	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Sulfate	EPA300.0	5.82	5.82	mg/l	0.1	0.300	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Calcium	EPA6010	30.5	30.5	mg/l	0.004	0.0200	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Iron	EPA6010	0.977	0.977	mg/l	0.004	0.0200	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Magnesium	EPA6010	1.66	1.66	mg/l	0.004	0.0200	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Arsenic	SW846/6020	0.0041	0.0041	mg/l	0.0002	0.0010	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Copper	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Manganese	SW846/6020	0.662	0.662	mg/l	0.0002	0.0010	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Nickel	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Zinc	SW846/6020	0.0112	0.0112	mg/l	0.0002	0.0010	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Total Organic Carbon	EPA9060	4.62	4.62	mg/l	0.5	1.00	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Dissolved Solids	EPA160.1	153	153	mg/l	6.00	20.0	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Total Solids	EPA160.3	162	162	mg/l	4.00	10.0	1							
TenKiller Lake	6	1TENOKN0251	8/15/2017	8:20:00 AM	0820	0.5	Total Suspended Solids	EPA160.2	9.00	9.00	mg/l	2.00	10.0	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Alkalinity	EPA310.1	ND	<5.00	mg/l	5.00	10.0	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Ammonia	EPA350.1	0.00586	0.00586	mg/l	0.005	0.0100	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Chloride	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Hardness	SM2340B	0.0552	0.0552	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Total Kjeldahl Nitrogen	I-4515-91	ND	<0.07	mg/l	0.07	0.14	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Phosphorus, Total	EPA6010B	ND	<0.004	mg/l	0.004	0.020	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Silica, Diss.	EPA6010B	0.0424	0.0424	mg/l	0.005	0.0500	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Silica, Tot.	EPA6010B	0.0480	0.0480	mg/l	0.005	0.0500	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Sulfate	EPA300.0	ND	<0.1	mg/l	0.1	0.300	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Calcium	EPA6010	0.0122	0.0122	mg/l	0.004	0.0200	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Iron	EPA6010	ND	<0.004	mg/l	0.004	0.0200	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Magnesium	EPA6010	0.0060	0.0060	mg/l	0.004	0.0200	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Arsenic	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Chromium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Copper	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Manganese	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Nickel	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Zinc	SW846/6020	0.0035	0.0035	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Total Organic Carbon	EPA9060	ND	<0.5	mg/l	0.5	1.00	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Dissolved Solids	EPA160.1	ND	<6.00	mg/l	6.00	20.0	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Total Solids	EPA160.3	ND	<4.00	mg/l	4.00	10.0	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	3:25:00 AM	0625	0	Total Suspended Solids	EPA160.2	ND	<2.00	mg/l	2.00	10.0	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Alkalinity	EPA310.1	82.6	82.6	mg/l	5.00	10.0	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Ammonia	EPA350.1	0.0150	0.0150	mg/l	0.005	0.0100	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Chloride	EPA300.0	7.05	7.05	mg/l	0.1	0.300	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Hardness	SM2340B	81.8	81.8	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.36	0.36	mg/l	0.07	0.14	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Nitrate+Nitrite	EPA300.0	0.116	0.116	mg/l	0.006	0.0200	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Phosphorus, Total	EPA6010B	0.048	0.048	mg/l	0.004	0.020	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Silica, Diss.	EPA6010B	2.54	2.54	mg/l	0.005	0.0500	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Silica, Tot.	EPA6010B	2.58	2.58	mg/l	0.005	0.0500	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Sulfate	EPA300.0	9.62	9.62	mg/l	0.1	0.300	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Calcium	EPA6010	29.9	29.9	mg/l	0.004	0.0200	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Iron	EPA6010	0.0231	0.0231	mg/l	0.004	0.0200	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Magnesium	EPA6010	1.74	1.74	mg/l	0.004	0.0200	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Arsenic	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM	0951	0.5	Chromium	SW846/6020	0.0005	0.0005	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	1TENOKN0250	9/19/2017	9:50:00 AM																	

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Ammonia	EPA350.1	0.0117	0.0117	mg/l	0.005	0.0100	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Chloride	EPA300.0	6.04	6.04	mg/l	0.1	0.300	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Hardness	SM2340B	70.7	70.7	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.28	0.28	mg/l	0.07	0.14	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Phosphorus, Total	EPA6010B	0.031	0.031	mg/l	0.004	0.020	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Silica, Diss.	EPA6010B	0.630	0.630	mg/l	0.005	0.0500	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Silica, Tot.	EPA6010B	0.658	0.658	mg/l	0.005	0.0500	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Sulfate	EPA300.0	8.66	8.66	mg/l	0.1	0.300	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Calcium	EPA6010	25.6	25.6	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Iron	EPA6010	0.0050	0.0050	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Magnesium	EPA6010	1.63	1.63	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Arsenic	SW846/6020	0.0008	0.0008	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Copper	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Manganese	SW846/6020	0.0106	0.0106	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Zinc	SW846/6020	0.0043	0.0043	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Total Organic Carbon	EPA9060	3.02	3.02	mg/l	0.5	1.00	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Dissolved Solids	EPA160.1	107	107	mg/l	4.80	14.0	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Total Solids	EPA160.3	108	108	mg/l	4.00	10.0	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	0.5	Total Suspended Solids	EPA160.2	1.20	1.20	mg/l	0.8	4.00	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Alkalinity	EPA310.1	77.9	77.9	mg/l	5.00	10.0	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Ammonia	EPA350.1	0.0445	0.0445	mg/l	0.005	0.0100	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Chloride	EPA300.0	4.73	4.73	mg/l	0.1	0.300	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Hardness	SM2340B	88.8	88.8	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Total Kjeldahl Nitrogen	I-4515-91	0.27	0.27	mg/l	0.07	0.14	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Phosphorus, Total	EPA6010B	0.252	0.252	mg/l	0.004	0.020	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Silica, Diss.	EPA6010B	1.17	1.17	mg/l	0.005	0.0500	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Silica, Tot.	EPA6010B	4.96	4.96	mg/l	0.005	0.0500	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Sulfate	EPA300.0	5.44	5.44	mg/l	0.1	0.300	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Calcium	EPA6010	32.8	32.8	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Iron	EPA6010	1.37	1.37	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Magnesium	EPA6010	1.68	1.68	mg/l	0.004	0.0200	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Arsenic	SW846/6020	0.0047	0.0047	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Copper	SW846/6020	0.00034	0.00034	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Manganese	SW846/6020	0.875	0.875	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Zinc	SW846/6020	0.0062	0.0062	mg/l	0.0002	0.0010	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Total Organic Carbon	EPA9060	2.89	2.89	mg/l	0.5	1.00	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Dissolved Solids	EPA160.1	117	117	mg/l	4.80	14.0	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Total Solids	EPA160.3	118	118	mg/l	4.00	10.0	1						
TenKiller Lake	1	ITENOKN0164	9/19/2017	11:30:00 AM	1130	38	Total Suspended Solids	EPA160.2	0.800	0.800	mg/l	0.8	4.00	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Alkalinity	EPA310.1	76.8	76.8	mg/l	5.00	10.0	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Ammonia	EPA350.1	0.0183	0.0183	mg/l	0.005	0.0100	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Chloride	EPA300.0	6.24	6.24	mg/l	0.1	0.300	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Hardness	SM2340B	73.2	73.2	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.26	0.26	mg/l	0.07	0.14	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Nitrate+Nitrite	EPA300.0	0.0243	0.0243	mg/l	0.006	0.0200	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Phosphorus, Total	EPA6010B	0.039	0.039	mg/l	0.004	0.020	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Silica, Diss.	EPA6010B	1.06	1.06	mg/l	0.005	0.0500	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Silica, Tot.	EPA6010B	1.14	1.14	mg/l	0.005	0.0500	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Sulfate	EPA300.0	8.82	8.82	mg/l	0.1	0.300	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Calcium	EPA6010	26.6	26.6	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Iron	EPA6010	0.0076	0.0076	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Magnesium	EPA6010	1.66	1.66	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Chromium	SW8												

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	0.5	Total Suspended Solids	EPA160.2	1.20	1.20	mg/l	0.8	4.00	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Alkalinity	EPA310.1	91.5	91.5	mg/l	5.00	10.0	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Ammonia	EPA350.1	0.319	0.319	mg/l	0.005	0.0100	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Chloride	EPA300.0	5.60	5.60	mg/l	0.1	0.300	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Hardness	SM2340B	86.2	86.2	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Total Kjeldahl Nitrogen	I-4515-91	0.53	0.53	mg/l	0.07	0.14	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Nitrate+Nitrite	EPA300.0	ND	<0.006	mg/l	0.006	0.0200	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Phosphorus, Total	EPA6010B	0.056	0.056	mg/l	0.004	0.020	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Silica, Diss.	EPA6010B	2.76	2.76	mg/l	0.005	0.0500	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Silica, Tot.	EPA6010B	3.20	3.20	mg/l	0.005	0.0500	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Sulfate	EPA300.0	7.24	7.24	mg/l	0.1	0.300	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Calcium	EPA6010	31.7	31.7	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Iron	EPA6010	0.189	0.189	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Magnesium	EPA6010	1.70	1.70	mg/l	0.004	0.0200	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Arsenic	SW846/6020	0.0014	0.0014	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Copper	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Manganese	SW846/6020	1.09	1.09	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Nickel	SW846/6020	0.0013	0.0013	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Zinc	SW846/6020	0.0058	0.0058	mg/l	0.0002	0.0010	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Total Organic Carbon	EPA9060	2.96	2.96	mg/l	0.5	1.00	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Dissolved Solids	EPA160.1	130	130	mg/l	5.11	15.6	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Total Solids	EPA160.3	136	136	mg/l	4.00	10.0	1						
TenKiller Lake	2	ITENOKN0249	9/19/2017	8:55:00 AM	0855	22	Total Suspended Solids	EPA160.2	6.11	6.11	mg/l	1.11	5.56	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Alkalinity	EPA310.1	78.6	78.6	mg/l	5.00	10.0	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Ammonia	EPA350.1	0.0141	0.0141	mg/l	0.005	0.0100	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Chloride	EPA300.0	6.61	6.61	mg/l	0.1	0.300	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Hardness	SM2340B	75.9	75.9	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.3	0.3	mg/l	0.07	0.14	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Nitrate+Nitrite	EPA300.0	0.0760	0.0760	mg/l	0.006	0.0200	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Phosphorus, Total	EPA6010B	0.040	0.040	mg/l	0.004	0.020	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Silica, Diss.	EPA6010B	1.90	1.90	mg/l	0.005	0.0500	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Silica, Tot.	EPA6010B	1.94	1.94	mg/l	0.005	0.0500	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Sulfate	EPA300.0	9.18	9.18	mg/l	0.1	0.300	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Calcium	EPA6010	27.7	27.7	mg/l	0.004	0.0200	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Iron	EPA6010	0.0135	0.0135	mg/l	0.004	0.0200	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Magnesium	EPA6010	1.67	1.67	mg/l	0.004	0.0200	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Arsenic	SW846/6020	0.0009	0.0009	mg/l	0.0002	0.0010	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Copper	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Manganese	SW846/6020	0.0103	0.0103	mg/l	0.0002	0.0010	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Nickel	SW846/6020	0.0011	0.0011	mg/l	0.0002	0.0010	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Zinc	SW846/6020	0.0044	0.0044	mg/l	0.0002	0.0010	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Total Organic Carbon	EPA9060	3.10	3.10	mg/l	0.5	1.00	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Dissolved Solids	EPA160.1	122	122	mg/l	4.80	14.0	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Total Solids	EPA160.3	124	124	mg/l	4.00	10.0	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	0.5	Total Suspended Solids	EPA160.2	2.40	2.40	mg/l	0.8	4.00	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Alkalinity	EPA310.1	85.7	85.7	mg/l	5.00	10.0	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Ammonia	EPA350.1	0.174	0.174	mg/l	0.005	0.0100	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Chloride	EPA300.0	7.73	7.73	mg/l	0.1	0.300	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Hardness	SM2340B	83.8	83.8	mgeqCaCO3/l	0.0265	0.132	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Total Kjeldahl Nitrogen	I-4515-91	0.44	0.44	mg/l	0.07	0.14	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Nitrate+Nitrite	EPA300.0	0.217	0.217	mg/l	0.006	0.0200	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Phosphorus, Total	EPA6010B	0.055	0.055	mg/l	0.004	0.020	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Silica, Diss.	EPA6010B	3.34	3.34	mg/l	0.005	0.0500	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Silica, Tot.	EPA6010B	3.36	3.36	mg/l	0.005	0.0500	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Sulfate	EPA300.0	10.3	10.3	mg/l	0.1	0.300	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Calcium	EPA6010	30.5	30.5	mg/l	0.004	0.0200	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Iron	EPA6010	0.118	0.118	mg/l	0.004	0.0200	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Magnesium	EPA6010	1.83	1.83	mg/l	0.004	0.0200	1						
TenKiller Lake	3	ITENOKN0171	9/19/2017																	

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC		Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Dissolved Solids	EPA160.1	136	136	mg/l	5.00	15.0	1							
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Total Solids	EPA160.3	146	146	mg/l	4.00	10.0	1							
TenKiller Lake	3	ITENOKN0171	9/19/2017	10:30:00 AM	1030	17	Total Suspended Solids	EPA160.2	10.5	10.5	mg/l	1.00	5.00	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Alkalinity	EPA310.1	81.8	81.8	mg/l	5.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Ammonia	EPA350.1	0.0160	0.0160	mg/l	0.005	0.0100	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Chloride	EPA300.0	7.07	7.07	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Hardness	SM2340B	82.1	82.1	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Total Kjeldahl Nitrogen	I-4515-91	0.35	0.35	mg/l	0.07	0.14	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Nitrate+Nitrite	EPA300.0	0.128	0.128	mg/l	0.006	0.0200	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	ND	<0.01	mg/l	0.01	0.0300	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Phosphorus, Total	EPA6010B	0.060	0.060	mg/l	0.004	0.020	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Silica, Diss.	EPA6010B	2.53	2.53	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Silica, Tot.	EPA6010B	2.66	2.66	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Sulfate	EPA300.0	9.61	9.61	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Calcium	EPA6010	29.9	29.9	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Iron	EPA6010	0.0235	0.0235	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Magnesium	EPA6010	1.80	1.80	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Arsenic	SW846/6020	0.0010	0.0010	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Chromium	SW846/6020	0.0003	0.0003	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Copper	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Lead	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Manganese	SW846/6020	0.0255	0.0255	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Nickel	SW846/6020	0.0012	0.0012	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Zinc	SW846/6020	0.0056	0.0056	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Total Organic Carbon	EPA9060	3.03	3.03	mg/l	0.5	1.00	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Dissolved Solids	EPA160.1	129	129	mg/l	4.80	14.0	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Total Solids	EPA160.3	132	132	mg/l	4.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	0.5	Total Suspended Solids	EPA160.2	3.20	3.20	mg/l	0.8	4.00	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Alkalinity	EPA310.1	88.3	88.3	mg/l	5.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Ammonia	EPA350.1	0.278	0.278	mg/l	0.005	0.0100	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Chloride	EPA300.0	7.77	7.77	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Hardness	SM2340B	87.0	87.0	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Total Kjeldahl Nitrogen	I-4515-91	0.67	0.67	mg/l	0.07	0.14	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Nitrate+Nitrite	EPA300.0	0.106	0.106	mg/l	0.006	0.0200	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Ortho-Phosphorus, Dissolved	EPA300.0	0.0118	0.0118	mg/l	0.01	0.0300	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Phosphorus, Total	EPA6010B	0.083	0.083	mg/l	0.004	0.020	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Silica, Diss.	EPA6010B	3.38	3.38	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Silica, Tot.	EPA6010B	3.91	3.91	mg/l	0.005	0.0500	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Sulfate	EPA300.0	10.2	10.2	mg/l	0.1	0.300	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Calcium	EPA6010	31.8	31.8	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Iron	EPA6010	0.337	0.337	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Magnesium	EPA6010	1.86	1.86	mg/l	0.004	0.0200	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Arsenic	SW846/6020	0.0015	0.0015	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Cadmium	SW846/6020	ND	<0.0002	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Chromium	SW846/6020	0.0004	0.0004	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Copper	SW846/6020	0.00076	0.00076	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Lead	SW846/6020	0.0007	0.0007	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Manganese	SW846/6020	0.211	0.211	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Nickel	SW846/6020	0.0016	0.0016	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Zinc	SW846/6020	0.0054	0.0054	mg/l	0.0002	0.0010	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Total Organic Carbon	EPA9060	3.53	3.53	mg/l	0.5	1.00	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Dissolved Solids	EPA160.1	139	139	mg/l	6.00	20.0	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Total Solids	EPA160.3	162	162	mg/l	4.00	10.0	1							
TenKiller Lake	4	ITENOKN0250	9/19/2017	9:50:00 AM	0950	9	Total Suspended Solids	EPA160.2	23.0	23.0	mg/l	2.00	10.0	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Alkalinity	EPA310.1	95.2	95.2	mg/l	5.00	10.0	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Ammonia	EPA350.1	0.923	0.923	mg/l	0.005	0.0100	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Chloride	EPA300.0	4.87	4.87	mg/l	0.1	0.300	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Hardness	SM2340B	86.6	86.6	mgeqCaCO3/l	0.0265	0.132	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Total Kjeldahl Nitrogen	I-4515-91	1.17	1.17	mg/l	0.07	0.14	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Mercury	SW846/7474	ND	<0.00001	mg/l	0.00001	0.00002	2							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Nitrate+Nitrite	EPA300.0	0.0580	0.0580	mg/l	0.006	0.0200	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Ortho-Phosphorus, Dissolved	EPA300.0	0.0154	0.0154	mg/l	0.01	0.0300	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Phosphorus, Total	EPA6010B	0.234	0.234	mg/l	0.004	0.020	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Silica, Diss.	EPA6010B	4.35	4.35	mg/l	0.005	0.0500	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Silica, Tot.	EPA6010B	4.80	4.80	mg/l	0.005	0.0500	1							
TenKiller Lake	6	ITENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Sulfate	EPA300.0	5.56	5.56	mg/l	0.1	0.300	1							

Reservoir	S_S_Code	Primary_Station	Date_Collected	Time_Collected	Time2	Depth	Parameter	Test_Method	Result	Result2	Units	Detection_Limits	Reportable_Limits	Dilution	SITE	PSC	Parameter	Parameter_Code	Lab_ID	Test_Method
TenKiller Lake	6	1TENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Zinc	SW846/6020	0.0057	0.0057	mg/l	0.0002	0.0010	1						
TenKiller Lake	6	1TENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Total Organic Carbon	EPA9060	3.59	3.59	mg/l	0.5	1.00	1						
TenKiller Lake	6	1TENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Dissolved Solids	EPA160.1	134	134	mg/l	5.00	15.0	1						
TenKiller Lake	6	1TENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Total Solids	EPA160.3	138	138	mg/l	4.00	10.0	1						
TenKiller Lake	6	1TENOKN0251	9/19/2017	8:10:00 AM	0810	0.5	Total Suspended Solids	EPA160.2	3.50	3.50	mg/l	1.00	5.00	1						
	1	1TENOKN0164	6/5/2017		0620	0.0	CHL A, FL, COR	EPA445.0	1.07	1.1	ug/l			1						
	1	1TENOKN0164	6/5/2017		1235	0.5	CHL A, FL, COR	EPA445.0	31.77244898	31.8	ug/l			1						
	1	1TENOKN0164	6/5/2017		1236	0.5	CHL A, FL, COR	EPA445.0	39.5244898	39.5	ug/l			1						
	2	1TENOKN0249	6/5/2017		0915	0.5	CHL A, FL, COR	EPA445.0	32.86428571	32.9	ug/l			1						
	3	1TENOKN0171	6/5/2017		1000	0.5	CHL A, FL, COR	EPA445.0	27.40510204	27.4	ug/l			1						
	4	1TENOKN0250	6/5/2017		1045	0.5	CHL A, FL, COR	EPA445.0	19.43469388	19.4	ug/l			1						
	5	1TENOKN0177	6/5/2017		1130	0.5	CHL A, FL, COR	EPA445.0	2.522142857	2.5	ug/l			1						
	6	1TENOKN0251	6/5/2017		0810	0.5	CHL A, FL, COR	EPA445.0	1.091836735	1.1	ug/l			1						
	1	1TENOKN0164	6/5/2017		0620	0.0	PHPHTN-A, FLR MTHD	EPA445.0	0.307682403	0.3	ug/l			1						
	1	1TENOKN0164	6/5/2017		1235	0.5	PHPHTN-A, FLR MTHD	EPA445.0	5.700512394	5.7	ug/l			1						
	1	1TENOKN0164	6/5/2017		1236	0.5	PHPHTN-A, FLR MTHD	EPA445.0	6.490102479	6.5	ug/l			1						
	2	1TENOKN0249	6/5/2017		0915	0.5	PHPHTN-A, FLR MTHD	EPA445.0	8.925413857	8.9	ug/l			1						
	3	1TENOKN0171	6/5/2017		1000	0.5	PHPHTN-A, FLR MTHD	EPA445.0	10.89446877	10.9	ug/l			1						
	4	1TENOKN0250	6/5/2017		1045	0.5	PHPHTN-A, FLR MTHD	EPA445.0	9.221100114	9.2	ug/l			1						
	5	1TENOKN0177	6/5/2017		1130	0.5	PHPHTN-A, FLR MTHD	EPA445.0	2.694681177	2.7	ug/l			1						
	6	1TENOKN0251	6/5/2017		0810	0.5	PHPHTN-A, FLR MTHD	EPA445.0	3.794343523	3.8	ug/l			1						
	3	1TENOKN0171	8/15/2017		0630	0.0	CHL A, FL, COR	EPA445.0	0	0	ug/l			1						
	1	1TENOKN0164	8/15/2017		1245	0.5	CHL A, FL, COR	EPA445.0	6.062385321	6.1	ug/l			1						
	2	1TENOKN0249	8/15/2017		1150	0.5	CHL A, FL, COR	EPA445.0	7.809174312	7.8	ug/l			1						
	3	1TENOKN0171	8/15/2017		1110	0.5	CHL A, FL, COR	EPA445.0	8.631192661	8.6	ug/l			1						
	3	1TENOKN0171	8/15/2017		1111	0.5	CHL A, FL, COR	EPA445.0	8.631192661	8.6	ug/l			1						
	4	1TENOKN0250	8/15/2017		1040	0.5	CHL A, FL, COR	EPA445.0	22.19449541	22.2	ug/l			1						
	5	1TENOKN0177	8/15/2017		0945	0.5	CHL A, FL, COR	EPA445.0	3.288073394	3.3	ug/l			1						
	6	1TENOKN0251	8/15/2017		0820	0.5	CHL A, FL, COR	EPA445.0	2.363302752	2.4	ug/l			1						
	3	1TENOKN0171	8/15/2017		0630	0.0	PHPHTN-A, FLR MTHD	EPA445.0	-2.217821782	-2.2	ug/l			1						
	1	1TENOKN0164	8/15/2017		1245	0.5	PHPHTN-A, FLR MTHD	EPA445.0	1.478208738	1.5	ug/l			1						
	2	1TENOKN0249	8/15/2017		1150	0.5	PHPHTN-A, FLR MTHD	EPA445.0	2.836370243	2.8	ug/l			1						
	3	1TENOKN0171	8/15/2017		1110	0.5	PHPHTN-A, FLR MTHD	EPA445.0	3.345044963	3.3	ug/l			1						
	3	1TENOKN0171	8/15/2017		1111	0.5	PHPHTN-A, FLR MTHD	EPA445.0	3.345044963	3.3	ug/l			1						
	4	1TENOKN0250	8/15/2017		1040	0.5	PHPHTN-A, FLR MTHD	EPA445.0	7.967880825	8	ug/l			1						
	5	1TENOKN0177	8/15/2017		0945	0.5	PHPHTN-A, FLR MTHD	EPA445.0	0.038659279	0	ug/l			1						
	6	1TENOKN0251	8/15/2017		0820	0.5	PHPHTN-A, FLR MTHD	EPA445.0	-3.472213643	-3.5	ug/l			1						
	4	1TENOKN0250	9/19/2017		0625	0.0	CHL A, FL, COR	EPA445.0	-0.059733333	-0.1	ug/l			1						
	1	1TENOKN0164	9/19/2017		1130	0.5	CHL A, FL, COR	EPA445.0	10.0352	10	ug/l			1						
	2	1TENOKN0249	9/19/2017		0855	0.5	CHL A, FL, COR	EPA445.0	9.1392	9.1	ug/l			1						
	3	1TENOKN0171	9/19/2017		1030	0.5	CHL A, FL, COR	EPA445.0	12.30506667	12.3	ug/l			1						
	4	1TENOKN0250	9/19/2017		0950	0.5	CHL A, FL, COR	EPA445.0	13.7984	13.8	ug/l			1						
	4	1TENOKN0250	9/19/2017		0951	0.5	CHL A, FL, COR	EPA445.0	13.91786667	13.9	ug/l			1						
	6	1TENOKN0251	9/19/2017		0810	0.5	CHL A, FL, COR	EPA445.0	1.015466667	1	ug/l			1						
	4	1TENOKN0250	9/19/2017		0625	0.0	PHPHTN-A, FLR MTHD	EPA445.0	-1.66334359	-1.7	ug/l			1						
	1	1TENOKN0164	9/19/2017		1130	0.5	PHPHTN-A, FLR MTHD	EPA445.0	2.887876923	2.9	ug/l			1						
	2	1TENOKN0249	9/19/2017		0855	0.5	PHPHTN-A, FLR MTHD	EPA445.0	3.496697436	3.5	ug/l			1						
	3	1TENOKN0171	9/19/2017		1030	0.5	PHPHTN-A, FLR MTHD	EPA445.0	4.925702564	4.9	ug/l			1						
	4	1TENOKN0250	9/19/2017		0950	0.5	PHPHTN-A, FLR MTHD	EPA445.0	6.016984615	6	ug/l			1						
	4	1TENOKN0250	9/19/2017		0951	0.5	PHPHTN-A, FLR MTHD	EPA445.0	6.041107692	6	ug/l			1						
	6	1TENOKN0251	9/19/2017		0810	0.5	PHPHTN-A, FLR MTHD	EPA445.0	1.569148718	1.6	ug/l			1						