

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Alkalinity, Tot.	146	mg/l	5	10	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Ammonia	0.183	mg/l	0.005	0.01	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Chloride	317	mg/l	2	6	20
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Hardness	322	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Total Kjeldahl Nitrogen	0.71	mg/l	0.07	0.14	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Nitrite+Nitrate	0.354	mg/l	0.006	0.02	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Phosphorus	0.155	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Silicon, Diss.	4.04	mg/l	0.005	0.05	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Silicon, Tot.	5.47	mg/l	0.005	0.05	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Sulfate	178	mg/l	2	6	20
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Calcium	81.3	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Iron	0.359	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Magnesium	28.9	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Potassium	5.78	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Sodium	185	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Arsenic	0.0028	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Barium	0.134	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Chromium	0.0039	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Copper	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Lead	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Manganese	0.0216	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Nickel	0.0046	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Selenium	0.0078	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Silver	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Zinc	0.0047	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Total Organic Carbon	7.94	mg/l	0.5	1	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Total Dissolved Solids	1000	mg/l	4.5	12.5	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Total Solids	1000	mg/l	4	10	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	Total Suspended Solids	2.25	mg/l	0.5	2.5	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Alkalinity, Tot.	173	mg/l	5	10	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Ammonia	0.274	mg/l	0.005	0.01	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Chloride	518	mg/l	2	6	20
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Hardness	468	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Total Kjeldahl Nitrogen	0.82	mg/l	0.07	0.14	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Nitrite+Nitrate	0.13	mg/l	0.006	0.02	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Phosphorus	0.178	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Silicon, Diss.	3.08	mg/l	0.005	0.05	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Silicon, Tot.	5.25	mg/l	0.005	0.05	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Sulfate	282	mg/l	2	6	20
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Calcium	116	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Iron	0.461	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Magnesium	43.3	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Potassium	7.34	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Sodium	320	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Arsenic	0.0038	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Barium	0.176	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Chromium	0.0044	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Copper	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Lead	0.0005	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Manganese	0.128	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Nickel	0.0059	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Selenium	0.0173	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Silver	0.0006	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Zinc	0.0037	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Total Organic Carbon	8.53	mg/l	0.5	1	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Total Dissolved Solids	1580	mg/l	4.8	14	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Total Solids	1590	mg/l	4	10	1
Texoma	TEX-3B	1TEXOKS0019	4/8/2019	1405	10.0	Total Suspended Solids	9.2	mg/l	0.8	4	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Alkalinity, Tot.	172	mg/l	5	10	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Ammonia	0.0995	mg/l	0.005	0.01	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Chloride	526	mg/l	2	6	20
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Hardness	471	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Total Kjeldahl Nitrogen	0.81	mg/l	0.07	0.14	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Nitrite+Nitrate	0.0919	mg/l	0.006	0.02	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Phosphorus	0.16	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Silicon, Diss.	2.63	mg/l	0.005	0.05	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Silicon, Tot.	3.42	mg/l	0.005	0.05	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Sulfate	292	mg/l	2	6	20
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Calcium	116	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Iron	0.222	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Magnesium	43.9	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Potassium	7.42	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Sodium	330	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Arsenic	0.0038	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Barium	0.169	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Chromium	0.0039	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Copper	0.0021	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Lead	0.00046	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Manganese	0.0839	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Nickel	0.006	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Selenium	0.0169	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Zinc	0.0034	mg/l	0.0002	0.001	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Total Organic Carbon	8.98	mg/l	0.5	1	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Total Dissolved Solids	1610	mg/l	6	20	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Total Solids	1630	mg/l	4	10	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	Total Suspended Solids	20	mg/l	2	10	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Alkalinity, Tot.	133	mg/l	5	10	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Ammonia	0.155	mg/l	0.005	0.01	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Chloride	251	mg/l	2	6	20
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Hardness	293	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Total Kjeldahl Nitrogen	0.64	mg/l	0.07	0.14	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Nitrite+Nitrate	0.194	mg/l	0.006	0.02	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Phosphorus	0.125	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Silicon, Diss.	3.38	mg/l	0.005	0.05	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Silicon, Tot.	4.3	mg/l	0.005	0.05	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Sulfate	157	mg/l	2	6	20
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Calcium	76.6	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Iron	0.294	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Magnesium	24.8	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Potassium	5.93	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Sodium	152	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Arsenic	0.0022	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Barium	0.106	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Chromium	0.003	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Copper	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Lead	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Manganese	0.0185	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Nickel	0.0049	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Selenium	0.008	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Zinc	0.0031	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Total Organic Carbon	7.31	mg/l	0.5	1	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Total Dissolved Solids	870	mg/l	4.57	12.9	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Total Solids	874	mg/l	4	10	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	Total Suspended Solids	4	mg/l	0.571	2.86	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Alkalinity, Tot.	151	mg/l	5	10	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Ammonia	0.138	mg/l	0.005	0.01	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Chloride	232	mg/l	2	6	20
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Hardness	314	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Total Kjeldahl Nitrogen	0.64	mg/l	0.07	0.14	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Nitrite+Nitrate	0.345	mg/l	0.006	0.02	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Phosphorus	0.136	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Silicon, Diss.	4.11	mg/l	0.005	0.05	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Silicon, Tot.	4.35	mg/l	0.005	0.05	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Sulfate	166	mg/l	2	6	20
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Calcium	80	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Iron	0.101	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Magnesium	27.7	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Potassium	5.54	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Sodium	139	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Arsenic	0.0025	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Barium	0.12	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Chromium	0.0032	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Copper	0.0016	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Manganese	0.0056	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Nickel	0.0043	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Selenium	0.0078	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Zinc	0.0037	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Total Organic Carbon	7.05	mg/l	0.5	1	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Total Dissolved Solids	870	mg/l	4.5	12.5	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Total Solids	872	mg/l	4	10	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	Total Suspended Solids	1.75	mg/l	0.5	2.5	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Alkalinity, Tot.	153	mg/l	5	10	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Ammonia	0.152	mg/l	0.005	0.01	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Chloride	351	mg/l	2	6	20
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Hardness	367	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Total Kjeldahl Nitrogen	0.64	mg/l	0.07	0.14	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Nitrite+Nitrate	0.471	mg/l	0.006	0.02	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Phosphorus	0.173	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Silicon, Diss.	4.1	mg/l	0.005	0.05	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Silicon, Tot.	6	mg/l	0.005	0.05	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Sulfate	201	mg/l	2	6	20
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Calcium	92.3	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Iron	0.407	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Magnesium	33.2	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Potassium	6.46	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Sodium	215	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Arsenic	0.0031	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Barium	0.15	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Chromium	0.0035	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Copper	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Lead	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Manganese	0.0882	mg/l	0.0002	0.001	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Nickel	0.0052	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Selenium	0.012	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Zinc	0.005	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Total Organic Carbon	7.73	mg/l	0.5	1	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Total Dissolved Solids	1150	mg/l	5	15	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Total Solids	1160	mg/l	4	10	1
Texoma	TEX-9B	1TEXOKS0013	4/8/2019	1245	17.0	Total Suspended Solids	8.5	mg/l	1	5	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Alkalinity, Tot.	156	mg/l	5	10	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Ammonia	0.0398	mg/l	0.005	0.01	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Chloride	186	mg/l	1	3	10
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Hardness	319	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Total Kjeldahl Nitrogen	0.45	mg/l	0.07	0.14	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Mercury	0.000013	mg/l	0.00001	0.00002	2
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Nitrite+Nitrate	0.341	mg/l	0.006	0.02	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Phosphorus	0.126	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Silicon, Diss.	4.35	mg/l	0.005	0.05	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Silicon, Tot.	4.4	mg/l	0.005	0.05	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Sulfate	169	mg/l	1	3	10
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Calcium	81.9	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Iron	0.0566	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Magnesium	27.8	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Potassium	4.97	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Sodium	118	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Arsenic	0.0007	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Barium	0.116	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Chromium	0.0088	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Copper	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Manganese	0.0042	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Nickel	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Selenium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Silver	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Zinc	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Total Organic Carbon	6.16	mg/l	0.5	1	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Total Dissolved Solids	748	mg/l	4.4	12	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Total Solids	748	mg/l	4	10	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	Total Suspended Solids	0.4	mg/l	0.4	2	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Alkalinity, Tot.	151	mg/l	5	10	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Ammonia	0.0462	mg/l	0.005	0.01	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Chloride	222	mg/l	1	3	10
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Hardness	315	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Total Kjeldahl Nitrogen	0.43	mg/l	0.07	0.14	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Mercury	0.000017	mg/l	0.00001	0.00002	2
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Nitrite+Nitrate	0.489	mg/l	0.006	0.02	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Phosphorus	0.136	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Silicon, Diss.	4.45	mg/l	0.005	0.05	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Silicon, Tot.	4.79	mg/l	0.005	0.05	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Sulfate	173	mg/l	1	3	10
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Calcium	81.3	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Iron	0.0866	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Magnesium	27.1	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Potassium	5.24	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Sodium	135	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Arsenic	0.0026	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Barium	0.12	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Chromium	0.0085	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Copper	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Manganese	0.023	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Nickel	0.0042	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Selenium	0.0079	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Zinc	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Total Organic Carbon	7.2	mg/l	0.5	1	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Total Dissolved Solids	815	mg/l	4.4	12	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Total Solids	818	mg/l	4	10	1
Texoma	TEX-17B	1TEXOKS0001	4/9/2019	1010	26.0	Total Suspended Solids	3	mg/l	0.4	2	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Alkalinity, Tot.	159	mg/l	5	10	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Ammonia	0.0254	mg/l	0.005	0.01	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Chloride	174	mg/l	1	3	10
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Hardness	315	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Total Kjeldahl Nitrogen	0.43	mg/l	0.07	0.14	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Nitrite+Nitrate	0.315	mg/l	0.006	0.02	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Phosphorus	0.12	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Silicon, Diss.	3.98	mg/l	0.005	0.05	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Silicon, Tot.	4.63	mg/l	0.005	0.05	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Sulfate	170	mg/l	1	3	10
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Calcium	81.1	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Iron	0.0623	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Magnesium	27.3	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Potassium	4.79	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Sodium	109	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Arsenic	0.0024	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Barium	0.111	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Chromium	0.0082	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Copper	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Manganese	0.0061	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Nickel	0.0044	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Selenium	0.006	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Zinc	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Total Organic Carbon	7.29	mg/l	0.5	1	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Total Dissolved Solids	734	mg/l	4.4	12	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Total Solids	736	mg/l	4	10	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	Total Suspended Solids	2.2	mg/l	0.4	2	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Alkalinity, Tot.	151	mg/l	5	10	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Ammonia	0.0397	mg/l	0.005	0.01	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Chloride	202	mg/l	1	3	10
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Hardness	314	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Total Kjeldahl Nitrogen	0.4	mg/l	0.07	0.14	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Mercury	0.000016	mg/l	0.00001	0.00002	2
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Nitrite+Nitrate	0.455	mg/l	0.006	0.02	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Phosphorus	0.135	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Silicon, Diss.	4.36	mg/l	0.005	0.05	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Silicon, Tot.	4.9	mg/l	0.005	0.05	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Sulfate	167	mg/l	1	3	10
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Calcium	81.2	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Iron	0.073	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Magnesium	27.1	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Potassium	5.24	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Sodium	126	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Arsenic	0.0026	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Barium	0.122	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Chromium	0.0085	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Copper	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Manganese	0.01	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Nickel	0.0045	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Selenium	0.0074	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Zinc	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Total Organic Carbon	6.98	mg/l	0.5	1	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Total Dissolved Solids	771	mg/l	4.4	12	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Total Solids	774	mg/l	4	10	1
Texoma	TEX-19B	1TEXOKS0004	4/9/2019	0755	21.0	Total Suspended Solids	2.6	mg/l	0.4	2	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Alkalinity, Tot.	200	mg/l	5	10	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Ammonia	0.124	mg/l	0.005	0.01	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Chloride	63.1	mg/l	1	3	10
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Hardness	349	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Total Kjeldahl Nitrogen	0.46	mg/l	0.07	0.14	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Nitrite+Nitrate	0.209	mg/l	0.006	0.02	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Phosphorus	0.115	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Silicon, Diss.	4.17	mg/l	0.005	0.05	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Silicon, Tot.	4.63	mg/l	0.005	0.05	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Sulfate	196	mg/l	1	3	10
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Calcium	88.9	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Iron	0.117	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Magnesium	30.8	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Potassium	3.6	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Sodium	47.5	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Arsenic	0.0023	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Barium	0.127	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Chromium	0.0112	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Copper	0.0016	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Manganese	0.0081	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Nickel	0.0049	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Selenium	0.0029	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Zinc	0.0024	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Total Organic Carbon	7.4	mg/l	0.5	1	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Total Dissolved Solids	614	mg/l	4.4	12	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Total Solids	616	mg/l	4	10	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	Total Suspended Solids	2.4	mg/l	0.4	2	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Alkalinity, Tot.	159	mg/l	5	10	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Ammonia	0.0549	mg/l	0.005	0.01	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Chloride	180	mg/l	1	3	10
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Hardness	320	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Total Kjeldahl Nitrogen	0.43	mg/l	0.07	0.14	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Nitrite+Nitrate	0.422	mg/l	0.006	0.02	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Phosphorus	0.14	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Silicon, Diss.	4.74	mg/l	0.005	0.05	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Silicon, Tot.	5.21	mg/l	0.005	0.05	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Sulfate	171	mg/l	1	3	10
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Calcium	82.6	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Iron	0.152	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Magnesium	27.6	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Potassium	4.86	mg/l	0.004	0.02	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Sodium	113	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Arsenic	0.0027	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Barium	0.124	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Chromium	0.0091	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Copper	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Manganese	0.0243	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Nickel	0.0044	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Selenium	0.0064	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Zinc	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Total Organic Carbon	6.63	mg/l	0.5	1	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Total Dissolved Solids	761	mg/l	4.8	14	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Total Solids	766	mg/l	4	10	1
Texoma	TEX-22B	1TEXOKS0007	4/9/2019	0840	15.0	Total Suspended Solids	5.2	mg/l	0.8	4	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Alkalinity, Tot.	222	mg/l	5	10	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Ammonia	0.0298	mg/l	0.005	0.01	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Chloride	61.9	mg/l	1	3	10
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Hardness	457	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Total Kjeldahl Nitrogen	0.52	mg/l	0.07	0.14	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Nitrite+Nitrate	0.201	mg/l	0.006	0.02	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Phosphorus	0.111	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Silicon, Diss.	4.52	mg/l	0.005	0.05	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Silicon, Tot.	4.55	mg/l	0.005	0.05	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Sulfate	273	mg/l	1	3	10
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Calcium	112	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Iron	0.101	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Magnesium	43.1	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Potassium	3.88	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Sodium	54.3	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Arsenic	0.0028	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Barium	0.144	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Chromium	0.0117	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Copper	0.0017	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Manganese	0.0173	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Nickel	0.0056	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Selenium	0.003	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Zinc	0.0016	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Total Organic Carbon	7	mg/l	0.5	1	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Total Dissolved Solids	756	mg/l	4.8	14	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Total Solids	764	mg/l	4	10	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	26.0	Total Suspended Solids	7.6	mg/l	0.8	4	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Alkalinity, Tot.	145	mg/l	5	10	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Ammonia	0.0416	mg/l	0.005	0.01	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Chloride	347	mg/l	2	6	20
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Hardness	391	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Total Kjeldahl Nitrogen	0.73	mg/l	0.07	0.14	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Nitrite+Nitrate	0.026	mg/l	0.006	0.02	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Phosphorus	0.191	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Silicon, Diss.	1.49	mg/l	0.005	0.05	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Silicon, Tot.	1.48	mg/l	0.005	0.05	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Sulfate	264	mg/l	2	6	20
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Calcium	101	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Iron	0.0347	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Magnesium	33.5	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Potassium	7.32	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Sodium	223	mg/l	0.01	0.05	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Arsenic	0.005	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Barium	0.16	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Copper	0.0027	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Lead	0.0067	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Manganese	0.0277	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Nickel	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Selenium	0.0033	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Silver	0.0008	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Zinc	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Total Organic Carbon	6.76	mg/l	0.5	1	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Total Dissolved Solids	1200	mg/l	5	15	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Total Solids	1200	mg/l	4	10	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	Total Suspended Solids	5	mg/l	1	5	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Alkalinity, Tot.	149	mg/l	5	10	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Ammonia	0.204	mg/l	0.005	0.01	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Chloride	496	mg/l	2	6	20
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Hardness	479	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Total Kjeldahl Nitrogen	0.71	mg/l	0.07	0.14	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Orthophosphate	0.0577	mg/l	0.01	0.03	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Phosphorus	0.24	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Silicon, Diss.	2.39	mg/l	0.005	0.05	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Silicon, Tot.	3.31	mg/l	0.005	0.05	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Sulfate	347	mg/l	2	6	20

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Calcium	120	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Iron	0.234	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Magnesium	43.3	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Potassium	8.11	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Sodium	324	mg/l	0.01	0.05	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Arsenic	0.0063	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Barium	0.175	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Chromium	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Copper	0.0036	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Lead	0.0047	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Manganese	0.168	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Nickel	0.0024	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Selenium	0.0051	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Silver	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Zinc	0.0025	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Total Organic Carbon	6.64	mg/l	0.5	1	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Total Dissolved Solids	1600	mg/l	6	20	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Total Solids	1620	mg/l	4	10	1
Texoma	TEX-3B	1TEXOKS0019	7/30/2019	1145	12.0	Total Suspended Solids	14	mg/l	2	10	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Alkalinity, Tot.	146	mg/l	5	10	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Ammonia	0.109	mg/l	0.005	0.01	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Chloride	474	mg/l	2	6	20
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Hardness	463	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Total Kjeldahl Nitrogen	0.81	mg/l	0.07	0.14	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Nitrite+Nitrate	0.095	mg/l	0.006	0.02	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Phosphorus	0.207	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Silicon, Diss.	1.78	mg/l	0.005	0.05	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Silicon, Tot.	2.18	mg/l	0.005	0.05	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Sulfate	335	mg/l	2	6	20
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Calcium	116	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Iron	0.128	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Magnesium	42.1	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Potassium	7.94	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Sodium	304	mg/l	0.01	0.05	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Arsenic	0.0059	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Barium	0.168	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Chromium	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Copper	0.0036	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Lead	0.0021	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Manganese	0.0708	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Nickel	0.0022	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Selenium	0.0051	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Silver	0.0006	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Zinc	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Total Organic Carbon	6.86	mg/l	0.5	1	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Total Dissolved Solids	1580	mg/l	6	20	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Total Solids	1590	mg/l	4	10	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	Total Suspended Solids	14	mg/l	2	10	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Alkalinity, Tot.	147	mg/l	5	10	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Ammonia	0.066	mg/l	0.005	0.01	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Chloride	325	mg/l	2	6	20
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Hardness	369	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Total Kjeldahl Nitrogen	0.63	mg/l	0.07	0.14	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Orthophosphate	0.0218	mg/l	0.01	0.03	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Phosphorus	0.194	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Silicon, Diss.	1.62	mg/l	0.005	0.05	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Silicon, Tot.	1.77	mg/l	0.005	0.05	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Sulfate	234	mg/l	2	6	20
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Calcium	97.1	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Iron	0.121	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Magnesium	30.6	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Potassium	7.45	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Sodium	206	mg/l	0.01	0.05	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Arsenic	0.0057	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Barium	0.149	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Chromium	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Copper	0.0025	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Lead	0.001	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Manganese	0.0477	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Nickel	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Selenium	0.0032	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Silver	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Zinc	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Total Organic Carbon	6.52	mg/l	0.5	1	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Total Dissolved Solids	1130	mg/l	5.33	16.7	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Total Solids	1140	mg/l	4	10	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	Total Suspended Solids	10	mg/l	1.33	6.67	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Alkalinity, Tot.	142	mg/l	5	10	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Ammonia	0.0491	mg/l	0.005	0.01	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Chloride	221	mg/l	2	6	20
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Hardness	350	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Total Kjeldahl Nitrogen	0.52	mg/l	0.07	0.14	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Nitrite+Nitrate	0.0215	mg/l	0.006	0.02	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Phosphorus	0.156	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Silicon, Diss.	1.45	mg/l	0.005	0.05	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Silicon, Tot.	1.54	mg/l	0.005	0.05	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Sulfate	221	mg/l	2	6	20
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Calcium	90.7	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Iron	0.0225	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Magnesium	30.1	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Potassium	6.66	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Sodium	149	mg/l	0.01	0.05	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Arsenic	0.0042	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Barium	0.147	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Chromium	0.00033	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Copper	0.0023	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Lead	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Manganese	0.0113	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Nickel	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Selenium	0.0026	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Zinc	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Total Organic Carbon	6.48	mg/l	0.5	1	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Total Dissolved Solids	911	mg/l	4.67	13.3	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Total Solids	916	mg/l	4	10	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	Total Suspended Solids	4.67	mg/l	0.667	3.33	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Alkalinity, Tot.	150	mg/l	5	10	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Ammonia	0.261	mg/l	0.005	0.01	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Chloride	448	mg/l	2	6	20
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Hardness	460	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Total Kjeldahl Nitrogen	0.73	mg/l	0.07	0.14	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Orthophosphate	0.0385	mg/l	0.01	0.03	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Phosphorus	0.226	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Silicon, Diss.	2.48	mg/l	0.005	0.05	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Silicon, Tot.	2.83	mg/l	0.005	0.05	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Sulfate	325	mg/l	2	6	20
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Calcium	115	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Iron	0.162	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Magnesium	41.8	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Potassium	7.62	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Sodium	280	mg/l	0.01	0.05	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Arsenic	0.0065	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Barium	0.191	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Chromium	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Copper	0.0032	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Lead	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Manganese	0.265	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Nickel	0.0016	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Selenium	0.0045	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Silver	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Zinc	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Total Organic Carbon	6.12	mg/l	0.5	1	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Total Dissolved Solids	1490	mg/l	5.33	16.7	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Total Solids	1500	mg/l	4	10	1
Texoma	TEX-9B	1TEXOKS0013	7/30/2019	1325	18.0	Total Suspended Solids	10.7	mg/l	1.33	6.67	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Alkalinity, Tot.	141	mg/l	5	10	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Ammonia	0.0415	mg/l	0.005	0.01	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Chloride	170	mg/l	1	3	10
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Hardness	351	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Total Kjeldahl Nitrogen	0.5	mg/l	0.07	0.14	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Nitrite+Nitrate	0.0143	mg/l	0.006	0.02	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Phosphorus	0.19	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Silicon, Diss.	2.07	mg/l	0.005	0.05	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Silicon, Tot.	2.16	mg/l	0.005	0.05	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Sulfate	219	mg/l	1	3	10
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Calcium	89.7	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Iron	0.013	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Magnesium	30.8	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Potassium	6.48	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Sodium	121	mg/l	0.01	0.05	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Arsenic	0.004	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Barium	0.15	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Copper	0.0021	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Lead	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Manganese	0.0046	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Nickel	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Selenium	0.0025	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Silver	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Zinc	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Total Organic Carbon	6.2	mg/l	0.5	1	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Total Dissolved Solids	802	mg/l	4.67	13.3	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Total Solids	806	mg/l	4	10	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	Total Suspended Solids	4	mg/l	0.667	3.33	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Alkalinity, Tot.	148	mg/l	5	10	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Ammonia	0.332	mg/l	0.005	0.01	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Chloride	229	mg/l	1	3	10
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Hardness	349	mgeqCaCO3/L	0.0265	0.132	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Total Kjeldahl Nitrogen	0.75	mg/l	0.07	0.14	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Nitrite+Nitrate	0.0132	mg/l	0.006	0.02	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Phosphorus	0.407	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Silicon, Diss.	5.05	mg/l	0.005	0.05	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Silicon, Tot.	5.25	mg/l	0.005	0.05	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Sulfate	202	mg/l	1	3	10
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Calcium	92.7	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Iron	0.0336	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Magnesium	28.5	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Potassium	7.13	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Sodium	166	mg/l	0.01	0.05	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Arsenic	0.0058	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Barium	0.151	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Copper	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Lead	0.0005	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Manganese	0.508	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Nickel	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Selenium	0.0027	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Silver	0.0007	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Zinc	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Total Organic Carbon	5.98	mg/l	0.5	1	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Total Dissolved Solids	910	mg/l	4.36	11.8	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Total Solids	912	mg/l	4	10	1
Texoma	TEX-17B	1TEXOKS0001	7/31/2019	1025	23.0	Total Suspended Solids	2.18	mg/l	0.364	1.82	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Alkalinity, Tot.	148	mg/l	5	10	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Ammonia	0.0419	mg/l	0.005	0.01	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Chloride	163	mg/l	1	3	10
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Hardness	370	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Total Kjeldahl Nitrogen	0.45	mg/l	0.07	0.14	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Orthophosphate	0.0202	mg/l	0.01	0.03	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Phosphorus	0.209	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Silicon, Diss.	2.39	mg/l	0.005	0.05	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Silicon, Tot.	2.51	mg/l	0.005	0.05	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Sulfate	229	mg/l	1	3	10
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Calcium	93.5	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Iron	0.0201	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Magnesium	33.1	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Potassium	6.56	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Sodium	119	mg/l	0.01	0.05	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Arsenic	0.0039	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Barium	0.147	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Copper	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Lead	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Manganese	0.0087	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Nickel	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Selenium	0.0021	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Silver	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Zinc	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Total Organic Carbon	5.85	mg/l	0.5	1	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Total Dissolved Solids	819	mg/l	4.5	12.5	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Total Solids	822	mg/l	4	10	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	Total Suspended Solids	2.75	mg/l	0.5	2.5	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Alkalinity, Tot.	146	mg/l	5	10	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Ammonia	0.243	mg/l	0.005	0.01	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Chloride	204	mg/l	1	3	10
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Hardness	355	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Total Kjeldahl Nitrogen	0.64	mg/l	0.07	0.14	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Nitrite+Nitrate	0.149	mg/l	0.006	0.02	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Orthophosphate	0.128	mg/l	0.01	0.03	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Phosphorus	0.312	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Silicon, Diss.	4.47	mg/l	0.005	0.05	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Silicon, Tot.	4.25	mg/l	0.005	0.05	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Sulfate	211	mg/l	1	3	10
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Calcium	92.8	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Iron	0.0439	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Magnesium	30	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Potassium	6.83	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Sodium	148	mg/l	0.01	0.05	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Arsenic	0.0052	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Barium	0.155	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Copper	0.0019	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Lead	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Manganese	0.257	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Nickel	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Selenium	0.0023	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Silver	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Zinc	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Total Organic Carbon	5.73	mg/l	0.5	1	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Total Dissolved Solids	911	mg/l	4.5	12.5	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Total Solids	914	mg/l	4	10	1
Texoma	TEX-19B	1TEXOKS0004	7/31/2019	0945	21.0	Total Suspended Solids	3.25	mg/l	0.5	2.5	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Alkalinity, Tot.	146	mg/l	5	10	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Ammonia	0.0359	mg/l	0.005	0.01	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Chloride	149	mg/l	1	3	10
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Hardness	374	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Total Kjeldahl Nitrogen	0.53	mg/l	0.07	0.14	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Nitrite+Nitrate	0.0218	mg/l	0.006	0.02	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Orthophosphate	0.0102	mg/l	0.01	0.03	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Phosphorus	0.205	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Silicon, Diss.	2.51	mg/l	0.005	0.05	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Silicon, Tot.	2.65	mg/l	0.005	0.05	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Sulfate	241	mg/l	1	3	10
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Calcium	93.1	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Iron	0.0149	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Magnesium	34.3	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Potassium	6.33	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Sodium	109	mg/l	0.01	0.05	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Arsenic	0.0039	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Barium	0.151	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Copper	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Lead	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Manganese	0.0061	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Nickel	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Selenium	0.0021	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Zinc	0.0022	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Total Organic Carbon	5.78	mg/l	0.5	1	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Total Dissolved Solids	826	mg/l	4.5	12.5	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Total Solids	830	mg/l	4	10	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	Total Suspended Solids	4	mg/l	0.5	2.5	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Alkalinity, Tot.	162	mg/l	5	10	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Ammonia	0.444	mg/l	0.005	0.01	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Chloride	150	mg/l	1	3	10
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Hardness	411	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Total Kjeldahl Nitrogen	0.94	mg/l	0.07	0.14	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Nitrite+Nitrate	0.0106	mg/l	0.006	0.02	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Orthophosphate	0.168	mg/l	0.01	0.03	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Phosphorus	0.445	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Silicon, Diss.	4.99	mg/l	0.005	0.05	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Silicon, Tot.	5.6	mg/l	0.005	0.05	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Sulfate	251	mg/l	1	3	10
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Calcium	99.5	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Iron	0.401	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Magnesium	39.5	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Potassium	6.42	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Sodium	111	mg/l	0.01	0.05	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Arsenic	0.0075	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Barium	0.178	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Chromium	0.00036	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Copper	0.0017	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Lead	0.0006	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Manganese	0.806	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Nickel	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Selenium	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Zinc	0.0022	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Total Organic Carbon	6.24	mg/l	0.5	1	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Total Dissolved Solids	876	mg/l	6	20	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Total Solids	896	mg/l	4	10	1
Texoma	TEX-22B	1TEXOKS0007	7/31/2019	0850	20.0	Total Suspended Solids	20	mg/l	2	10	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Alkalinity, Tot.	157	mg/l	5	10	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Ammonia	0.0777	mg/l	0.005	0.01	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Chloride	115	mg/l	1	3	10
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Hardness	439	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Total Kjeldahl Nitrogen	0.56	mg/l	0.07	0.14	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Nitrite+Nitrate	0.0353	mg/l	0.006	0.02	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Phosphorus	0.206	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Silicon, Diss.	3.49	mg/l	0.005	0.05	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Silicon, Tot.	3.59	mg/l	0.005	0.05	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Sulfate	293	mg/l	1	3	10
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Calcium	105	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Iron	0.0329	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Magnesium	43.1	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Potassium	6.24	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Sodium	92.9	mg/l	0.01	0.05	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Arsenic	0.0039	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Barium	0.156	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Copper	0.0017	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Lead	0.00023	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Manganese	0.0117	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Nickel	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Selenium	0.0019	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Zinc	0.0045	mg/l	0.0002	0.001	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Total Organic Carbon	5.6	mg/l	0.5	1	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Total Dissolved Solids	849	mg/l	4.8	14	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Total Solids	854	mg/l	4	10	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	Total Suspended Solids	4.8	mg/l	0.8	4	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Alkalinity, Tot.	123	mg/l	5	10	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Ammonia	0.177	mg/l	0.005	0.01	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Chloride	404	mg/l	1	3	10
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Hardness	441	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Total Kjeldahl Nitrogen	0.71	mg/l	0.07	0.14	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Mercury	0.000021	mg/l	0.00001	0.00002	2
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Phosphorus	0.138	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Silicon, Diss.	2.49	mg/l	0.005	0.05	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Silicon, Tot.	4.25	mg/l	0.005	0.05	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Sulfate	311	mg/l	1	3	10
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Calcium	104	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Iron	0.226	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Magnesium	44.4	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Potassium	7.13	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Sodium	264	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Arsenic	0.0045	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Barium	0.163	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Chromium	0.0007	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Copper	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Lead	0.0007	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Manganese	0.0702	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Nickel	0.0033	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Selenium	0.003	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Silver	0.0006	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Zinc	0.0022	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Total Organic Carbon	8.69	mg/l	0.5	1	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Total Dissolved Solids	1460	mg/l	6.67	23.3	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Total Solids	1490	mg/l	4	10	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	Total Suspended Solids	29.3	mg/l	2.67	13.3	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Alkalinity, Tot.	125	mg/l	5	10	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Ammonia	0.152	mg/l	0.005	0.01	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Chloride	330	mg/l	1	3	10
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Hardness	392	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Total Kjeldahl Nitrogen	0.76	mg/l	0.07	0.14	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Mercury	0.000015	mg/l	0.00001	0.00002	2
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Nitrite+Nitrate	0.00947	mg/l	0.006	0.02	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Phosphorus	0.126	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Silicon, Diss.	1.9	mg/l	0.005	0.05	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Silicon, Tot.	2.03	mg/l	0.005	0.05	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Sulfate	272	mg/l	1	3	10
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Calcium	94.4	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Iron	0.0442	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Magnesium	37.9	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Potassium	6.92	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Sodium	203	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Arsenic	0.0042	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Barium	0.15	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Chromium	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Copper	0.001	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Manganese	0.0401	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Nickel	0.0028	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Selenium	0.0025	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Zinc	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Total Organic Carbon	8.52	mg/l	0.5	1	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Total Dissolved Solids	1230	mg/l	5	15	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Total Solids	1240	mg/l	4	10	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	Total Suspended Solids	8	mg/l	1	5	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Alkalinity, Tot.	125	mg/l	5	10	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Ammonia	0.237	mg/l	0.005	0.01	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Chloride	375	mg/l	1	3	10
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Hardness	420	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Total Kjeldahl Nitrogen	0.75	mg/l	0.07	0.14	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Mercury	0.000012	mg/l	0.00001	0.00002	2
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Nitrite+Nitrate	0.00857	mg/l	0.006	0.02	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Phosphorus	0.135	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Silicon, Diss.	2.52	mg/l	0.005	0.05	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Silicon, Tot.	2.67	mg/l	0.005	0.05	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Sulfate	297	mg/l	1	3	10
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Calcium	100	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Iron	0.104	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Magnesium	41	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Potassium	7.02	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Sodium	238	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Arsenic	0.0046	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Barium	0.157	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Chromium	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Copper	0.001	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Lead	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Manganese	0.0867	mg/l	0.0002	0.001	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Nickel	0.003	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Selenium	0.003	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Zinc	0.001	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Total Organic Carbon	5.85	mg/l	0.5	1	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Total Dissolved Solids	1400	mg/l	6	20	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Total Solids	1410	mg/l	4	10	1
Texoma	TEX-3B	1TEXOKS0019	8/26/2019	1405	11.0	Total Suspended Solids	9	mg/l	2	10	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Alkalinity, Tot.	145	mg/l	5	10	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Ammonia	0.0714	mg/l	0.005	0.01	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Chloride	307	mg/l	1	3	10
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Hardness	379	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Total Kjeldahl Nitrogen	0.66	mg/l	0.07	0.14	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Mercury	0.000015	mg/l	0.00001	0.00002	2
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Nitrite+Nitrate	0.00842	mg/l	0.006	0.02	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Phosphorus	0.161	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Silicon, Diss.	2.31	mg/l	0.005	0.05	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Silicon, Tot.	2.5	mg/l	0.005	0.05	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Sulfate	238	mg/l	1	3	10
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Calcium	96.4	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Iron	0.121	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Magnesium	33.6	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Potassium	7.25	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Sodium	188	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Arsenic	0.0053	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Barium	0.154	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Chromium	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Copper	0.00088	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Manganese	0.0848	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Nickel	0.003	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Selenium	0.0023	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Zinc	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Total Organic Carbon	6.08	mg/l	0.5	1	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Total Dissolved Solids	1170	mg/l	5.33	16.7	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Total Solids	1180	mg/l	4	10	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	Total Suspended Solids	8	mg/l	1.33	6.67	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Alkalinity, Tot.	133	mg/l	5	10	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Ammonia	0.0504	mg/l	0.005	0.01	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Chloride	242	mg/l	1	3	10
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Hardness	360	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Total Kjeldahl Nitrogen	0.58	mg/l	0.07	0.14	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Mercury	0.000012	mg/l	0.00001	0.00002	2
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Nitrite+Nitrate	0.00666	mg/l	0.006	0.02	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Phosphorus	0.108	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Silicon, Diss.	1.69	mg/l	0.005	0.05	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Silicon, Tot.	1.71	mg/l	0.005	0.05	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Sulfate	239	mg/l	1	3	10
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Calcium	89	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Iron	0.0192	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Magnesium	33.5	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Potassium	6.68	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Sodium	156	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Arsenic	0.0038	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Barium	0.148	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Chromium	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Copper	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Manganese	0.019	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Nickel	0.0028	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Selenium	0.0022	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Zinc	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Total Organic Carbon	6.32	mg/l	0.5	1	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Total Dissolved Solids	1020	mg/l	4.8	14	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Total Solids	1030	mg/l	4	10	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	Total Suspended Solids	4	mg/l	0.8	4	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Alkalinity, Tot.	152	mg/l	5	10	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Ammonia	0.595	mg/l	0.005	0.01	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Chloride	339	mg/l	1	3	10
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Hardness	419	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Total Kjeldahl Nitrogen	1.12	mg/l	0.07	0.14	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Mercury	0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Orthophosphate	0.0472	mg/l	0.01	0.03	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Phosphorus	0.323	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Silicon, Diss.	3.01	mg/l	0.005	0.05	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Silicon, Tot.	3.24	mg/l	0.005	0.05	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Sulfate	268	mg/l	1	3	10
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Calcium	105	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Iron	0.12	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Magnesium	38.3	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Potassium	7.18	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Sodium	214	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Arsenic	0.006	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Barium	0.18	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Chromium	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Copper	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Manganese	0.646	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Nickel	0.0028	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Selenium	0.0021	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Zinc	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Total Organic Carbon	8.48	mg/l	0.5	1	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Total Dissolved Solids	1300	mg/l	5.33	16.7	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Total Solids	1310	mg/l	4	10	1
Texoma	TEX-9B	1TEXOKS0013	8/26/2019	1245	17.0	Total Suspended Solids	6.67	mg/l	1.33	6.67	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Alkalinity, Tot.	141	mg/l	5	10	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Ammonia	0.0698	mg/l	0.005	0.01	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Chloride	217	mg/l	1	3	10
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Hardness	365	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Total Kjeldahl Nitrogen	0.45	mg/l	0.07	0.14	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Mercury	0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Phosphorus	0.098	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Silicon, Diss.	1.96	mg/l	0.005	0.05	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Silicon, Tot.	1.94	mg/l	0.005	0.05	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Sulfate	263	mg/l	1	3	10
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Calcium	91.1	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Iron	0.0179	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Magnesium	33.4	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Potassium	6.31	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Sodium	118	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Arsenic	0.0049	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Barium	0.151	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Chromium	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Copper	0.0257	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Lead	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Manganese	0.0073	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Nickel	0.0027	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Selenium	0.0017	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Silver	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Zinc	0.0217	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Total Organic Carbon	6.39	mg/l	0.5	1	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Total Dissolved Solids	865	mg/l	4.8	14	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Total Solids	868	mg/l	4	10	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	Total Suspended Solids	2.8	mg/l	0.8	4	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Alkalinity, Tot.	159	mg/l	5	10	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Ammonia	0.82	mg/l	0.005	0.01	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Chloride	284	mg/l	1	3	10
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Hardness	370	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Total Kjeldahl Nitrogen	1.08	mg/l	0.07	0.14	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Nitrite+Nitrate	0.00884	mg/l	0.006	0.02	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Orthophosphate	0.273	mg/l	0.01	0.03	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Phosphorus	0.408	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Silicon, Diss.	4.48	mg/l	0.005	0.05	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Silicon, Tot.	4.52	mg/l	0.005	0.05	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Sulfate	257	mg/l	1	3	10
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Calcium	94.8	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Iron	0.0377	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Magnesium	32.4	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Potassium	6.77	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Sodium	154	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Arsenic	0.0072	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Barium	0.167	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Copper	0.0006	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Manganese	0.549	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Nickel	0.0026	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Selenium	0.0016	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Zinc	0.0038	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Total Organic Carbon	8.31	mg/l	0.5	1	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Total Dissolved Solids	983	mg/l	4.4	12	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Total Solids	984	mg/l	4	10	1
Texoma	TEX-17B	1TEXOKS0001	8/27/2019	1020	22.0	Total Suspended Solids	1.2	mg/l	0.4	2	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Alkalinity, Tot.	140	mg/l	5	10	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Ammonia	0.0659	mg/l	0.005	0.01	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Chloride	212	mg/l	1	3	10
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Hardness	361	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Total Kjeldahl Nitrogen	0.5	mg/l	0.07	0.14	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Mercury	0.000011	mg/l	0.00001	0.00002	2
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Phosphorus	0.102	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Silicon, Diss.	2.07	mg/l	0.005	0.05	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Silicon, Tot.	2.11	mg/l	0.005	0.05	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Sulfate	268	mg/l	1	3	10
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Calcium	89.3	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Iron	0.0269	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Magnesium	33.5	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Potassium	6.23	mg/l	0.004	0.02	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Sodium	117	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Arsenic	0.0049	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Barium	0.152	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Chromium	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Copper	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Manganese	0.0088	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Nickel	0.0027	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Selenium	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Zinc	0.0038	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Total Organic Carbon	6.29	mg/l	0.5	1	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Total Dissolved Solids	874	mg/l	4.8	14	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Total Solids	878	mg/l	4	10	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	Total Suspended Solids	4	mg/l	0.8	4	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Alkalinity, Tot.	157	mg/l	5	10	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Ammonia	0.681	mg/l	0.005	0.01	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Chloride	285	mg/l	1	3	10
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Hardness	377	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Total Kjeldahl Nitrogen	0.96	mg/l	0.07	0.14	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Mercury	0.000014	mg/l	0.00001	0.00002	2
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Orthophosphate	0.223	mg/l	0.01	0.03	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Phosphorus	0.352	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Silicon, Diss.	4.08	mg/l	0.005	0.05	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Silicon, Tot.	4.07	mg/l	0.005	0.05	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Sulfate	261	mg/l	1	3	10
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Calcium	96.4	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Iron	0.0349	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Magnesium	33	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Potassium	6.74	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Sodium	155	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Arsenic	0.007	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Barium	0.162	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Copper	0.0006	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Manganese	0.436	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Nickel	0.0026	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Selenium	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Zinc	0.004	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Total Organic Carbon	8.05	mg/l	0.5	1	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Total Dissolved Solids	1020	mg/l	4.4	12	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Total Solids	1020	mg/l	4	10	1
Texoma	TEX-19B	1TEXOKS0004	8/27/2019	1055	22.0	Total Suspended Solids	1.6	mg/l	0.4	2	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Alkalinity, Tot.	138	mg/l	5	10	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Ammonia	0.0622	mg/l	0.005	0.01	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Chloride	170	mg/l	1	3	10
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Hardness	389	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Total Kjeldahl Nitrogen	0.47	mg/l	0.07	0.14	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Mercury	0.000016	mg/l	0.00001	0.00002	2
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Phosphorus	0.102	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Silicon, Diss.	2.85	mg/l	0.005	0.05	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Silicon, Tot.	2.93	mg/l	0.005	0.05	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Sulfate	305	mg/l	1	3	10
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Calcium	91.3	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Iron	0.0203	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Magnesium	39.2	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Potassium	5.96	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Sodium	97.7	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Arsenic	0.0046	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Barium	0.152	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Chromium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Copper	0.001	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Manganese	0.0157	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Nickel	0.0025	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Selenium	0.0017	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Zinc	0.0038	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Total Organic Carbon	5.7	mg/l	0.5	1	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Total Dissolved Solids	830	mg/l	4.8	14	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Total Solids	834	mg/l	4	10	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	Total Suspended Solids	4.4	mg/l	0.8	4	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Alkalinity, Tot.	155	mg/l	5	10	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Ammonia	0.446	mg/l	0.005	0.01	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Chloride	212	mg/l	1	3	10
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Hardness	386	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Total Kjeldahl Nitrogen	0.83	mg/l	0.07	0.14	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Mercury	0.000047	mg/l	0.00001	0.00002	2
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Orthophosphate	0.145	mg/l	0.01	0.03	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Phosphorus	0.208	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Silicon, Diss.	3.59	mg/l	0.005	0.05	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Silicon, Tot.	3.7	mg/l	0.005	0.05	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Sulfate	279	mg/l	1	3	10

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Calcium	95.1	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Iron	0.0806	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Magnesium	36	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Potassium	6.22	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Sodium	119	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Arsenic	0.0062	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Barium	0.165	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Chromium	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Copper	0.0008	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Manganese	0.321	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Nickel	0.0027	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Selenium	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Zinc	0.0048	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Total Organic Carbon	8.04	mg/l	0.5	1	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Total Dissolved Solids	898	mg/l	5.25	16.2	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Total Solids	904	mg/l	4	10	1
Texoma	TEX-22B	1TEXOKS0007	8/27/2019	0915	16.0	Total Suspended Solids	6.25	mg/l	1.25	6.25	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Alkalinity, Tot.	145	mg/l	5	10	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Ammonia	0.0719	mg/l	0.005	0.01	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Chloride	146	mg/l	1	3	10
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Hardness	441	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Total Kjeldahl Nitrogen	0.54	mg/l	0.07	0.14	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Mercury	0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Phosphorus	0.113	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Silicon, Diss.	3.51	mg/l	0.005	0.05	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Silicon, Tot.	3.6	mg/l	0.005	0.05	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Sulfate	349	mg/l	1	3	10
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Calcium	99.2	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Iron	0.0565	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Magnesium	47	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Potassium	5.87	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Sodium	90.4	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Arsenic	0.0046	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Barium	0.16	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Chromium	0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Copper	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Manganese	0.0335	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Nickel	0.0028	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Selenium	0.0017	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Zinc	0.0057	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Total Organic Carbon	7.48	mg/l	0.5	1	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Total Dissolved Solids	898	mg/l	5	15	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Total Solids	906	mg/l	4	10	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	Total Suspended Solids	7.5	mg/l	1	5	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Alkalinity, Tot.	138	mg/l	5	10	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Ammonia	0.0234	mg/l	0.005	0.01	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Chloride	241	mg/l	2	6	20
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Hardness	359	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Total Kjeldahl Nitrogen	0.49	mg/l	0.07	0.14	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Nitrite+Nitrate	0.00619	mg/l	0.006	0.02	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Phosphorus	0.121	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Silicon, Diss.	1.94	mg/l	0.005	0.05	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Silicon, Tot.	2.04	mg/l	0.005	0.05	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Sulfate	269	mg/l	2	6	20
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Calcium	89.7	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Iron	0.0059	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Magnesium	32.8	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Potassium	6.27	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Sodium	134	mg/l	0.004	0.02	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Arsenic	0.0057	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Barium	0.15	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Chromium	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Copper	0.0009	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Manganese	0.0067	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Nickel	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Selenium	0.0019	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Silver	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Zinc	0.0007	mg/l	0.0002	0.001	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Total Organic Carbon	6.34	mg/l	0.5	1	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Total Dissolved Solids	924	mg/l	4.4	12	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Total Solids	926	mg/l	4	10	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	Total Suspended Solids	2.4	mg/l	0.4	2	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Alkalinity, Tot.	149	mg/l	5	10	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Ammonia	0.445	mg/l	0.005	0.01	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Chloride	271	mg/l	2	6	20
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Hardness	371	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Total Kjeldahl Nitrogen	0.92	mg/l	0.07	0.14	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Orthophosphate	0.332	mg/l	0.01	0.03	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Phosphorus	0.503	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Silicon, Diss.	4.8	mg/l	0.005	0.05	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Silicon, Tot.	4.79	mg/l	0.005	0.05	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Sulfate	261	mg/l	2	6	20
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Calcium	95.3	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Iron	0.0587	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Magnesium	32.2	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Potassium	6.71	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Sodium	163	mg/l	0.004	0.02	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Arsenic	0.008	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Barium	0.166	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Chromium	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Copper	0.0004	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Manganese	0.533	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Nickel	0.0077	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Selenium	0.0017	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Zinc	0.0006	mg/l	0.0002	0.001	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Total Organic Carbon	7.84	mg/l	0.5	1	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Total Dissolved Solids	975	mg/l	4.4	12	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Total Solids	976	mg/l	4	10	1
Texoma	TEX-17B	1TEXOKS0001	9/9/2019	1410	26.0	Total Suspended Solids	1.4	mg/l	0.4	2	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Alkalinity, Tot.	126	mg/l	5	10	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Ammonia	0.0211	mg/l	0.005	0.01	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Chloride	230	mg/l	2	6	20
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Hardness	357	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Total Kjeldahl Nitrogen	0.49	mg/l	0.07	0.14	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Nitrite+Nitrate	0.485	mg/l	0.006	0.02	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Phosphorus	0.111	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Silicon, Diss.	2.01	mg/l	0.005	0.05	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Silicon, Tot.	2.11	mg/l	0.005	0.05	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Sulfate	276	mg/l	2	6	20
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Calcium	86.4	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Iron	0.0064	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Magnesium	34.3	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Potassium	6.33	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Sodium	128	mg/l	0.004	0.02	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Arsenic	0.0057	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Barium	0.143	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Chromium	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Copper	0.0009	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Manganese	0.0056	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Nickel	0.0035	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Selenium	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Zinc	0.0008	mg/l	0.0002	0.001	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Total Organic Carbon	6.58	mg/l	0.5	1	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Total Dissolved Solids	930	mg/l	4.8	14	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Total Solids	934	mg/l	4	10	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	Total Suspended Solids	4	mg/l	0.8	4	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Alkalinity, Tot.	159	mg/l	5	10	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Ammonia	0.622	mg/l	0.005	0.01	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Chloride	263	mg/l	2	6	20
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Hardness	380	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Total Kjeldahl Nitrogen	1.15	mg/l	0.07	0.14	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Nitrite+Nitrate	0.07	mg/l	0.006	0.02	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Orthophosphate	0.189	mg/l	0.01	0.03	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Phosphorus	0.377	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Silicon, Diss.	4.06	mg/l	0.005	0.05	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Silicon, Tot.	3.96	mg/l	0.005	0.05	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Sulfate	264	mg/l	2	6	20
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Calcium	96.2	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Iron	0.0752	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Magnesium	33.9	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Potassium	6.56	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Sodium	154	mg/l	0.004	0.02	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Arsenic	0.008	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Barium	0.166	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Chromium	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Copper	0.0005	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Manganese	0.506	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Nickel	0.0086	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Selenium	0.0016	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Zinc	0.00068	mg/l	0.0002	0.001	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Total Organic Carbon	5.86	mg/l	0.5	1	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Total Dissolved Solids	987	mg/l	4.44	12.2	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Total Solids	988	mg/l	4	10	1
Texoma	TEX-19B	1TEXOKS0004	9/9/2019	1315	20.0	Total Suspended Solids	1.33	mg/l	0.444	2.22	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Alkalinity, Tot.	127	mg/l	5	10	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Ammonia	0.0397	mg/l	0.005	0.01	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Chloride	197	mg/l	2	6	20
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Hardness	364	mgeqCaCO3/L	0.0265	0.132	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Total Kjeldahl Nitrogen	0.58	mg/l	0.07	0.14	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Nitrite+Nitrate	0.388	mg/l	0.006	0.02	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Phosphorus	0.113	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Silicon, Diss.	2.53	mg/l	0.005	0.05	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Silicon, Tot.	2.61	mg/l	0.005	0.05	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Sulfate	293	mg/l	2	6	20
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Calcium	86.2	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Iron	0.0124	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Magnesium	36.2	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Potassium	6.07	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Sodium	116	mg/l	0.004	0.02	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Arsenic	0.0053	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Barium	0.146	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Chromium	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Copper	0.0009	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Manganese	0.0063	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Nickel	0.0042	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Selenium	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Zinc	0.0009	mg/l	0.0002	0.001	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Total Organic Carbon	7.13	mg/l	0.5	1	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Total Dissolved Solids	894	mg/l	5	15	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Total Solids	898	mg/l	4	10	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	Total Suspended Solids	3.5	mg/l	1	5	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Alkalinity, Tot.	142	mg/l	5	10	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Ammonia	0.0478	mg/l	0.005	0.01	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Chloride	167	mg/l	2	6	20
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Hardness	394	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Total Kjeldahl Nitrogen	0.42	mg/l	0.07	0.14	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Nitrite+Nitrate	0.038	mg/l	0.006	0.02	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Orthophosphate	0.0156	mg/l	0.01	0.03	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Phosphorus	0.132	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Silicon, Diss.	3.35	mg/l	0.005	0.05	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Silicon, Tot.	3.49	mg/l	0.005	0.05	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Sulfate	315	mg/l	2	6	20
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Calcium	92.5	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Iron	0.0775	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Magnesium	39.5	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Potassium	5.74	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Sodium	102	mg/l	0.004	0.02	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Arsenic	0.0053	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Barium	0.178	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Chromium	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Copper	0.0008	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Manganese	0.039	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Nickel	0.0042	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Selenium	0.0018	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Zinc	0.001	mg/l	0.0002	0.001	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Total Organic Carbon	5.48	mg/l	0.5	1	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Total Dissolved Solids	854	mg/l	5	15	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Total Solids	858	mg/l	4	10	1
Texoma	TEX-22B	1TEXOKS0007	9/9/2019	1230	15.0	Total Suspended Solids	4	mg/l	1	5	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Alkalinity, Tot.	104	mg/l	5	10	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Ammonia	0.0888	mg/l	0.005	0.01	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Chloride	310	mg/l	2	6	20
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Hardness	348	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Total Kjeldahl Nitrogen	0.63	mg/l	0.07	0.14	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Nitrite+Nitrate	0.0102	mg/l	0.006	0.02	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Phosphorus	0.117	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Silicon, Diss.	1.7	mg/l	0.005	0.05	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Silicon, Tot.	1.81	mg/l	0.005	0.05	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Sulfate	289	mg/l	2	6	20
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Calcium	81	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Iron	0.0106	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Magnesium	35.3	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Potassium	6.64	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Sodium	163	mg/l	0.004	0.02	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Arsenic	0.0062	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Barium	0.14	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Chromium	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Copper	0.0009	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Manganese	0.0052	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Nickel	0.0062	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Selenium	0.002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Zinc	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Total Organic Carbon	7.82	mg/l	0.5	1	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Total Dissolved Solids	1010	mg/l	5.18	15.9	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Total Solids	1010	mg/l	4	10	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	Total Suspended Solids	3.53	mg/l	1.18	5.88	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Alkalinity, Tot.	116	mg/l	5	10	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Ammonia	0.0995	mg/l	0.005	0.01	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Chloride	414	mg/l	2	6	20
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Hardness	396	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Total Kjeldahl Nitrogen	0.52	mg/l	0.07	0.14	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Phosphorus	0.14	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Silicon, Diss.	2.46	mg/l	0.005	0.05	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Silicon, Tot.	2.51	mg/l	0.005	0.05	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Sulfate	316	mg/l	2	6	20
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Calcium	94.2	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Iron	0.0678	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Magnesium	39	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Potassium	6.9	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Sodium	227	mg/l	0.004	0.02	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Arsenic	0.0077	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Barium	0.142	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Chromium	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Copper	0.0008	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Manganese	0.0665	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Nickel	0.014	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Selenium	0.0027	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Zinc	0.0011	mg/l	0.0002	0.001	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Total Organic Carbon	6.5	mg/l	0.5	1	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Total Dissolved Solids	1260	mg/l	5	15	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Total Solids	1260	mg/l	4	10	1
Texoma	TEX-3B	1TEXOKS0019	9/9/2019	1000	11.0	Total Suspended Solids	5.5	mg/l	1	5	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Alkalinity, Tot.	97.6	mg/l	5	10	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Ammonia	0.19	mg/l	0.005	0.01	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Chloride	439	mg/l	2	6	20
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Hardness	395	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Total Kjeldahl Nitrogen	0.97	mg/l	0.07	0.14	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Phosphorus	0.171	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Silicon, Diss.	2.56	mg/l	0.005	0.05	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Silicon, Tot.	3.46	mg/l	0.005	0.05	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Sulfate	332	mg/l	2	6	20
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Calcium	87.1	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Iron	0.343	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Magnesium	43	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Potassium	7.09	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Sodium	234	mg/l	0.004	0.02	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Arsenic	0.008	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Barium	0.156	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Chromium	0.0013	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Copper	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Lead	0.0007	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Manganese	0.0736	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Nickel	0.0253	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Selenium	0.0029	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Silver	0.0003	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Zinc	0.0025	mg/l	0.0002	0.001	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Total Organic Carbon	9.61	mg/l	0.5	1	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Total Dissolved Solids	1290	mg/l	8	30	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Total Solids	1330	mg/l	4	10	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	Total Suspended Solids	36	mg/l	4	20	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Alkalinity, Tot.	125	mg/l	5	10	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Ammonia	0.0701	mg/l	0.005	0.01	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Chloride	102	mg/l	2	6	20
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Hardness	399	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Total Kjeldahl Nitrogen	0.65	mg/l	0.07	0.14	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Nitrite+Nitrate	0.074	mg/l	0.006	0.02	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Phosphorus	0.142	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Silicon, Diss.	3.98	mg/l	0.005	0.05	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Silicon, Tot.	4.19	mg/l	0.005	0.05	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Sulfate	344	mg/l	2	6	20
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Calcium	88.5	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Iron	0.12	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Magnesium	43.2	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Potassium	5.29	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Sodium	73.8	mg/l	0.004	0.02	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Arsenic	0.0042	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Barium	0.154	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Chromium	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Copper	0.0012	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Manganese	0.0336	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Nickel	0.0117	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Selenium	0.0015	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Zinc	0.0011	mg/l	0.0002	0.001	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Total Organic Carbon	8.08	mg/l	0.5	1	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Total Dissolved Solids	808	mg/l	6	20	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Total Solids	820	mg/l	4	10	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	Total Suspended Solids	12	mg/l	2	10	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Alkalinity, Tot.	115	mg/l	5	10	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Ammonia	0.0849	mg/l	0.005	0.01	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Chloride	358	mg/l	2	6	20
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Hardness	358	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Total Kjeldahl Nitrogen	0.86	mg/l	0.07	0.14	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Nitrite+Nitrate	0.00891	mg/l	0.006	0.02	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Phosphorus	0.132	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Silicon, Diss.	2.09	mg/l	0.005	0.05	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Silicon, Tot.	2.22	mg/l	0.005	0.05	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Sulfate	282	mg/l	2	6	20
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Calcium	86.9	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Iron	0.0521	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Magnesium	34.3	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Potassium	7.04	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Sodium	194	mg/l	0.004	0.02	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Arsenic	0.0072	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Barium	0.14	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Chromium	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Copper	0.0009	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Manganese	0.0504	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Nickel	0.017	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Selenium	0.0021	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Zinc	0.0032	mg/l	0.0002	0.001	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Total Organic Carbon	8.81	mg/l	0.5	1	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Total Dissolved Solids	1100	mg/l	6	20	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Total Solids	1100	mg/l	4	10	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	Total Suspended Solids	6	mg/l	2	10	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Alkalinity, Tot.	128	mg/l	5	10	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Ammonia	0.0355	mg/l	0.005	0.01	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Chloride	297	mg/l	2	6	20
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Hardness	363	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Total Kjeldahl Nitrogen	0.57	mg/l	0.07	0.14	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Nitrite+Nitrate	0.0156	mg/l	0.006	0.02	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Orthophosphate	<0.01	mg/l	0.01	0.03	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Phosphorus	0.131	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Silicon, Diss.	1.94	mg/l	0.005	0.05	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Silicon, Tot.	2.1	mg/l	0.005	0.05	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Sulfate	289	mg/l	2	6	20
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Calcium	88.8	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Iron	0.0129	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Magnesium	34.3	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Potassium	6.53	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Sodium	157	mg/l	0.004	0.02	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Arsenic	0.0059	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Barium	0.141	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Chromium	0.0014	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Copper	0.0009	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Manganese	0.0112	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Nickel	0.0142	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Selenium	0.0021	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Zinc	0.001	mg/l	0.0002	0.001	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Total Organic Carbon	7.69	mg/l	0.5	1	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Total Dissolved Solids	1040	mg/l	5	15	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Total Solids	1040	mg/l	4	10	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	Total Suspended Solids	3	mg/l	1	5	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Alkalinity, Tot.	127	mg/l	5	10	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Ammonia	0.652	mg/l	0.005	0.01	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Chloride	456	mg/l	2	6	20
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Hardness	413	mgeqCaCO3/L	0.0265	0.132	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Total Kjeldahl Nitrogen	1.26	mg/l	0.07	0.14	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Mercury	<0.00001	mg/l	0.00001	0.00002	2
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Nitrite+Nitrate	<0.006	mg/l	0.006	0.02	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Orthophosphate	0.159	mg/l	0.01	0.03	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Phosphorus	0.354	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Silicon, Diss.	3.67	mg/l	0.005	0.05	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Silicon, Tot.	3.71	mg/l	0.005	0.05	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Sulfate	334	mg/l	2	6	20
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Calcium	98.6	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Iron	0.114	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Magnesium	40.5	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Potassium	7.16	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Sodium	244	mg/l	0.004	0.02	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Arsenic	0.0085	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Barium	0.168	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Cadmium	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Chromium	0.0016	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Copper	0.0007	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Lead	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Manganese	0.499	mg/l	0.0002	0.001	1

Reservoir	SSC	PSC	Date_Collected	time(hhmm)	depthm2	Parameter2	Result2	Units2	Detection_Limits	Reportable_Limits	Dilution
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Nickel	0.0354	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Selenium	0.0026	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Silver	<0.0002	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Zinc	0.0009	mg/l	0.0002	0.001	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Total Organic Carbon	8.03	mg/l	0.5	1	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Total Dissolved Solids	1320	mg/l	5	15	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Total Solids	1320	mg/l	4	10	1
Texoma	TEX-9B	1TEXOKS0013	9/9/2019	1050	17.0	Total Suspended Solids	6	mg/l	1	5	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	CHL A, FL, COR	32.1	ug/l	*	*	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	CHL A, FL, COR	3.7	ug/l	*	*	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	CHL A, FL, COR	6.1	ug/l	*	*	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	CHL A, FL, COR	3.9	ug/l	*	*	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	CHL A, FL, COR	3.0	ug/l	*	*	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	CHL A, FL, COR	5.3	ug/l	*	*	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	CHL A, FL, COR	2.8	ug/l	*	*	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	0.5	CHL A, FL, COR	16.7	ug/l	*	*	1
Texoma	TEX-1S	1TEXOKS0022	4/8/2019	1155	0.5	PHPHTN-A, FLR MTHD	20.9	ug/l	*	*	1
Texoma	TEX-3S	1TEXOKS0019	4/8/2019	1405	0.5	PHPHTN-A, FLR MTHD	5.0	ug/l	*	*	1
Texoma	TEX-7S	1TEXOKS0015	4/8/2019	1330	0.5	PHPHTN-A, FLR MTHD	10.1	ug/l	*	*	1
Texoma	TEX-9S	1TEXOKS0013	4/8/2019	1245	0.5	PHPHTN-A, FLR MTHD	7.4	ug/l	*	*	1
Texoma	TEX-17S	1TEXOKS0001	4/9/2019	1010	0.5	PHPHTN-A, FLR MTHD	8.3	ug/l	*	*	1
Texoma	TEX-19S	1TEXOKS0004	4/9/2019	0755	0.5	PHPHTN-A, FLR MTHD	7.2	ug/l	*	*	1
Texoma	TEX-22S	1TEXOKS0007	4/9/2019	0840	0.5	PHPHTN-A, FLR MTHD	3.3	ug/l	*	*	1
Texoma	TEX-24S	1TEXOKS0021	4/9/2019	0910	0.5	PHPHTN-A, FLR MTHD	10.1	ug/l	*	*	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	CHL A, FL, COR	25.5	ug/l	*	*	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	CHL A, FL, COR	16.5	ug/l	*	*	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	CHL A, FL, COR	23.6	ug/l	*	*	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	CHL A, FL, COR	12.2	ug/l	*	*	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	CHL A, FL, COR	11.1	ug/l	*	*	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	CHL A, FL, COR	9.4	ug/l	*	*	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	CHL A, FL, COR	10.9	ug/l	*	*	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	CHL A, FL, COR	15.8	ug/l	*	*	1
Texoma	TEX-1S	1TEXOKS0022	7/30/2019	1120	0.5	PHPHTN-A, FLR MTHD	16.6	ug/l	*	*	1
Texoma	TEX-3S	1TEXOKS0019	7/30/2019	1145	0.5	PHPHTN-A, FLR MTHD	12.8	ug/l	*	*	1
Texoma	TEX-7S	1TEXOKS0015	7/30/2019	1230	0.5	PHPHTN-A, FLR MTHD	16.5	ug/l	*	*	1
Texoma	TEX-9S	1TEXOKS0013	7/30/2019	1325	0.5	PHPHTN-A, FLR MTHD	5.5	ug/l	*	*	1
Texoma	TEX-17S	1TEXOKS0001	7/31/2019	1025	0.5	PHPHTN-A, FLR MTHD	3.9	ug/l	*	*	1
Texoma	TEX-19S	1TEXOKS0004	7/31/2019	0945	0.5	PHPHTN-A, FLR MTHD	6.2	ug/l	*	*	1
Texoma	TEX-22S	1TEXOKS0007	7/31/2019	0850	0.5	PHPHTN-A, FLR MTHD	5.3	ug/l	*	*	1
Texoma	TEX-24S	1TEXOKS0021	7/31/2019	0820	0.5	PHPHTN-A, FLR MTHD	9.1	ug/l	*	*	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	CHL A, FL, COR	52.3	ug/l	*	*	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	CHL A, FL, COR	44.2	ug/l	*	*	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	CHL A, FL, COR	32.8	ug/l	*	*	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	CHL A, FL, COR	24.8	ug/l	*	*	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	CHL A, FL, COR	16.5	ug/l	*	*	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	CHL A, FL, COR	14.9	ug/l	*	*	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	CHL A, FL, COR	17.9	ug/l	*	*	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	CHL A, FL, COR	24.0	ug/l	*	*	1
Texoma	TEX-1S	1TEXOKS0022	8/26/2019	1445	0.5	PHPHTN-A, FLR MTHD	19.5	ug/l	*	*	1
Texoma	TEX-3S	1TEXOKS0019	8/26/2019	1405	0.5	PHPHTN-A, FLR MTHD	17.9	ug/l	*	*	1
Texoma	TEX-7S	1TEXOKS0015	8/26/2019	1330	0.5	PHPHTN-A, FLR MTHD	18.9	ug/l	*	*	1
Texoma	TEX-9S	1TEXOKS0013	8/26/2019	1245	0.5	PHPHTN-A, FLR MTHD	11.3	ug/l	*	*	1
Texoma	TEX-17S	1TEXOKS0001	8/27/2019	1020	0.5	PHPHTN-A, FLR MTHD	9.4	ug/l	*	*	1
Texoma	TEX-19S	1TEXOKS0004	8/27/2019	1055	0.5	PHPHTN-A, FLR MTHD	14.7	ug/l	*	*	1
Texoma	TEX-22S	1TEXOKS0007	8/27/2019	0915	0.5	PHPHTN-A, FLR MTHD	7.4	ug/l	*	*	1
Texoma	TEX-24S	1TEXOKS0021	8/27/2019	0855	0.5	PHPHTN-A, FLR MTHD	11.0	ug/l	*	*	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	CHL A, FL, COR	36.0	ug/l	*	*	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	CHL A, FL, COR	20.1	ug/l	*	*	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	CHL A, FL, COR	22.4	ug/l	*	*	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	CHL A, FL, COR	21.5	ug/l	*	*	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	CHL A, FL, COR	16.1	ug/l	*	*	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	CHL A, FL, COR	14.5	ug/l	*	*	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	CHL A, FL, COR	15.3	ug/l	*	*	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	CHL A, FL, COR	19.1	ug/l	*	*	1
Texoma	TEX-1S	1TEXOKS0022	9/9/2019	0940	0.5	PHPHTN-A, FLR MTHD	23.0	ug/l	*	*	1
Texoma	TEX-3S	1TEXOKS0019	9/9/2019	1000	0.5	PHPHTN-A, FLR MTHD	8.4	ug/l	*	*	1
Texoma	TEX-7S	1TEXOKS0015	9/9/2019	0855	0.5	PHPHTN-A, FLR MTHD	11.5	ug/l	*	*	1
Texoma	TEX-9S	1TEXOKS0013	9/9/2019	1050	0.5	PHPHTN-A, FLR MTHD	9.1	ug/l	*	*	1
Texoma	TEX-17S	1TEXOKS0001	9/9/2019	1410	0.5	PHPHTN-A, FLR MTHD	6.2	ug/l	*	*	1
Texoma	TEX-19S	1TEXOKS0004	9/9/2019	1315	0.5	PHPHTN-A, FLR MTHD	4.6	ug/l	*	*	1
Texoma	TEX-22S	1TEXOKS0007	9/9/2019	1230	0.5	PHPHTN-A, FLR MTHD	4.8	ug/l	*	*	1
Texoma	TEX-24S	1TEXOKS0021	9/9/2019	1200	0.5	PHPHTN-A, FLR MTHD	11.5	ug/l	*	*	1