

Date		SiteNum	Time	Depth	Temp	SpCond	TDS	DOsat	DO	DOchrg	pH	Orp	Turbid+	LIGHT-PAR-DEPTH	LIGHT-PAR-SURF	Secchi	Notes	SiteNum		
M/D/Y	PSC		hhmm	meters	C	uS/cm	g/L	%	mg/L			mV	NTU	umol	umol	m			Site	PSC
6/7/2016	1WISOKS0292	3	0920	3.0	23.87	67	0.043	44.3	3.74	60.4	7.44	351.9	26.9					3	1	1WISOKS0090
6/7/2016	1WISOKS0292	3	0920	2.0	24.74	63	0.041	76.0	6.31	64.5	7.32	344.2	16.7					3	2	1WISOKS0290
6/7/2016	1WISOKS0292	3	0920	1.0	25.63	66	0.043	96.3	7.86	67.6	7.42	328.7	16.1					3	3	1WISOKS0292
6/7/2016	1WISOKS0292	3	0920	0.5	25.81	66	0.043	98.0	7.98	67.6	7.53	325.5	15.9			0.68	Zmax=4.2m	3	4	1WISOKS0293
6/7/2016	1WISOKS0292	3	0920	0.1	26.04	67	0.043	97.7	7.92	67.6	7.52	329.8	16.3					3	5	1WISOKS0291
6/7/2016	1WISOKS0290	2	0945	7.0	21.03	73	0.048	10.6	0.95	53.3	7.23	240.1	32.9					2	6	1WISOKS0082
6/7/2016	1WISOKS0290	2	0945	6.0	22.04	70	0.045	9.2	0.81	53.3	7.02	259.9	28.6					2		
6/7/2016	1WISOKS0290	2	0945	5.0	22.87	67	0.043	10.1	0.87	53.3	6.96	270.1	25.0					2		
6/7/2016	1WISOKS0290	2	0945	4.0	23.33	64	0.042	20.0	1.71	55.3	6.91	281.8	23.1					2		
6/7/2016	1WISOKS0290	2	0945	3.0	23.85	62	0.041	36.1	3.05	56.3	6.90	289.5	18.4					2		
6/7/2016	1WISOKS0290	2	0945	2.0	24.54	64	0.042	59.6	4.97	59.4	6.91	292.8	20.8					2		
6/7/2016	1WISOKS0290	2	0945	1.0	26.02	64	0.042	91.1	7.39	64.5	7.23	274.0	16.0					2		
6/7/2016	1WISOKS0290	2	0945	0.5	26.97	65	0.042	99.1	7.90	66.5	7.61	258.9	14.9			0.7	Zmax=8.7m	2		
6/7/2016	1WISOKS0290	2	0945	0.1	27.38	65	0.042	103.5	8.20	66.5	7.99	266.0	14.1					2		
6/7/2016	1WISOKS0293	4	1000	2.0	25.26	64	0.042	93.2	7.67	63.5	8.07	333.8	22.5					4		
6/7/2016	1WISOKS0293	4	1000	1.0	26.05	64	0.042	99.7	8.09	64.5	8.11	319.2	16.8					4		
6/7/2016	1WISOKS0293	4	1000	0.5	26.31	64	0.042	103.1	8.32	64.5	8.31	314.5	14.9			0.7	Zmax=2.5m	4		
6/7/2016	1WISOKS0293	4	1000	0.1	26.77	67	0.044	104.0	8.32	64.5	8.44	311.2	15.0					4		
6/7/2016	1WISOKS0090	1	1015	8.0	20.63	71	0.046	8.8	0.79	50.2	7.22	219.8	38.9					1		
6/7/2016	1WISOKS0090	1	1015	7.0	22.10	68	0.044	8.4	0.73	50.2	7.01	232.4	31.0					1		
6/7/2016	1WISOKS0090	1	1015	6.0	22.45	65	0.042	8.0	0.69	50.2	6.95	250.6	23.8					1		
6/7/2016	1WISOKS0090	1	1015	5.0	22.98	64	0.042	12.5	1.07	51.2	6.90	264.4	24.3					1		
6/7/2016	1WISOKS0090	1	1015	4.0	23.72	63	0.041	28.1	2.38	53.3	6.84	279.8	23.8					1		
6/7/2016	1WISOKS0090	1	1015	3.0	24.27	62	0.041	45.5	3.82	55.3	6.85	284.4	23.8					1		
6/7/2016	1WISOKS0090	1	1015	2.0	25.04	61	0.040	76.7	6.33	59.4	6.94	281.5	16.8					1		
6/7/2016	1WISOKS0090	1	1015	1.0	25.88	61	0.040	100.9	8.21	62.5	7.78	245.6	14.0					1		
6/7/2016	1WISOKS0090	1	1015	0.5	26.47	62	0.040	107.7	8.67	63.5	8.33	248.0	12.4			0.82	Zmax=8.9m	1		
6/7/2016	1WISOKS0090	1	1015	0.1	27.02	62	0.040	108.3	8.63	63.5	8.60	256.8	12.1					1		
6/7/2016	1WISOKS0291	5	1115	5.0	22.41	66	0.043	17.5	1.51	50.2	7.93	287.6	33.5					5		
6/7/2016	1WISOKS0291	5	1115	4.0	22.81	62	0.040	17.7	1.53	50.2	7.66	296.7	23.1					5		
6/7/2016	1WISOKS0291	5	1115	3.0	24.92	60	0.039	68.4	5.66	57.4	7.55	294.7	14.2					5		
6/7/2016	1WISOKS0291	5	1115	2.0	25.80	61	0.039	102.1	8.32	61.4	8.27	255.9	12.0					5		
6/7/2016	1WISOKS0291	5	1115	1.0	26.12	61	0.040	106.6	8.63	62.5	8.62	260.5	11.2					5		
6/7/2016	1WISOKS0291	5	1115	0.5	26.67	62	0.040	107.9	8.65	62.5	8.73	265.9	12.2				Zmax=5.5m	5		
6/7/2016	1WISOKS0291	5	1115	0.1	27.08	62	0.040	107.7	8.57	62.5	8.80	271.2	12.1					5		
6/27/2016	1WISOKS0082	6	0810	0.5	23.66	87	0.057	81.4	6.89	62.5	7.46	162.1	62.5					6		
6/27/2016	1WISOKS0090	1	0855	8.0	21.98	94	0.061	4.7	0.41	50.2	7.42	-19.9	51.0					1		
6/27/2016	1WISOKS0090	1	0855	7.0	22.62	93	0.061	4.1	0.36	50.2	7.26	-27.2	56.1					1		
6/27/2016	1WISOKS0090	1	0855	6.0	23.36	95	0.062	4.0	0.34	50.2	7.21	-34.6	64.0					1		
6/27/2016	1WISOKS0090	1	0855	5.0	26.34	88	0.057	3.8	0.31	50.2	7.20	-21.0	51.6					1		
6/27/2016	1WISOKS0090	1	0855	4.0	30.24	75	0.049	36.1	2.71	55.3	7.30	134.7	28.8					1		
6/27/2016	1WISOKS0090	1	0855	3.0	31.04	73	0.048	76.5	5.68	60.4	7.43	165.2	26.2					1		
6/27/2016	1WISOKS0090	1	0855	2.0	31.22	73	0.048	86.3	6.39	62.5	7.63	183.8	22.1					1		
6/27/2016	1WISOKS0090	1	0855	1.0	31.30	74	0.048	92.2	6.82	62.5	7.87	191.2	21.4					1		
6/27/2016	1WISOKS0090	1	0855	0.5	31.30	74	0.048	91.8	6.78	62.5	7.99	199.3	21.2			0.5	Zmax=8.8m	1		
6/27/2016	1WISOKS0090	1	0855	0.1	31.34	74	0.048	93.9	6.94	61.4	8.12	202.9	20.9					1		
6/27/2016	1WISOKS0293	4	0915	2.0	30.55	74	0.048	87.1	6.52	60.4	8.09	227.8	33.9					4		
6/27/2016	1WISOKS0293	4	0915	1.0	30.80	76	0.049	84.3	6.28	60.4	7.92	245.4	33.3					4		
6/27/2016	1WISOKS0293	4	0915	0.5	30.86	76	0.049	87.7	6.53	60.4	7.88	246.7	32.9					4		
6/27/2016	1WISOKS0293	4	0915	0.1	30.99	76	0.050	91.7	6.81	60.4	7.92	243.6	31.5					4		
6/27/2016	1WISOKS0290	2	0925	9.0	22.27	104	0.068	4.8	0.42	47.1	7.28	-33.1	34.6					2		
6/27/2016	1WISOKS0290	2	0925	8.0	22.52	103	0.067	3.8	0.33	47.1	7.24	-34.2	35.3					2		
6/27/2016	1WISOKS0290	2	0925	7.0	23.23	99	0.064	3.6	0.31	47.1	7.23	-30.3	40.3					2		
6/27/2016	1WISOKS0290	2	0925	6.0	24.55	96	0.062	3.5	0.29	47.1	7.23	-22.8	39.4					2		

Date		SiteNum	Time	Depth	Temp	SpCond	TDS	DOsat	DO	DOchrg	pH	Orp	Turbid+	LIGHT-PAR-DEPTH	LIGHT-PAR-SURF	Secchi	Notes	SiteNum		
M/D/Y	PSC		hhmm	meters	C	uS/cm	g/L	%	mg/L			mV	NTU	umol	umol	m			Site	PSC
6/27/2016	1WISOKS0290	2	0925	5.0	27.04	88	0.057	3.6	0.29	48.2	7.28	20.1	35.4					2		
6/27/2016	1WISOKS0290	2	0925	4.0	29.62	81	0.053	18.3	1.40	51.2	7.26	96.8	33.6					2		
6/27/2016	1WISOKS0290	2	0925	4.0	29.71	79	0.052	21.0	1.60	51.2	7.24	113.5	33.8					2		
6/27/2016	1WISOKS0290	2	0925	3.0	30.33	75	0.049	47.2	3.55	55.3	7.29	156.5	25.6					2		
6/27/2016	1WISOKS0290	2	0925	2.0	30.51	74	0.048	73.9	5.54	58.4	7.40	188.2	24.8					2		
6/27/2016	1WISOKS0290	2	0925	1.0	30.53	74	0.048	78.0	5.84	59.4	7.46	206.7	24.3					2		
6/27/2016	1WISOKS0290	2	0925	1.0	30.53	74	0.048	77.4	5.80	58.4	7.48	212.4	23.9					2		
6/27/2016	1WISOKS0290	2	0925	0.5	30.56	74	0.048	79.0	5.91	58.4	7.49	216.3	24.1			0.48	Zmax=9.6m	2		
6/27/2016	1WISOKS0290	2	0925	0.1	30.69	74	0.048	82.8	6.18	59.4	7.53	218.6	23.3					2		
6/27/2016	1WISOKS0292	3	0945	3.0	30.02	79	0.051	53.0	4.00	54.3	7.65	256.2	34.6					3		
6/27/2016	1WISOKS0292	3	0945	2.0	30.30	76	0.049	71.5	5.37	57.4	7.57	249.1	27.0					3		
6/27/2016	1WISOKS0292	3	0945	1.0	30.40	76	0.049	79.5	5.97	58.4	7.58	249.7	26.4					3		
6/27/2016	1WISOKS0292	3	0945	0.5	30.90	76	0.050	86.5	6.44	59.4	7.59	247.2	26.2			0.37	Zmax=3.3m	3		
6/27/2016	1WISOKS0292	3	0945	0.1	31.06	76	0.050	90.7	6.73	59.4	7.66	246.5	25.4					3		
6/27/2016	1WISOKS0291	5	1000	5.0	23.16	108	0.070	4.5	0.39	47.1	7.30	-37.4	83.2					5		
6/27/2016	1WISOKS0291	5	1000	4.0	29.33	73	0.047	5.9	0.45	48.2	7.41	37.7	39.5					5		
6/27/2016	1WISOKS0291	5	1000	3.0	31.27	73	0.047	71.5	5.29	57.4	7.48	143.2	19.4					5		
6/27/2016	1WISOKS0291	5	1000	2.0	31.63	73	0.047	92.9	6.83	60.4	8.13	154.4	16.8					5		
6/27/2016	1WISOKS0291	5	1000	1.0	31.82	74	0.048	103.6	7.59	61.4	8.69	172.3	17.1					5		
6/27/2016	1WISOKS0291	5	1000	0.5	31.97	74	0.048	105.4	7.71	61.4	8.86	182.1	16.3			0.7	Zmax=5.4m	5		
6/27/2016	1WISOKS0291	5	1000	0.1	32.08	73	0.047	105.6	7.70	61.4	8.96	188.3	16.2					5		
7/5/2016	1WISOKS0292	3	0945	2.0	29.04	76	0.050	79.9	6.14	49.2	7.83	281.6	57.7					3		
7/5/2016	1WISOKS0292	3	0945	1.0	29.52	76	0.049	80.4	6.13	49.2	7.77	283.8	37.0					3		
7/5/2016	1WISOKS0292	3	0945	0.5	29.62	76	0.049	84.0	6.39	49.2	7.74	283.7	37.2			0.35	Zmax=2.9m	3		
7/5/2016	1WISOKS0292	3	0945	0.1	29.59	76	0.049	83.9	6.38	49.2	7.72	284.6	37.6					3		
7/5/2016	1WISOKS0290	2	1015	9.0	23.48	116	0.075	2.3	0.20	40.0	7.35	-63.6	43.4					2		
7/5/2016	1WISOKS0290	2	1015	8.0	24.15	110	0.072	1.9	0.16	40.0	7.33	-60.0	44.2					2		
7/5/2016	1WISOKS0290	2	1015	7.0	26.66	94	0.061	1.8	0.14	41.0	7.36	-29.6	37.7					2		
7/5/2016	1WISOKS0290	2	1015	6.0	27.97	83	0.054	18.7	1.46	43.1	7.43	96.8	32.0					2		
7/5/2016	1WISOKS0290	2	1015	5.0	29.00	76	0.049	59.0	4.54	49.2	7.48	161.6	40.4					2		
7/5/2016	1WISOKS0290	2	1015	4.0	29.11	75	0.049	72.8	5.59	49.2	7.50	190.7	37.4					2		
7/5/2016	1WISOKS0290	2	1015	3.0	29.22	75	0.049	75.3	5.77	49.2	7.52	204.6	29.1					2		
7/5/2016	1WISOKS0290	2	1015	2.0	29.48	75	0.049	78.5	5.98	49.2	7.52	212.1	28.5					2		
7/5/2016	1WISOKS0290	2	1015	1.0	29.54	75	0.049	81.0	6.17	49.2	7.54	217.0	27.8					2		
7/5/2016	1WISOKS0290	2	1015	0.5	29.58	75	0.049	83.0	6.32	49.2	7.54	220.1	27.8			0.42	Zmax=9.8m	2		
7/5/2016	1WISOKS0290	2	1015	0.1	29.62	75	0.049	82.7	6.30	49.2	7.53	224.2	27.7					2		
7/5/2016	1WISOKS0293	4	1025	2.0	29.20	76	0.050	48.2	3.69	46.1	7.54	254.5	80.4					4		
7/5/2016	1WISOKS0293	4	1025	1.0	29.49	75	0.049	65.7	5.01	48.2	7.51	251.1	51.9					4		
7/5/2016	1WISOKS0293	4	1025	0.5	29.60	75	0.049	74.5	5.67	49.2	7.52	250.2	43.4			0.35	Zmax=2.3m	4		
7/5/2016	1WISOKS0293	4	1025	0.1	29.70	75	0.048	80.9	6.15	50.2	7.53	249.7	37.7					4		
7/5/2016	1WISOKS0090	1	1045	8.0	23.07	103	0.067	3.0	0.25	39.0	7.26	-53.5	53.2					1		
7/5/2016	1WISOKS0090	1	1045	7.0	25.68	105	0.068	2.2	0.18	40.0	7.25	-55.5	50.7					1		
7/5/2016	1WISOKS0090	1	1045	6.0	27.84	91	0.059	1.9	0.15	41.0	7.29	-33.0	42.2					1		
7/5/2016	1WISOKS0090	1	1045	5.0	29.02	79	0.051	28.7	2.20	44.1	7.35	102.4	31.5					1		
7/5/2016	1WISOKS0090	1	1045	4.0	29.61	75	0.049	65.7	5.00	48.2	7.39	168.3	27.5					1		
7/5/2016	1WISOKS0090	1	1045	3.0	29.80	74	0.048	68.7	5.21	48.2	7.41	192.4	22.5					1		
7/5/2016	1WISOKS0090	1	1045	2.0	29.87	74	0.048	72.4	5.48	49.2	7.42	200.4	21.9	0.6314	646.1			1		
7/5/2016	1WISOKS0090	1	1045	1.5										3.641	603.2			1		
7/5/2016	1WISOKS0090	1	1045	1.0	30.00	74	0.048	77.4	5.85	49.2	7.44	206.3	21.1	10.85	629.5			1		
7/5/2016	1WISOKS0090	1	1045	0.5	30.04	74	0.048	78.2	5.90	49.2	7.45	211.3	21.3	53.36	700	0.59	Zmax=8.9m	1		
7/5/2016	1WISOKS0090	1	1045	0.1	30.19	74	0.048	85.3	6.43	50.2	7.48	210.8	21.6	135.4	536.3			1		
7/5/2016	1WISOKS0291	5	1115	5.0	25.63	114	0.074	4.2	0.34	39.0	7.35	-32.4	75.6					5		
7/5/2016	1WISOKS0291	5	1115	4.5	28.87	79	0.052	5.1	0.39	40.0	7.35	133.2	36.3					5		
7/5/2016	1WISOKS0291	5	1115	4.0	29.82	75	0.049	43.3	3.29	46.1	7.37	166.4	28.7					5		

Date		SiteNum	Time	Depth	Temp	SpCond	TDS	DOsat	DO	DOchrg	pH	Orp	Turbid+	LIGHT-PAR-DEPTH	LIGHT-PAR-SURF	Secchi	Notes	SiteNum		
M/D/Y	PSC		hhmm	meters	C	uS/cm	g/L	%	mg/L			mV	NTU	umol	umol	m			Site	PSC
7/5/2016	1WISOKS0291		5 1115	3.0	30.22	74	0.048	66.5	5.01	48.2	7.41	190.5	23.8					5		
7/5/2016	1WISOKS0291		5 1115	2.0	30.49	73	0.048	87.2	6.54	50.2	7.48	194.5	20.4					5		
7/5/2016	1WISOKS0291		5 1115	1.0	30.56	73	0.048	97.0	7.26	51.2	7.58	200.4	20.2					5		
7/5/2016	1WISOKS0291		5 1115	0.5	30.63	73	0.048	99.4	7.44	51.2	7.66	204.4	20.2			0.56	Zmax=5.4m	5		
7/5/2016	1WISOKS0291		5 1115	0.1	30.72	73	0.048	100.7	7.52	52.3	7.74	208.7	19.8					5		
7/19/2016	1WISOKS0082		6 0925	0.5	27.99	84	0.055	92.5	7.24	67.6	7.54	450.8	11.9					6		
7/19/2016	1WISOKS0293		4 1005	2.0	28.96	77	0.050	84.4	6.49	64.5	7.86	422.3	28.5					4		
7/19/2016	1WISOKS0293		4 1005	1.0	29.46	77	0.050	98.6	7.53	65.5	7.86	410.7	22.7					4		
7/19/2016	1WISOKS0293		4 1005	0.5	29.56	77	0.050	104.8	7.98	67.6	7.90	406.5	22.0			0.5	Zmax=2.5m	4		
7/19/2016	1WISOKS0293		4 1005	0.1	30.10	76	0.049	112.0	8.45	68.6	8.07	398.2	22.5					4		
7/19/2016	1WISOKS0292		3 1025	3.5	28.64	86	0.056	23.0	1.78	56.3	7.32	364.4	50.7					3		
7/19/2016	1WISOKS0292		3 1025	3.0	28.95	84	0.055	35.4	2.73	58.4	7.22	377.2	44.3					3		
7/19/2016	1WISOKS0292		3 1025	2.0	30.16	82	0.053	54.9	4.14	61.4	7.19	388.7	35.3					3		
7/19/2016	1WISOKS0292		3 1025	1.0	31.53	79	0.052	120.2	8.85	69.6	8.33	357.0	21.5					3		
7/19/2016	1WISOKS0292		3 1025	0.5	32.08	80	0.052	125.9	9.18	70.6	8.56	358.7	20.1			0.52	Zmax=3.8m	3		
7/19/2016	1WISOKS0292		3 1025	0.1	32.06	80	0.052	123.6	9.02	70.6	8.61	364.2	19.7					3		
7/19/2016	1WISOKS0290		2 1040	6.0	27.54	85	0.055	20.8	1.64	56.3	7.21	368.7	63.5					2		
7/19/2016	1WISOKS0290		2 1040	5.0	27.78	85	0.055	23.4	1.84	57.4	7.05	375.4	56.2					2		
7/19/2016	1WISOKS0290		2 1040	4.0	27.98	83	0.054	30.6	2.40	58.4	6.95	378.7	41.0					2		
7/19/2016	1WISOKS0290		2 1040	3.0	28.23	81	0.053	35.8	2.79	59.4	6.90	381.3	38.8					2		
7/19/2016	1WISOKS0290		2 1040	2.0	29.38	81	0.052	50.0	3.82	61.4	6.90	381.0	31.9					2		
7/19/2016	1WISOKS0290		2 1040	1.0	30.96	78	0.051	123.0	9.14	69.6	8.47	344.1	17.8					2		
7/19/2016	1WISOKS0290		2 1040	0.5	31.60	78	0.051	127.1	9.35	70.6	8.67	344.2	17.4			0.7	Zmax=6.9m	2		
7/19/2016	1WISOKS0290		2 1040	0.1	32.41	79	0.052	127.7	9.26	70.6	8.72	345.5	16.1					2		
7/19/2016	1WISOKS0090		1 1110	8.0	27.31	87	0.057	8.0	0.64	54.3	6.99	255.6	40.8					1		
7/19/2016	1WISOKS0090		1 1110	7.0	27.53	84	0.054	8.5	0.67	54.3	6.91	298.0	35.6					1		
7/19/2016	1WISOKS0090		1 1110	6.0	27.71	81	0.052	17.9	1.41	56.3	6.86	327.5	35.8					1		
7/19/2016	1WISOKS0090		1 1110	5.0	27.75	80	0.052	21.7	1.71	56.3	6.82	338.1	35.0					1		
7/19/2016	1WISOKS0090		1 1110	4.0	27.82	79	0.051	25.5	2.00	57.4	6.79	347.4	31.0					1		
7/19/2016	1WISOKS0090		1 1110	3.0	27.91	78	0.051	28.4	2.23	57.4	6.77	352.3	28.7					1		
7/19/2016	1WISOKS0090		1 1110	2.5										1.238	985.8			1		
7/19/2016	1WISOKS0090		1 1110	2.0	28.29	77	0.050	40.2	3.13	59.4	6.79	360.4	26.1	5.078	972.8			1		
7/19/2016	1WISOKS0090		1 1110	1.5										21.09	976.3			1		
7/19/2016	1WISOKS0090		1 1110	1.0	29.19	75	0.049	101.8	7.80	66.5	7.25	351.3	21.9	84.32	945.3			1		
7/19/2016	1WISOKS0090		1 1110	0.5	29.67	76	0.050	128.6	9.78	69.6	8.28	327.8	20.2	249.7	939.2	0.65	Zmax=8.6m	1		
7/19/2016	1WISOKS0090		1 1110	0.1	30.18	77	0.050	131.6	9.91	69.6	8.46	329.6	19.8	454	979.8			1		
7/19/2016	1WISOKS0291		5 1140	5.0	27.59	90	0.059	10.5	0.82	53.3	7.11	116.1	38.5					5		
7/19/2016	1WISOKS0291		5 1140	4.0	27.90	81	0.053	14.5	1.14	54.3	6.96	224.4	35.9					5		
7/19/2016	1WISOKS0291		5 1140	5.0	27.59	93	0.060	8.6	0.68	53.3	6.85	150.8	38.2					5		
7/19/2016	1WISOKS0291		5 1140	3.0	27.98	81	0.053	17.3	1.35	55.3	6.80	245.3	35.6					5		
7/19/2016	1WISOKS0291		5 1140	2.5										0.8466	970.7			5		
7/19/2016	1WISOKS0291		5 1140	2.0	28.43	79	0.051	23.0	1.78	56.3	6.76	273.3	25.1	2.449	954.6			5		
7/19/2016	1WISOKS0291		5 1140	1.5										10.04	947.2			5		
7/19/2016	1WISOKS0291		5 1140	1.0	29.56	77	0.050	52.9	4.03	59.4	6.87	299.1	22.9	45.16	958.7			5		
7/19/2016	1WISOKS0291		5 1140	0.5	31.81	78	0.050	130.4	9.56	70.6	8.55	260.3	16.4	235.4	997	0.73	Zmax=5.5m	5		
7/19/2016	1WISOKS0291		5 1140	0.1	32.66	78	0.051	130.6	9.43	69.6	8.70	263.4	16.2	377.1	1037			5		
8/9/2016	1WISOKS0290		2 0945	8.0	28.25	112	0.073	5.3	0.41	44.1	7.27	-0.9	81.1					2		
8/9/2016	1WISOKS0290		2 0945	7.0	28.74	104	0.068	4.9	0.38	44.1	7.24	26.5	74.5					2		
8/9/2016	1WISOKS0290		2 0945	6.0	29.74	87	0.057	47.6	3.61	50.2	7.26	230.7	34.8					2		
8/9/2016	1WISOKS0290		2 0945	5.0	29.87	85	0.055	66.6	5.05	51.2	7.33	252.7	29.7					2		
8/9/2016	1WISOKS0290		2 0945	4.0	29.89	85	0.055	70.1	5.31	53.3	7.31	282.5	27.1					2		
8/9/2016	1WISOKS0290		2 0945	4.0	29.89	85	0.055	70.1	5.31	53.3	7.31	285.7	27.0					2		
8/9/2016	1WISOKS0290		2 0945	3.0	29.90	85	0.055	70.4	5.33	53.3	7.30	300.5	27.4					2		
8/9/2016	1WISOKS0290		2 0945	2.0	29.92	85	0.055	70.3	5.32	53.3	7.30	307.5	27.0					2		

Date		SiteNum	Time	Depth	Temp	SpCond	TDS	DOsat	DO	DOchrg	pH	Orp	Turbid+	LIGHT-PAR-DEPTH	LIGHT-PAR-SURF	Secchi	Notes	SiteNum		
M/D/Y	PSC		hhmm	meters	C	uS/cm	g/L	%	mg/L			mV	NTU	umol	umol	m			Site	PSC
8/9/2016	1WISOKS0290	2	0945	1.0	30.04	85	0.055	73.5	5.55	53.3	7.29	312.2	26.5					2		
8/9/2016	1WISOKS0290	2	0945	0.5	30.22	85	0.055	81.1	6.11	54.3	7.35	313.3	25.5			0.5	Zmax=9.5m	2		
8/9/2016	1WISOKS0290	2	0945	0.1	30.47	85	0.055	83.2	6.24	55.3	7.35	314.9	25.2					2		
8/9/2016	1WISOKS0292	3	1005	2.5	30.39	86	0.056	76.5	5.74	52.3	7.59	383.8	30.0					3		
8/9/2016	1WISOKS0292	3	1005	2.0	30.41	85	0.055	76.9	5.77	52.3	7.52	377.6	28.6					3		
8/9/2016	1WISOKS0292	3	1005	1.0	30.46	84	0.055	79.2	5.94	53.3	7.50	370.6	28.0					3		
8/9/2016	1WISOKS0292	3	1005	0.5	30.61	84	0.055	89.6	6.70	54.3	7.55	363.5	27.5			0.42	Zmax=3.1m	3		
8/9/2016	1WISOKS0292	3	1005	0.1	30.78	84	0.055	98.4	7.33	56.3	7.66	356.4	26.7					3		
8/9/2016	1WISOKS0293	4	1015	2.0	29.11	84	0.055	65.6	5.03	50.2	7.49	378.2	29.2					4		
8/9/2016	1WISOKS0293	4	1015	1.0	29.33	84	0.055	69.9	5.35	51.2	7.41	368.9	31.3					4		
8/9/2016	1WISOKS0293	4	1015	0.5	30.23	85	0.055	83.9	6.32	54.3	7.48	358.2	34.1			0.43	Zmax=2.4m	4		
8/9/2016	1WISOKS0293	4	1015	0.1	30.57	85	0.055	86.3	6.46	54.3	7.47	356.4	35.4					4		
8/9/2016	1WISOKS0090	1	1030	7.0	29.13	91	0.059	14.3	1.10	45.1	7.27	292.5	28.9					1		
8/9/2016	1WISOKS0090	1	1030	6.0	29.24	89	0.058	29.8	2.28	46.1	7.23	308.7	28.2					1		
8/9/2016	1WISOKS0090	1	1030	5.0	29.40	86	0.056	40.3	3.08	48.2	7.21	316.9	22.3					1		
8/9/2016	1WISOKS0090	1	1030	4.0	29.41	85	0.055	45.6	3.48	48.2	7.20	321.9	22.7					1		
8/9/2016	1WISOKS0090	1	1030	3.0	29.44	86	0.056	45.8	3.49	49.2	7.18	325.5	21.4	1.024	615			1		
8/9/2016	1WISOKS0090	1	1030	2.5										3.663	616.7			1		
8/9/2016	1WISOKS0090	1	1030	2.0	29.48	85	0.055	47.9	3.65	49.2	7.16	327.7	21.0	12.64	649.3			1		
8/9/2016	1WISOKS0090	1	1030	1.5										54.15	669.2			1		
8/9/2016	1WISOKS0090	1	1030	1.0	29.67	86	0.056	53.1	4.04	51.2	7.16	328.4	21.6	197.5	586.6			1		
8/9/2016	1WISOKS0090	1	1030	0.5	30.19	84	0.055	61.7	4.65	52.3	7.18	328.2	20.7	324.5	583.9	0.57	Zmax=8.0m	1		
8/9/2016	1WISOKS0090	1	1030	0.1	30.70	84	0.055	67.4	5.04	52.3	7.22	327.2	18.6					1		
8/9/2016	1WISOKS0291	5	1055	4.0	29.62	88	0.057	26.9	2.05	45.1	7.23	269.1	21.5					5		
8/9/2016	1WISOKS0291	5	1055	3.0	29.77	84	0.055	49.2	3.73	48.2	7.22	287.4	17.7					5		
8/9/2016	1WISOKS0291	5	1055	2.5										1.14	647			5		
8/9/2016	1WISOKS0291	5	1055	2.0	29.83	84	0.054	54.3	4.12	49.2	7.21	291.6	17.2	3.317	639.5			5		
8/9/2016	1WISOKS0291	5	1055	1.5										10.8	610.6			5		
8/9/2016	1WISOKS0291	5	1055	1.0	29.90	83	0.054	59.1	4.47	50.2	7.20	295.0	16.9	43.01	610.4			5		
8/9/2016	1WISOKS0291	5	1055	0.5	30.03	83	0.054	66.7	5.04	51.2	7.22	296.6	17.1	216.1	620	0.58	Zmax=5.2m	5		
8/9/2016	1WISOKS0291	5	1055	0.1	30.63	83	0.054	76.6	5.73	53.3	7.26	295.7	16.6					5		
9/20/2016	1WISOKS0082	6	0920	0.5	26.36	85	0.055	88.6	7.14	41.0	8.05	411.0	30.8					6		